

Luxury Fireplaces

DIAMOND

SEPTEMBER 2026
ISSUE 02

Command your comfort with iQFX
intelligent eFires or G-FX fires;
effortlessly setting the perfect mood.

Celebrating over 60 years of outstanding
design and innovation with Diamond
Luxury Fireplaces from BeModern®.



DIAMOND

Luxury Fireplaces



Welcome

BUILT ON OUR COMMITMENT TO YOU

Introducing the Diamond Luxury Fireplaces range — an exclusive collection of exquisitely designed Micro Marble & Timber fireplaces, proudly Made in Britain. Each featuring the cutting-edge iQ**FX** Intelligent eFires or the real flame of a Gas G-**FX**. These fireplaces blend timeless elegance with modern innovation, offering stunning visuals, customisable settings, and effortless control options.

Make the fireplace the centre of your home with a luxury fire and fireplace / suite, designed to effortlessly transform your home and create a look and ambiance unique to you. Cutting edge design meets over 60 years of precision engineering to deliver unrivalled excellence and luxury.

Diamond Luxury Fireplaces is a brand of BeModern®, which was established in 1964 and has been proudly producing furniture for the home, here in the UK, for over 60 years. Our industry leading designers and production teams are dedicated to producing the highest quality products and our customer service and logistics teams offer a first class service.

Celebrating over 60 years of excellence
with Diamond Luxury Fireplaces.



Made in Britain


LUXURY DESIGNED FOR YOU

Diamond offers an exclusive collection of Micro Marble & Timber fireplaces that have been designed & Made in Britain, at BeModern® headquarters in the North East of England.

Utilising over 60 years of fireplace manufacturing experience, Diamond have curated these suites to suit the modern day functionality of your interior spaces. Whether this be in your living room or a commercial space, the Diamond range will create a warm, relaxed welcome.


Made in Britain is “the official collective mark for British manufacturers and is registered with UKIPO across 30 product classes. The Made in Britain collective mark unites the British manufacturing sector and helps consumers, buyers and specifiers identify products that are made in Britain.”

Confidence in our product & customer service comes second to none, with dedicated in-house sales and customer service teams, you can be assured your Diamond Luxury Fireplaces will sit pride of place for many decades to come, confident we are here should you need us.



DIAMOND

Luxury Fireplaces



Contents

INSET ELECTRIC FIRES

NEW iQFX 3SL-1250L.....	10
NEW iQFX 3SL-1500L.....	11
NEW iQFX 3SL-1800L.....	12-13

NEW iQFX-16.....	14-15
iQFX-600P.....	16
iQFX-750P.....	17
iQFX-750L.....	18-19
iQFX-1000L.....	20-21
iQFX-1250L.....	22
iQFX-1500L.....	23
iQFX-1800L.....	24-25

NEW

MEDIA WALL FIREPLACE

MEDIAVUE iQFX 3SL-1500.....	26-27
-----------------------------	-------

NEW

ELECTRIC STOVE

iQFX-Slate.....	28-29
-----------------	-------

MICRO MARBLE ELECTRIC FIREPLACES

NEW Olive.....	32-33
Ivy.....	34-35
Jasmine.....	36
Rosa.....	37
Lotus.....	38
Redwood.....	39
Hickory.....	40
Maple.....	41
Calla.....	42
Cassia.....	43
Orchid.....	44
Alder.....	45
Cedar.....	46
Dahlia.....	47

TIMBER ELECTRIC FIREPLACES

NEW Sycamore.....	50-51
Alpine.....	52-53
Cypress.....	54
Elm.....	55
Walnut.....	56-57
Willow.....	58
Rowan.....	59
Juniper.....	60
Acacia.....	61
NEW Hawthorn.....	62
Cherry.....	63
Holly.....	64
Ornella.....	65

NEW



INSET GAS FIRES

G-FX-16.....	68-70
G-FX-16 4 sided.....	71

WALL MOUNTED INSET GAS FIRES

G-FX-600.....	74-75
G-FX-750.....	76-77
G-FX-800.....	78-79

MICRO MARBLE GAS FIREPLACES

Hazel.....	84
Birch.....	85
Jasmine.....	86-87
Ivy.....	88-89
Rosa.....	90-91
Silverberry.....	92
Teak.....	93
Chestnut.....	94-95
Larch.....	96
Eucalyptus.....	97

NEW

GAS STOVE

G-FX-Flint.....	80-81
-----------------	-------



**COMMAND YOUR COMFORT:
VOICE-CONTROLLED FIREPLACE BLISS**

Voice | App | Remote | Manually Controlled

Heat Output 1.5kW

Glass Fronted

Illuminated Log Design

Smoked Crystals + Pebbles

4 x Flame Effects

5 x Brightness settings

8 x Fuel Bed Colours + Cycle

8 x Log Downlight Colours + Cycle

Timer Function

OPTIONAL MOOD LIGHTING AVAILABLE (CODE 50199)

OPTIONAL REAL LOGS AVAILABLE



Immerse yourself in the luxurious warmth and enchantment of an iQ**FX** intelligent eFire, control the ambiance effortlessly via the app and unwind in front of the mesmerising flames.

Optional 13 mood light colours, 8 log downlight and fuel bed colours, 5 brightness settings and 4 flame effects, allow you to set a hypnotic display unique to your mood. The visual effect of flickering flames, enhanced by the smouldering ash bed created by smoked crystallised pebbles and illuminated log design, delivers a truly enchanting and immersive experience.

The primal allure of fire is captured intrinsically within this intelligent collection of fires designed to captivate, enthrall and complement your every mood.



iQ**FX**
intelligent efires

NEW

iQ**FX**3SL
INTELLIGENT eFIRES

iQ**FX**3SL-1250L



iQ**FX**3SL-1250L

Enhance any room with the iQ**FX**3SL-1250L, delivering striking visuals, adaptable 1, 2 or 3 sided installation, and seamless control for a truly captivating atmosphere.

Powered by: iQ**FX**3SL-1250L
Heat Output: 1.5kW

W1252mm - 1278mm
H515mm | D282mm
Min Rebate: 280mm

iQFX3SL-1500L

NEW

iQFX3SL
INTELLIGENT eFIRES



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

iQFX3SL-1500L

Transform your space with the iQFX3SL-1500L, featuring stunning visuals, a versatile 1, 2 or 3 sided installation, and intuitive control for the perfect ambiance every time.

Powered by: iQFX3SL-1500L
Heat Output: 1.5kW

W1502mm - 1528mm
H515mm | D282mm
Min Rebate: 280mm

NEW

iQ**FX**3SL
INTELLIGENT eFIRES

iQ**FX**3SL-1800L

Experience the advanced eFire design with the iQ**FX**3SL-1800L
- stunning visuals, flexible
1, 2 or 3 sided installation and
effortless control.

W1802mm - 1828mm
H515mm | D282mm
Min Rebate: 280mm

Powered by: iQ**FX**3SL-1800L
Heat Output: 1.5kW



SHOWN WITH INCLUDED ILLUMINATED LOGS
- OPTIONAL REAL LOGS AVAILABLE

iQ**FX**3SL-1800L



Standard illuminated log fuel bed



Optional extra real log fuel bed detail



SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD

iQ**FX**3SL-1800L



IQFX3SL-1800L

SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

iQFX-16

The iQFX-16 comes with a standard 75mm rebate, making it the ideal eFire for 16" back panel cutouts, offering a seamless plug-and-play retrofit solution.

It is available in three fascia styles with complementing finishes to suit a wide range of interior aesthetics.

Echo Fascia

W512mm x H606mm x D121mm
Rebate: 75mm

Delta Fascia

W512mm x H605mm x D125mm
Rebate: 75mm




Cast Stove Front

W580mm x H630mm x D183mm
Rebate: 75mm

Powered by: iQFX-16
Heat Output: 1.5kW



Echo Fascia*



*Spacer frame available




SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD


Delta Fascia

Delta Fascia*

Cast Stove Front



Matt Black & Black Nickel



Matt Black & Brushed Brass



Matt Black & Chrome



Cast Black

*Spacer frame available

iQ**FX**-600P



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

iQ**FX**-600P

Integrate the experience of a captivating eFire into your home style. All iQ**FX** eFires feature an inset design and easily fit purpose-built walls, as well as traditional fireplaces.

Powered by: iQ**FX**-600P
Heat Output: 1.5kW

W612mm
H720mm | D178mm
Rebate: 166mm

iQFX-750P

iQFX
INTELLIGENT eFIRES



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

iQFX-750P

Maximise your visual experience with the iQFX-750P shown here with the optional Real Log upgrade.

Powered by: iQFX-750P
Heat Output: 1.5kW

W762mm
H808mm | D178mm
Rebate: 166mm

iQ**FX**
INTELLIGENT eFIRES

iQ**FX**-750L

The iQ**FX**-750L offers a landscape display whilst delivering captivating visuals. Featured here with the optional Real Log upgrade.

W762mm
H531mm | D178mm
Rebate: 166mm

Powered by: iQ**FX**-750L
Heat Output: 1.5kW



iQ**FX**-750L

SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD



SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD

iQFX-750L



Standard Illuminated log detail

iQ**FX**-1000L

Immerse yourself in the captivating ambience of the iQ**FX**-1000L, with the full panoramic effect inset into a pre-fabricated wall or chimney breast.

W1028mm
H515mm | D178mm
Rebate: 166mm

Powered by: iQ**FX**-1000L
Heat Output: 1.5kW



iQ**FX**-1000L

SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD



iQ**FX**
INTELLIGENT eFIRES

iQ**FX**-1250L



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

iQ**FX**-1250L

The iQ**FX**-1250L perfectly integrates the traditional concept of a fire into a modern home while the app delivers effortless control at your fingertips.

Powered by: iQ**FX**-1250L
Heat Output: 1.5kW

W1278mm
H515mm | D178mm
Rebate: 166mm

iQFX-1500L

iQFX
INTELLIGENT eFIRES



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

iQFX-1500L

The hypnotic display of the iQFX-1500L displays the enchanting illumination of iQFX eFires and allows for full view of the mood and lighting features.

Powered by: iQFX-1500L
Heat Output: 1.5kW

W1528mm
H515mm | D178mm
Rebate: 166mm

iQ**FX**
INTELLIGENT eFIRES

iQ**FX**-1800L

Experience the pinnacle of intelligent eFires with the iQ**FX**-1800L, delivering the maximum immersive visual effect and perfect ambience. All at your fingertips.

W1828mm
H515mm | D178mm
Rebate: 166mm

Powered by: iQ**FX**-1800L
Heat Output: 1.5kW

iQ**FX**-1800L



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE



NEW

iQFX
INTELLIGENT eFIRES

iQFX-MEDIAVUE

FLOORSTANDING | WALL MOUNTED

The MediaVue is a premium pre-built media wall fireplace, showcasing the luxurious iQFX3SL-1500L, a striking three-sided electric fire with optional mood lighting for added ambience.

W1835mm | (WM)H1880mm
(FS)H1970mm | D365mm

Powered by: iQFX3SL-1500L
Heat Output: 1.5kW

Furniture Colour Options

CASHMERE
MATT

INDIGO
MATT

MIDNIGHT
MIST MATT

TV Back Panel Colour Options

OAK
SLATS

CASHMERE
MATT

INDIGO
MATT

MIDNIGHT
MIST MATT

Side Details

OAK
SLATS

BLACK
NICKEL

MATT
BLACK

Shelf Options

WHITE
MARBLE
EFFECT

DARK SLATE
EFFECT

iQFX-MEDIAVUE featuring the iQFX3SL-1500L



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD



NEW

iQFX
INTELLIGENT eFIRES

iQFX-SLATE

The iQFX-Slate Cast Iron stove delivers the authentic look and feel of a traditional freestanding stove, combined with a convenient plug-and-play solution for effortless style and warmth. Supplied with both a Black handle and an additional Brushed Steel handle included as standard, you can choose the finish that best suits.

W568mm
H641mm | D283mm

Powered by: iQFX-Slate
Heat Output: 1.5kW

CAST BLACK

iQFX-Slate

SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE



SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD

iQFX-Slate shown with optional real logs



SHOWN WITH INCLUDED ILLUMINATED LOGS
- OPTIONAL REAL LOGS AVAILABLE

Alternative Brushed Steel Handle

Luxury Marble iQ**FX** Fireplaces

The ultimate in marble perfection

Diamond luxury fireplaces crafted from micro marble deliver the ultimate in elegance and style.

Smooth, cool and perfectly finished, these stunning fireplaces become the centrepiece of the room and provide a stunning backdrop to showcase the beauty of an iQ**FX** eFire.

Crafted from our premium micro marble, this collection delivers an authentic, uniform finish with exceptional quality. The collection features 13 contemporary fireplace designs, available in widths ranging from 47"-57", wall mounted and floorstanding options, and in a selection of 3 elegant colours: White, Rigel or White with Grey slip.

All designed to integrate an iQ**FX** eFire to combine intelligent control with cutting edge British design and manufacturing.

Alder electric fireplace in White micro marble | Complete with an iQ**FX**-750P eFire (page 45)





SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

NEW

LUXURY MARBLE
iQFX FIREPLACES

OLIVE

A striking centrepiece, Olive is designed for effortless modern living. Available in Rigel or White Micro Marble, its refined finish and timeless silhouette bring understated elegance to any contemporary interior.



RIGEL



WHITE

48" - W1220mm
H1040mm | D400mm

FLAT TO WALL FIX

Powered by: iQFX-600P
Heat Output: 1.5kW

Olive electric fireplace in Rigel micro marble | Shown with an iQFX-600P



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD



SHOWN WITH INCLUDED ILLUMINATED LOGS
- OPTIONAL REAL LOGS AVAILABLE

Olive electric fireplace in White micro marble | Shown with an iQFX-600P



SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD

Olive electric fireplace in Rigel micro marble | Shown with an iQFX-600P


LUXURY MARBLE iQFX FIREPLACES

Ivy

Bold, elegant and classic, the Ivy creates a stunning centrepiece and features a beautiful 16" inset eFire.



RIGEL




WHITE

52" - W1320mm
H1145mm | D400mm


FLAT TO WALL FIX

Powered by: iQFX-16
Heat Output: 1.5kW

iQFX-16 - Echo



ANTHRACITE




BLACK
NICKEL



CHROME

iQFX-16 - Delta



BLACK
& BRASS




BLACK
& BLACK
NICKEL



BLACK &
CHROME

iQFX-16 - Cast Stove Front



CAST BLACK

Ivy electric fireplace in White micro marble complete with undermantel down lights | Shown with an iQFX-16 with Cast Stove front



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE




SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD

Ivy electric fireplace in Rigel micro marble complete with undermantel downlights
Shown with an iQFX-16 - Echo in Black Nickel



Ivy top detail



Ivy hearth detail



SHOWN WITH
INCLUDED
ILLUMINATED LOGS
- OPTIONAL REAL
LOGS AVAILABLE

Ivy electric fireplace in White micro marble complete with undermantel downlights
Shown with an iQFX-16 - Echo in Chrome


JASMINE



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE


Jasmine electric fireplace in Rigel micro marble complete with undermantel downlights | Shown with an iQFX-16 in Delta Black & Brass

Jasmine's tiered design creates a multidimensional effect, enhanced by downlights.



Powered by: iQFX-16
Heat Output: 1.5kW

48" - W1220mm
H1080mm | D400mm



ROSA


LUXURY MARBLE
iQFX FIREPLACES



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD


Rosa electric fireplace in White micro marble complete with undermantel downlights | Shown with an iQFX-16 with Cast Stove front

Rosa's clean lines highlight the iQFX-16, drawing attention to the fire at the room's centre.



Powered by: iQFX-16
Heat Output: 1.5kW

54" - W1370mm
H1235mm | D400mm



LOTUS



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Lotus electric fireplace in White micro marble & Nightfall backpanel | Complete with an iQFX-750L fire

The wall-mounted Lotus offers a simple yet unique design for modern living.




WHITE


Powered by: iQFX-750L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

47" - W1200mm
H725mm | D290mm

FLAT TO WALL FIX

REDWOOD

LUXURY MARBLE
iQFX FIREPLACES



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE


Redwood electric fireplace in White micro marble & Black Nickel backpanel | Complete with an iQFX-750L fire

The floorstanding Redwood provides a simple yet impactful setting for the iQFX-750L.




WHITE


Powered by: iQFX-750L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

47" - W1200mm
H935mm | D290mm

FLAT TO WALL FIX

HICKORY



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Hickory electric fireplace in White micro marble & Fossilwood backpanel | Complete with an iQFX-1000L fire

Hickory updates the traditional fireplace with a light marble that complements the iQFX-1000L




WHITE


Powered by: iQFX-1000L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

57" - W1450mm
H935mm | D290mm

FLAT TO WALL FIX

MAPLE

LUXURY MARBLE
iQFX FIREPLACES



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE


Maple electric fireplace in White micro marble & Fossilwood backpanel | Complete with an iQFX-1000L eFire

Maximise floorspace with the 1450mm wide Maple and iQFX-1000L eFire.




WHITE


Powered by: iQFX-1000L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

57" - W1450mm
H725mm | D290mm

FLAT TO WALL FIX

LUXURY MARBLE
iQ**FX** FIREPLACES

CALLA



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Calla electric fireplace in White micro marble | Complete with an iQ**FX**-750P eFire

Simple lines create beauty with Calla, featuring the iQ**FX**-750P.



RIGEL



WHITE

Powered by: iQ**FX**-750P
Heat Output: 1.5kW

54" - W1370mm
H1150mm | D400mm

FLAT TO WALL FIX

CASSIA

LUXURY MARBLE
iQFX FIREPLACES



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Cassia electric fireplace in Rigel micro marble | Complete with an iQFX-750L eFire

The Cassia, elegant and impactful featuring the iQFX-750L.



RIGEL



WHITE

Powered by: iQFX-750L
Heat Output: 1.5kW

54" - W1370mm
H900mm | D400mm

FLAT TO WALL FIX

LUXURY MARBLE
iQ**FX** FIREPLACES

ORCHID



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Orchid electric fireplace in White micro marble with Grey slip | Complete with an iQ**FX**-750L eFire

The Orchid is a minimalist and modern fireplace featuring the iQ**FX**-750L.



WHITE



WHITE & GREY

Powered by: iQ**FX**-750L
Heat Output: 1.5kW

52" - W1320mm
H917mm | D400mm

FLAT TO WALL FIX

ALDER

LUXURY MARBLE
iQFX FIREPLACES



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Alder electric fireplace in White micro marble | Complete with an iQFX-750P eFire

Contemporary fireplace
design with featuring the
premium iQFX-750P



WHITE



WHITE & GREY

Powered by: iQFX-750P
Heat Output: 1.5kW

52" - W1320mm
H1141mm | D400mm

FLAT TO WALL FIX

CEDAR




SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Cedar electric fireplace in White with Grey slip micro marble | Complete with an iQFX-600P eFire

A contemporary centre piece,
Cedar offers the perfect
design for modern living.



WHITE



WHITE & GREY

Powered by: iQFX-600P
Heat Output: 1.5kW

52" - W1320mm
H1141mm | D400mm

FLAT TO WALL FIX

DAHLIA

LUXURY MARBLE
iQFX FIREPLACES



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Dahlia electric fireplace in White micro marble | Complete with an iQFX-600P eFire

The striking lines of the Dahlia highlights the excellence of the British luxury marble.



RIGEL



WHITE

Powered by: iQFX-600P
Heat Output: 1.5kW

50" - W1270mm
H1080mm | D400mm

FLAT TO WALL FIX

Luxury Timber iQ**FX** Fireplaces

Designed for seamless perfection

Diamond luxury timber fireplaces offer the ultimate in contemporary design, providing the perfect centrepiece for modern living.

Showcasing stunning intelligent iQ**FX** fires, this collection provides a wide choice of styles available in a selection of subtle finishes.

Smooth, perfectly crafted timber fireplaces have been created by BeModern® Ltd for 60 years by expert designers, ensuring style and quality every time.

The collection features 13 beautiful fireplace designs, available in widths ranging from 42"-67", wall mounted and floorstanding options. Available in a selection of colours, including Ash White, Dune, Nightfall, Fossilwood, Chrome and Black Nickel.

REAL LOGS
AVAILABLE

Cypress electric fireplace in Ash White | Complete with an iQ**FX**-600P eFire (page 54)



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

NEW

LUXURY TIMBER
iQFX FIREPLACES

SYCAMORE

A sleek electric fireplace with a three-sided design, letting you enjoy its stunning flame effect from every angle.

ASH WHITE

DUNE

64" - W1620mm
H842mm | D345mm

FLAT TO WALL FIX

Powered by: iQFX3SL-1250L
Heat Output: 1.5kW

FLUTED
MATT BLACK

FLUTED
BLACK NICKEL

Sycamore electric fireplace in Dune & Black Nickel | Complete with an iQFX3SL-1250L eFire






SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

ALPINE

The stepped design of the Alpine conceals LED moodlighting behind simple, clean lines - subtle, yet effective





52" - W1320mm
H1143mm | D350mm



FLAT TO WALL FIX

Powered by: iQFX-16
Heat Output: 1.5kW


iQFX-16 - Echo



iQFX-16 - Delta



iQFX-16 - Cast Stove Front



Alpine electric fireplace in Ash White & Nightfall back panel | Complete with an iQFX-16 eFire with Echo fascia in Black Nickel



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD



SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD

Alpine electric fireplace in Ash White | Complete with an iQFX-16 eFire with Delta fascia in Matt Black & Black Nickel




SHOWN WITH INCLUDED ILLUMINATED LOGS
- OPTIONAL REAL LOGS AVAILABLE

Alpine electric fireplace in Ash White | Complete with an iQFX-16 eFire with Echo fascia in Chrome



SHOWN WITH INCLUDED ILLUMINATED LOGS
- OPTIONAL REAL LOGS AVAILABLE

Alpine electric fireplace in Ash White | Complete with an iQFX-16 eFire with Cast Stove Front



Complete with
undermantle LED lighting

CYPRESS



SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Cypress electric fireplace in Ash White | Complete with an iQ**FX**-600P eFire

Simple lines create beauty with Cypress, featuring the iQ**FX**-600P inset eFire.

ASH WHITE

Powered by: iQ**FX**-600P
Heat Output: 1.5kW

ASH
WHITE

BLACK
NICKEL

NIGHTFALL

52" - W1320mm
H1143mm | D350mm

ELM


LUXURY TIMBER
iQFX FIREPLACES



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Elm electric fireplace in Ash White and Nightfall back panel | Complete with an iQFX-750P eFire

Stunning design featuring the
iQFX-750P.




ASH WHITE


Powered by: iQFX-750P
Heat Output: 1.5kW



ASH
WHITE



BLACK
NICKEL



NIGHTFALL

52" - W1320mm
H1143mm | D350mm

WALNUT

The bold linear form discreetly integrates under-mantel LED mood lighting, illuminating the space and showcasing the iQFX-16 as a centrepiece




52" - W1320mm
H1113mm | D350mm


FLAT TO WALL FIX

Powered by: iQFX-16
Heat Output: 1.5kW


iQFX-16 - Echo



iQFX-16 - Delta



iQFX-16 - Cast Stove Front



Walnut electric fireplace in Dune | Complete with an iQFX-16 eFire with Echo fascia in Black Nickel



SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE



SHOWN WITH INCLUDED ILLUMINATED LOGS
- OPTIONAL REAL LOGS AVAILABLE

Walnut electric fireplace in Ash White & Nightfall |
Complete with an iQFX-16 eFire with Echo fascia in Chrome




SHOWN WITH OPTIONAL REAL LOGS
- ILLUMINATED LOGS COME AS STANDARD

Walnut electric fireplace in Dune | Complete with an
iQFX-16 eFire with Delta fascia in Matt Black & Chrome
(with Spacer Frame)



Walnut electric fireplace in Ash White & Nightfall detail



Complete with
undermantle LED lighting

WILLOW




SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Willow electric fireplace in Ash White | Complete with an iQFX-600P eFire


The Willow's modern design perfectly complements the large iQFX-600P eFire

Powered by: iQFX-600P
Heat Output: 1.5kW

52" - W1320mm
H1113mm | D350mm



ASH WHITE




DUNE




ASH
WHITE



DUNE



BLACK
NICKEL



NIGHTFALL

Note: Ash White & Dune finish can not be mixed

ROWAN


LUXURY TIMBER
iQFX FIREPLACES




SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Rowan electric fireplace in Ash White & Nightfall | Complete with an iQFX-750P eFire

The Rowan's refined design beautifully frames the iQFX-750P electric fire



ASH WHITE




DUNE


Powered by: iQFX-750P
Heat Output: 1.5kW




ASH WHITE



DUNE



BLACK NICKEL



NIGHTFALL

52" - W1320mm
H1113mm | D350mm

Note: Ash White & Dune finish can not be mixed


JUNIPER




SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Juniper electric fireplace in Ash White & Black Nickel back panel | Complete with an iQ**FX**-750L eFire

The Juniper's sleek, low-profile design perfectly showcases the iQ**FX**-750L.



ASH WHITE



DUNE

Powered by: iQ**FX**-750L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

52" - W1320mm
H886mm | D300mm

ACACIA


LUXURY TIMBER
iQFX FIREPLACES




SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Acacia electric fireplace in Dune & Fossilwood | Complete with an iQFX-1000L eFire

Experience the full impact of the iQFX-1000L flames with the stunning 62" Acacia.



ASH WHITE




DUNE

Powered by: iQFX-1000L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

62" - W1586mm
H886mm | D300mm

NEW

LUXURY TIMBER
iQFX FIREPLACES


HAWTHORN




SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Hawthorn electric fireplace in Ash White | Complete with an iQFX-750L eFire

Create more room and elevate
your décor with the sleek,
wall-mounted Hawthorn.



ASH WHITE



DUNE

Powered by: iQFX-750L
Heat Output: 1.5kW

42" - W1080mm
H700mm | D277mm

CHERRY


LUXURY TIMBER
iQFX FIREPLACES




SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Cherry electric fireplace in Dune & Nightfall | Complete with an iQFX-750L eFire

Maximise floorspace without compromising on style with a wall mounted Cherry.



ASH WHITE




DUNE

Powered by: iQFX-750L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

47" - W1200mm
H725mm | D290mm


HOLLY




SHOWN WITH OPTIONAL REAL LOGS - ILLUMINATED LOGS COME AS STANDARD

Holly electric fireplace in Dune & Black Nickel | Complete with an iQ**FX**-1000L eFire

The Holly is an ultra-modern design, perfect for creating a cosy and inviting space.



ASH WHITE



DUNE



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

Powered by: iQ**FX**-1000L
Heat Output: 1.5kW

57" - W1450mm
H725mm | D290mm

ORNELLA


LUXURY TIMBER
iQ**FX** FIREPLACES




SHOWN WITH INCLUDED ILLUMINATED LOGS - OPTIONAL REAL LOGS AVAILABLE

Ornella electric fireplace in Ash White & Fossilwood | Complete with an iQ**FX**-1250L eFire

A simply beautiful design which allows the iQ**FX**-1250L to really make a statement.



ASH WHITE




DUNE


Powered by: iQ**FX**-1250L
Heat Output: 1.5kW



FOSSILWOOD



BLACK
NICKEL



NIGHTFALL

67" - W1700mm
H725mm | D290mm

G-FX

opulent gas fires

REAL FLAME. REFINED LIVING.

Smartslide Control

High Efficiency – Glass Fronted

Flue Types: Conventional 1 & 2, Balanced Flue

Gas Types: Natural Gas, LPG

Extended 5 Year Warranty upon Registration

Flame Failure Device

Oxygen Depletion Sensor

UKCA Approved



Natural
Gas



LPG
Gas



Conventional
Class 1



Conventional
Class 2



Balanced
Flue



Discover the captivating beauty of real flames with the G-**FX** collection of intelligent gas fires. Blending cutting-edge gas technology with refined design, G-**FX** creates an inviting centrepiece that transforms every living space with warmth, comfort and timeless style.

Advanced dual gas burners produce a fuller, more vibrant flame display, delivering exceptional realism and an enchanting fireside ambience. Available as elegant 16" high-efficiency models, striking portrait and landscape fires, or the distinctive G-**FX** Stove, every appliance is designed to make a lasting impression.

Whether chosen as a complete marble gas fireplace or as an engine-only installation, the G-**FX** range offers the flexibility to complement both contemporary and traditional interiors. Beautifully engineered and effortlessly sophisticated, G-**FX** captures the enduring allure of real fire in a collection created to inspire, captivate and elevate your home.



G-FX****
opulent gas fires

NEW

INSET GAS FIRES



Natural
Gas



LPG
Gas



Conventional
Class 1



Conventional
Class 2



Balanced
Flue

G-FX-16 ALPHA

Complete your surround with a stylish gas fire that adds warmth and ambience to your home. With a discreet Smartslide control, it's easy to use while maintaining a clean, contemporary finish

Powered by: G-FX-16

Natural Gas	LPG
Conventional Class 1 & 2 or Balanced Flue	Conventional Class 1 & 2

Efficiency

Natural Gas: **83%** EEC:D

LPG: **83%** EEC:D

Balanced Flue: **83%** EEC:D
(Natural Gas)

Min / Max Output

Natural Gas: min 2.1kW max 3.6kW

LPG: min 1.8kW max 3.2kW

Balanced Flue: min 1.7kW max 3.0kW
(Natural Gas)

W512mm | H611mm | D232mm
Inset Depth 197mm
Bal Flue Inset Depth: 290 - 580mm






G-FX - 16 Alpha - Chrome



G-FX - 16 Alpha - Black Nickel



G-FX - 16 Alpha - Anthracite





Natural
Gas



LPG
Gas



Conventional
Class 1



Conventional
Class 2



Balanced
Flue

NEW

INSET GAS FIRES

G-FX-16 BETA




EEC: D

G-FX - 16 Beta - Chrome




EEC: D

G-FX - 16 Beta - Black Nickel



CHROME



BLACK
NICKEL

Complete your surround with a stylish gas fire, creating a warm and inviting centrepiece.

Featuring a discreet top-mounted Smartslide control, it's easy to use while maintaining a sleek and contemporary look.

Powered by: G-FX-16

Natural Gas	LPG
Conventional Class 1 & 2 or Balanced Flue	Conventional Class 1 & 2

Efficiency

Natural Gas:  EEC:D

LPG:  EEC:D

Balanced Flue:  EEC:D
(Natural Gas)

Min / Max Output

Natural Gas: 

LPG: 

Balanced Flue:  (Natural Gas)

W511mm | H611mm | D232mm
Inset Depth 197mm
Bal Flue Inset Depth: 290 - 580mm

NEW

INSET GAS FIRES

G-FX-16 CAST STOVE



Natural Gas



LPG Gas



Conventional Class 1



Conventional Class 2



Balanced Flue

Powered by: G-**FX**-16

Natural Gas	LPG
Conventional Class 1 & 2 or Balanced Flue	Conventional Class 1 & 2

Efficiency

Natural Gas:  83% EEC:D

LPG:  83% EEC:D

Balanced Flue:  83% EEC:D
(Natural Gas)

Min / Max Output

Natural Gas:  min 2.1kW max 3.6kW

LPG:  min 1.8kW max 3.2kW

Balanced Flue:  min 1.7kW max 3.0kW
(Natural Gas)

W562mm | H659mm | D232mm
Inset Depth 197mm
Bal Flue Inset Depth: 290 - 580mm



G-**FX**-16 Cast Stove | Smartslide Control

EEC: D

BLACK CAST



Natural
Gas



LPG
Gas



Conventional
Class 1



Conventional
Class 2



Balanced
Flue

NEW

INSET GAS FIRES

G-FX-16 4 SIDED




EEC: D

G-FX - 16 4 Sided - Anthracite




EEC: D

G-FX - 16 4 Sided - Black Nickel



ANTHRACITE



BLACK
NICKEL

Choose the sleek 16" inset wall mounted gas fire, featuring a discreet Smartslide control for effortless operation.

Powered by: G-FX-16

Natural Gas	LPG
Conventional Class 1 & 2 or Balanced Flue	Conventional Class 1 & 2

Efficiency

Natural Gas: **83%** EEC:D

LPG: **83%** EEC:D

Balanced Flue: **83%** EEC:D
(Natural Gas)

Min / Max Output

Natural Gas: min 2.1kW max 3.6kW

LPG: min 1.8kW max 3.2kW

Balanced Flue: min 1.7kW max 3.0kW
(Natural Gas)

W511mm | H665mm | D231mm
Inset Depth 197mm
Bal Flue Inset Depth: 290 - 580mm

Wall Mounted Gas Fires

Standard Flue or Balanced Flue Solutions

The G-**FX**-600, 750 and 800 represent a standout evolution in glass-fronted gas fire design. Created for versatility, these inset models are compatible with conventional Class 1 and Class 2 flues, with Balanced Flue options available on the 600 and 800. Designed to sit seamlessly within a fireplace wall, they offer a clean, understated look, enhanced by a choice of Slim or optional Wide trim. Beneath the surface, advanced under-log dual burner technology brings the fuel bed to life, while reflective black glass panels amplify the flames—creating a striking and contemporary centrepiece for any space.



Every Diamond gas fire is supplied with a 1-year manufacturer's guarantee, which can be extended to a 5-year limited guarantee* simply by registering your product online following installation.

For complete peace of mind, your extended guarantee is supported directly by Diamond through our nationwide network of authorised UK service centres. Combined with our dedicated customer support team, you can be confident of expert assistance whenever you need it. Choose Diamond for exceptional craftsmanship, dependable performance and aftercare you can rely on.

See page 126 for more information

G-**FX**-800 gas fire (pages 78-79)





NEW

WALL MOUNTED
GAS FIRES

G-FX-600



EEC: D

G-**FX**-600 - Slim Trim | Smartslide Control

This fire seamlessly integrates into the wall, creating a sleek and minimalist appearance.

Powered by: G-**FX**-600

Natural Gas	LPG
Conventional Class 1 & 2 or Balanced Flue	Conventional Class 1 & 2

Efficiency

Natural Gas: **83%** EEC:D

LPG: **86%** EEC:D

Balanced Flue: **76%** EEC:E
(Natural Gas)



Natural Gas



LPG Gas



Conventional Class 1



Conventional Class 2



Balanced Flue



G-FX-600 - Wide Trim | Smartslide Control



Log detail

	Min / Max Output	
Natural Gas:	min 3.3kW	max 5.1kW
LPG:	min 3.1kW	max 5.3kW
Balanced Flue: (Natural Gas)	min 3.0kW	max 4.4kW

Fascia Options:
Conventional: Slim or optional Wide* trim
LPG: Slim or optional Wide* trim
Balanced Flue: Slim trim only

Slim Trim - W598mm | H598mm | D280mm

Wide Trim - W747mm | H747mm | D280mm

Balanced Flue Slim Trim - W598mm | H598mm
D280mm (Flue Depth: 369 - 659mm)

*Optional Extra | See installation instructions for further details

NEW

WALL MOUNTED
GAS FIRES

G-FX-750



EEC: D

G-FX-750 - Wide Trim | Smartslide Control

With its advanced dual under-log burner technology, this gas fire showcases an impressive fuel bed layout.

Powered by: G-FX-750

Natural Gas	LPG
Conventional Class 1 & 2	Conventional Class 1 & 2

Efficiency

Natural Gas:



EEC:D

LPG:



EEC:D



Natural Gas



LPG Gas



Conventional Class 1



Conventional Class 2



EEC: D

G-FX-750 - Slim Trim | Smartslide Control



Log detail

Min / Max Output

Natural Gas: min 3.8kW max 5.7kW
LPG: min 3.4kW max 5.8kW

Fascia Options:
Slim or optional Wide* trim

Slim Trim - W748mm | H711mm | D280mm

Wide Trim - W807mm | H770mm | D280mm

*Optional Extra | See installation instructions for further details

NEW

WALL MOUNTED
GAS FIRES

G-FX-800



EEC: D

G-FX-800 - Slim Trim | Smartslide Control

Featuring advanced dual under-log burner technology, this gas fire delivers a strikingly realistic and visually impressive fuel bed display.

Powered by: G-FX-800

Natural Gas	LPG
Conventional Class 1 & 2 or Balanced Flue	Conventional Class 1 & 2

Efficiency

Natural Gas:



EEC:D

LPG:



EEC:D

Balanced Flue:
(Natural Gas)

EEC:E



Natural
Gas



LPG
Gas



Conventional
Class 1



Conventional
Class 2



Balanced
Flue



G-FX-800 - Slim Trim | Smartslide Control



Log detail

Min / Max Output

Natural Gas: min 3.2kW max 4.9kW

LPG: min 3.0kW max 5.0kW

Balanced Flue: min 3.0kW max 4.8kW
(Natural Gas)

Fascia Options:
Slim or optional Wide* trim

Slim Trim - W798mm | H415mm | D280mm

Wide Trim - W857mm | H474mm | D280mm

Balanced Flue Slim Trim - W798mm | H415mm
D280mm (Flue Depth: 369 - 659mm)

*Optional Extra | See installation instructions for further details

NEW

FREESTANDING GAS STOVE

G-FX-FLINT

Supplied with both Chrome and Black handles as standard, allowing you to choose the perfect finishing touch.

***An optional Black slider cover is also available
(Code 110442)***

For rear flue installations, order the iQFX Flint Gas Stove
**Rear Flue & Closure Kit
(Code: 106925)***

Powered by: G-FX-Flint

Natural Gas

Conventional Class 1 & 2

Efficiency

Natural Gas:



EEC:D

Min / Max Output

Natural Gas:

min 1.8kW

max 3.1kW

W482mm | H600mm
D (Rear Flue) 300mm
D (Top Flue) 367mm

*Precast Flue Only



EEC: D

G-FX-Flint shown with Black handle | Smartslide Control



Firebed detail



EEC: D

G-FX-Flint shown with Chrome handle | Smartslide Control | Rear Flue installation



EEC: D

Luxury Marble Gas Fireplaces

Standard Flue or Balanced Flue solutions

Diamond luxury fireplaces crafted from micro marble deliver elegance, style and warmth. Smooth and hand finished, each design becomes a striking feature complete with a fully integrated gas fire.

Crafted from our premium micro marble, this collection combines exceptional quality with an authentic and refined finish. Elegant contemporary designs for a timeless centrepiece for any room

Each fireplace is fitted with an integrated gas fire and is available with Standard Flue or Balanced Flue options. Blending innovative engineering with contemporary design.



Every Diamond gas fire is supplied with a 1-year manufacturer's guarantee, which can be extended to a 5-year limited guarantee* simply by registering your product online following installation.

For complete peace of mind, your extended guarantee is supported directly by Diamond through our nationwide network of authorised UK service centres. Combined with our dedicated customer support team, you can be confident of expert assistance whenever you need it. Choose Diamond for exceptional craftsmanship, dependable performance and aftercare you can rely on.

See page 126 for more information

NEW



Eucalyptus gas fireplace in White micro marble | Complete with a G-FX-800 gas fire (page 97)



NEW

LUXURY MARBLE
GAS FIREPLACES

HAZEL




EEC: D

Hazel gas fireplace in Rigal micro marble | Complete with a G-**FX**-600 gas fire | Smartslide Control



RIGEL



WHITE

Powered by: G-**FX**-600BF

Natural Gas

Balanced Flue

48" - W1220mm | H1040mm | D400mm

Min / Max Output

Balanced Flue: min 3.0kW max 4.4kW
(Natural Gas)

Efficiency

Balanced Flue: **76%** EEC:E
(Natural Gas)

BIRCH

NEW

LUXURY MARBLE
GAS FIREPLACES



EEC: D

Birch gas fireplace in White micro marble | Complete with a G-**FX**-600 gas fire | Smartslide Control



RIGEL



WHITE

Powered by: G-**FX**-600

Natural Gas

LPG

Conventional Class 1 & 2 | Conventional Class 1 & 2

48" - W1220mm | H1040mm | D300mm

Min / Max Output

Natural Gas:

min 3.3kW

max 5.1kW

LPG:

min 3.1kW

max 5.3kW

Efficiency

Natural Gas:



EEC:D

LPG:



EEC:D

NEW

LUXURY MARBLE
GAS FIREPLACES

JASMINE



EEC: D

Jasmine - Gas fireplace in Rigel micro marble complete with undermantel downlights and G-FX-16 gas fire with Alpha fascia in Anthracite | Smartslide Control

Striking yet simple lines
conceal undermantel LED
lighting and frame the G-FX-16



RIGEL



WHITE

Powered by: G-FX-16

48" - W1220mm
H1080mm | D400mm

Rebate - 75mm or 45mm

Natural Gas

Conventional
Class 1 & 2 or
Balanced
Flue

LPG

Conventional
Class 1 & 2



G-FX-16
Alpha Fascia

CHROME

BLACK
NICKEL

ANTHRACITE

Jasmine gas fireplace in White micro marble complete with undermantel downlights and a G-FX-16 gas fire with Alpha fascia in Black Nickel | Smartslide Control



G-FX-16
Beta Fascia

CHROME

BLACK
NICKEL

Jasmine gas fireplace in Rigel micro marble complete with undermantel downlights and a G-FX-16 gas fire with Beta fascia in Chrome | Smartslide Control



G-FX-16
Cast Stove
Front

BLACK CAST

Jasmine gas fireplace in White micro marble complete with undermantel downlights and a G-FX-16 gas fire with Cast Stove Front in Black Cast | Smartslide Control

Efficiency

Natural Gas:



EEC:D

LPG:



EEC:D

Balanced Flue:
(Natural Gas)



EEC:D

Min / Max Output

Natural Gas: min 2.1kW max 3.6kW

LPG: min 1.8kW max 3.2kW

Balanced Flue: min 1.7kW max 3.0kW
(Natural Gas)

NEW

LUXURY MARBLE GAS FIREPLACES

IVY



EEC: D

Ivy - Gas fireplace in White micro marble complete with undermantel downlights and a G-**FX**-16 gas fire with Cast Stove Front in Black Cast | Smartslide Control

The Ivy, with its traditional columned design perfectly frames the G-**FX**-16



RIGEL



WHITE

Powered by: G-**FX**-16

52" - W1320mm
H1145mm | D400mm

Rebate - 75mm or 45mm

Natural Gas

Conventional
Class 1 & 2 or
Balanced
Flue

LPG

Conventional
Class 1 & 2



G-FX-16
Alpha Fascia

CHROME

BLACK NICKEL

ANTHRACITE

Ivy gas fireplace in Rigel micro marble complete with undermantel downlights and a **G-FX-16** gas fire with Alpha fascia in Chrome | Smartslide Control



G-FX-16
Beta Fascia

CHROME

BLACK NICKEL

Ivy gas fireplace in White micro marble complete with undermantel downlights and a **G-FX-16** gas fire with Beta fascia in Black Nickel | Smartslide Control



G-FX-16
Cast Stove Front

BLACK CAST

Ivy gas fireplace in Rigel micro marble complete with undermantel downlights and a **G-FX-16** gas fire with Cast Stove Front in Black Cast | Smartslide Control

Efficiency

Natural Gas:		EEC:D
LPG:		EEC:D
Balanced Flue: (Natural Gas)		EEC:D

Min / Max Output

Natural Gas:	
LPG:	
Balanced Flue: (Natural Gas)	

NEW

LUXURY MARBLE
GAS FIREPLACES


ROSA



EEC: D

Rosa - Gas fireplace in White micro marble complete with undermantel downlights and a G-**FX**-16 gas fire with Beta fascia in Chrome | Smartslide Control

The Rosa's modern aesthetics and undermantel lighting pair perfectly with the G-**FX**-16



WHITE

Powered by: G-**FX**-16

54" - W1370mm
H1235mm | D400mm

Rebate - 75mm or 45mm

Natural Gas

Conventional
Class 1 & 2 or
Balanced
Flue

LPG

Conventional
Class 1 & 2



G-FX-16
Alpha Fascia

CHROME

BLACK
NICKEL

ANTHRACITE

Rosa gas fireplace in White micro marble complete with undermantel downlights and a G-FX-16 gas fire with Alpha fascia in Anthracite | Smartslide Control



G-FX-16
Beta Fascia

CHROME

BLACK
NICKEL

Rosa gas fireplace in White micro marble complete with undermantel downlights and a G-FX-16 gas fire with Beta fascia in Black Nickel | Smartslide Control



G-FX-16
Cast Stove
Front

BLACK CAST

Rosa gas fireplace in White micro marble complete with undermantel downlights and a G-FX-16 gas fire with Cast Stove Front in Black Cast | Smartslide Control

Efficiency

Natural Gas:



EEC:D

LPG:



EEC:D

Balanced Flue:
(Natural Gas)



EEC:D

Min / Max Output

Natural Gas: min 2.1kW max 3.6kW

LPG: min 1.8kW max 3.2kW

Balanced Flue: min 1.7kW max 3.0kW
(Natural Gas)

NEW

LUXURY MARBLE
GAS FIREPLACES


SILVERBERRY



EEC: D

Silverberry gas fireplace in White micro marble | Complete with a G-**FX**-600 gas fire | Smartslide Control

Be mesmerised by the
Silverberry's dual gas burner
and captivating flame pattern



WHITE

Powered by: G-**FX**-600

Natural Gas	LPG
Conventional Class 1 & 2	Conventional Class 1 & 2

50" - W1270mm | H1080mm | D300mm

Min / Max Output

Natural Gas:	min 3.3kW	max 5.1kW
LPG:	min 3.1kW	max 5.3kW

Efficiency

Natural Gas:	83%	EEC:D
LPG:	86%	EEC:D

TEAK

NEW


LUXURY MARBLE
GAS FIREPLACES



EEC: D

Teak gas fireplace in White micro marble | Complete with a G-FX-750 gas fire | Smartslide Control

Experience the dual gas burners captivating design, brought to life by a unique flame pattern.



WHITE

Powered by: G-FX-750

Natural Gas	LPG
Conventional Class 1 & 2	Conventional Class 1 & 2

54" - W1370mm | H1150mm | D300mm

Min / Max Output

Natural Gas:	min 3.8kW	max 5.7kW
LPG:	min 3.4kW	max 5.8kW

Efficiency

Natural Gas:		EEC:D
LPG:		EEC:D

NEW

LUXURY MARBLE
GAS FIREPLACES


CHESTNUT



EEC: D

Chestnut - Slim Trim gas fireplace in White micro marble | Complete with a G-**FX**-800 gas fire | Smartslide Control

The Chestnut's dual gas burner will draw you in with its bold, eye-catching flame pattern



WHITE

Powered by: G-**FX**-800

54" - W1370mm
H875mm | D300mm

Natural Gas

Conventional
Class 1 & 2

LPG

Conventional
Class 1 & 2



Wide trim upgrade available



Log detail

Efficiency

Natural Gas:



EEC:D

LPG:



EEC:D

Min / Max Output

Natural Gas:

min 3.2kW max 4.9kW

LPG:

min 3.0kW max 5.0kW

NEW

LUXURY MARBLE
GAS FIREPLACES


LARCH



EEC: E

Larch gas fireplace in White micro marble | Complete with a G-FX-600BF gas fire | Smartslide Control

The Larch's dual gas burner is captivating, brought to life by a unique flame pattern



WHITE

Powered by: G-FX-600BF

Natural Gas

Balanced Flue

50" - W1270mm | H1080mm | D400mm

Min / Max Output

Balanced Flue: min 3.0kW max 4.4kW
(Natural Gas)

Efficiency

Balanced Flue: **76%** EEC:E
(Natural Gas)

EUCALYPTUS


NEW

LUXURY MARBLE
GAS FIREPLACES



Eucalyptus gas fireplace in White micro marble | Complete with a G-**FX**-800BF gas fire | Smartslide Control

The Eucalyptus has a mesmerising dual gas burner with a captivating flame pattern



Powered by: G-**FX**-800BF

Natural Gas

Balanced Flue

54" - W1370mm | H900mm | D400mm

Min / Max Output

Balanced Flue: min 3.0kW max 4.8kW
(Natural Gas)

Efficiency

Balanced Flue: **80%** EEC:E
(Natural Gas)

TECHNICAL DETAILS

The following pages provide the full technical details for every fire and fireplace featured within this brochure. Here you'll find essential information including dimensions, installation guidance, available finishes, heat outputs, technical specifications and product graphics to help you compare models and select the perfect solution for your space.

Each section has been carefully organised to give you a clear overview of the features, aesthetics and performance of every model, making it easy to find the ideal fireplace to suit your interior and heating requirements.



Our collection includes a wide range of styles and fuel options across:

iQ FX -16 eFires.....	100-101
iQ FX 3SL eFires.....	102-103
iQ FX eFires	104-105
iQ FX Media Wall Fireplaces	106-107
iQ FX Stove.....	106-107
iQ FX Real Logs	108-109
iQ FX Micro Marble Fireplaces.....	110-113
iQ FX Timber Fireplaces.....	114-117
G- FX Inset Fires	118-119
G- FX Stove	118-119
G- FX Wall Mounted Fires.....	120-121
G- FX Micro Marble Fireplaces.....	122-125

iQFX-16 eFires

UPGRADE your log bed as an optional extra



iQFX-16 - Echo

W512mm x H606mm x D121mm
Visible Glass Area: 392mm x 322mm
Rebate: 75mm | Logs: 5 (Illuminated: 2)



iQFX-16 - Delta

W512mm x H605mm x D123mm
Visible Glass Area: 392mm x 316mm
Rebate: 75mm | Logs: 5 (Illuminated: 2)




iQFX-16 - Cast Stove Front

W580mm x H630mm x D183mm
Visible Glass Area: 392mm x 324mm
Rebate: 75mm | Logs: 5 (Illuminated: 2)



Walnut electric fireplace in Dune with iQFX-16 - Delta - Matt Black & Chrome (shown with spacer frame)



iQFX Engines

PG	Engine Fascia	Code	Dimensions (mm)						Fascia Finish	Heat Output	Visible Glass Area (mm)	Logs
			A	B	C	D	E	REBATE				
14	iQFX-16 - Echo	IQFX16BLKN	512	606	121	554	407	75	Black Nickel	1.5kW	392 x 322	5
	iQFX-16 - Echo	IQFX16CH	512	606	121	554	407	75	Chrome	1.5kW	392 x 322	5
	iQFX-16 - Echo	IQFX16ANTH	512	606	121	554	407	75	Anthracite	1.5kW	392 x 322	5
15	iQFX-16 - Delta	IQFX16-DELT-CH	512	605	123	554	407	75	Matt Black & Chrome	1.5kW	392 x 316	5
	iQFX-16 - Delta	IQFX16-DELT-BN	512	605	123	554	407	75	Matt Black & Black Nickel	1.5kW	392 x 316	5
	iQFX-16 - Delta	IQFX16-DELT-BR	512	605	123	554	407	75	Matt Black & Brushed Brass	1.5kW	392 x 316	5
15	iQFX-16 - Stove Front	IQFX16-CAST-BL	580	630	183	554	407	75	Black Cast	1.5kW	392 x 324	5

iQFX Spacer Frame

Suitable for	Code	Dimensions (mm)				Fascia Finish
		Width	Height	Depth	= Rebate	
iQFX-16 - Echo & Delta	076414	512	606	75	0mm	Anthracite

Optional LED mood lighting (Code 50199)

iQFX3SL eFires

UPGRADE your log bed as an optional extra




iQFX3SL-1250L

1 Sided: W1252mm x H515mm x D282mm
2 Sided: W1265mm x H515mm x D282mm
3 Sided: W1278mm x H515mm x D282mm
Visible Glass Area: 1245mm x 379mm
Logs: 13 (Illuminated: 6)



iQFX3SL-1500L

1 Sided: W1502mm x H515mm x D282mm
2 Sided: W1515mm x H515mm x D282mm
3 Sided: W1528mm x H515mm x D282mm
Visible Glass Area: 1495mm x 379mm
Logs: 15 (Illuminated: 6)




iQFX3SL-1800L

1 Sided: W1802mm x H515mm x D282mm
2 Sided: W1815mm x H515mm x D282mm
3 Sided: W1828mm x H515mm x D282mm
Visible Glass Area: 1795mm x 379mm
Logs: 17 (Illuminated: 8)



iQFX3SL-1500L



iQFX Engines

PG	Engine	Code	Dimensions (mm)								Heat Output	Visible Glass Area (mm)	Logs
			A	B	C	D	E	F	G	H			
10	iQFX3SL-1250L - 1 sided	099929	1252	1252	N A	282	269	420	515	182	1.5kW	1245 x 379	13
	iQFX3SL-1250L - 2 sided		1252	1265	13	282	269	420	515	182	1.5kW	1245 x 379	13
	iQFX3SL-1250L - 3 sided		1252	1278	13	282	269	420	515	182	1.5kW	1245 x 379	13
11	iQFX3SL-1500L - 1 sided	099937	1502	1502	N A	282	269	420	515	182	1.5kW	1495 x 379	15
	iQFX3SL-1500L - 2 sided		1502	1515	13	282	269	420	515	182	1.5kW	1495 x 379	15
	iQFX3SL-1500L - 3 sided		1502	1528	13	282	269	420	515	182	1.5kW	1495 x 379	15
12-13	iQFX3SL-1800L - 1 sided	099953	1802	1802	N A	282	269	420	515	182	1.5kW	1795 x 379	17
	iQFX3SL-1800L - 2 sided		1802	1815	13	282	269	420	515	182	1.5kW	1795 x 379	17
	iQFX3SL-1800L - 3 sided		1802	1828	13	282	269	420	515	182	1.5kW	1795 x 379	17

Optional LED mood lighting (Code 50199)

iQFX eFires

UPGRADE your log bed as an optional extra



iQFX-600P

W612mm x H720mm x D178mm
Visible Glass Area: 581mm x 543mm
Logs: 6 (Illuminated: 3)



iQFX-750P

W762mm x H808mm x D178mm
Visible Glass Area: 731mm x 655mm
Logs: 8 (Illuminated: 3)



iQFX-750L

W762mm x H531mm x D178mm
Visible Glass Area: 731mm x 379mm
Logs: 8 (Illuminated: 3)



iQFX-1000L

W1028mm x H515mm x D178mm
Visible Glass Area: 997mm x 379mm
Logs: 10 (Illuminated: 3)



iQFX-1250L

W1278mm x H515mm x D178mm
Visible Glass Area: 1247mm x 379mm
Logs: 13 (Illuminated: 4)



iQFX-1500L

W1528mm x H515mm x D178mm
Visible Glass Area: 1497mm x 379mm
Logs: 15 (Illuminated: 4)




iQFX-1800L

W1828mm x H515mm x D178mm
Visible Glass Area: 1797mm x 379mm
Logs: 18 (Illuminated: 5)



iQFX-1000L




iQFX Engines

PG	Engine	Code	Dimensions (mm)							Heat Output	Visible Glass Area (mm)	Logs
			A	B	C	D	E	F	G			
16	iQFX-600P	71048	586	612	13	178	166	586	720	1.5kW	581 x 543	6
17	iQFX-750P	71056	736	762	13	178	166	698	808	1.5kW	731 x 655	8
18-19	iQFX-750L	71978	736	762	13	178	166	422	531	1.5kW	731 x 379	8
20-21	iQFX-1000L	71986	1002	1028	13	178	166	422	515	1.5kW	997 x 379	10
22	iQFX-1250L	71994	1252	1278	13	178	166	422	515	1.5kW	1247 x 379	13
23	iQFX-1500L	72680	1502	1528	13	178	166	422	515	1.5kW	1497 x 379	15
24-25	iQFX-1800L	72850	1802	1828	13	178	166	422	515	1.5kW	1797 x 379	18

Optional LED mood lighting (Code 50199)


iQFX-MEDIAVUE

UPGRADE your log bed as an optional extra



iQFX-Slate


UPGRADE your log bed as an optional extra



iQFX-Slate
W568mm x H641mm x D283mm
Visible Glass Area: 363mm x 261mm
Logs: 4 (Illuminated: 2)

PG	Finish	Code	Width	Height		Depth	Engine	Heat Output
				WM	FS			
26-27	Cashmere Black Nickel Dark Slate	IQMV-CC-BN-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Black Nickel White Marble	IQMV-CC-BN-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Matt Black Dark Slate	IQMV-CC-MB-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Matt Black White Marble	IQMV-CC-MB-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats Dark Slate	IQMV-CC-O-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats White Marble	IQMV-CC-O-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats Black Nickel Dark Slate	IQMV-CO-BN-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats Black Nickel White Marble	IQMV-CO-BN-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats Matt Black Dark Slate	IQMV-CO-MB-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats Matt Black White Marble	IQMV-CO-MB-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats Oak Slats Dark Slate	IQMV-CO-O-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Cashmere Oak Slats Oak Slats White Marble	IQMV-CO-O-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Black Nickel Dark Slate	IQMV-II-BN-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Matt Black Nickel White Marble	IQMV-II-BN-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Matt Black Dark Slate	IQMV-II-MB-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Matt Black White Marble	IQMV-II-MB-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats Dark Slate	IQMV-II-O-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats White Marble	IQMV-II-O-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats Black Nickel Dark Slate	IQMV-IO-BN-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats Black Nickel White Marble	IQMV-IO-BN-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats Matt Black Dark Slate	IQMV-IO-MB-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats Matt Black White Marble	IQMV-IO-MB-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats Oak Slats Dark Slate	IQMV-IO-O-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Indigo Oak Slats Oak Slats White Marble	IQMV-IO-O-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Black Nickel Dark Slate	IQMV-MM-BN-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Black Nickel White Marble	IQMV-MM-BN-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Matt Black Dark Slate	IQMV-MM-MB-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Matt Black White Marble	IQMV-MM-MB-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats Dark Slate	IQMV-MM-O-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats White Marble	IQMV-MM-O-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats Black Nickel Dark Slate	IQMV-MO-BN-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats Black Nickel White Marble	IQMV-MO-BN-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats Matt Black Dark Slate	IQMV-MO-MB-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats Matt Black White Marble	IQMV-MO-MB-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats Oak Slats Dark Slate	IQMV-MO-O-DS	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW
	Midnight Mist Oak Slats Oak Slats White Marble	IQMV-MO-O-WM	1835mm	1880mm	1970mm	365mm	iQFX3SL-1500L	1.5kW

Optional LED mood lighting (Code 50199)



iQFX eStove

PG	Model	Code	Width	Height	Depth	Engine	Visible Glass Area (mm)	Heat Output
28-29	iQFX-Slate	SLATE-CAST	568mm	641mm	283mm	iQFX - Stove	363mm x 261mm	0.5 - 1.5kW

iQFX REAL LOGS

UPGRADE your log bed as an optional extra


NEW



iQFX - Stove

Optional real logs for: iQFX-Slate


NEW



iQFX - 16

Optional real logs for: iQFX-16 - Echo | iQFX-16 - Delta | iQFX-16 - Cast Stove Front

NEW



1 sided

Optional real logs for: iQFX- 600P | iQFX-750P
| iQFX-750L | iQFX-1000L | iQFX-1250L | iQFX-1500L | iQFX-1800L

NEW



3 sided

Optional real logs for: iQFX3SL-1250L | iQFX3SL-1500L | iQFX3SL-1800L

iQFX REAL LOG OPTIONAL UPGRADE

Description	Code	Engines suitable for
Real Log Set for - iQFX-Stove	110140	iQFX-Slate
Real Log Set for - iQFX-16" inset electric fires	104469	iQFX-16 - Echo, iQFX-16 - Delta, iQFX-16 - Cast Stove Front
Real Log Set for - iQFX Slimline engines	102857	iQFX- 600P iQFX-750P iQFX-750L iQFX-1000L iQFX-1250L iQFX-1500L* iQFX-1800L*
Real Log Set for - iQFX 3 Sided engines	105317	iQFX3SL-1250L iQFX3SL-1500L iQFX3SL-1800L

*Recommend x2 boxes



iQFX Marble Fireplaces

UPGRADE your log bed as an optional extra



52" Alder

W1320mm x H1141mm x D400mm
Engine: iQFX-750P
Heat Output: 1.5kW



54" Calla

W1370mm x H1150mm x D400mm
Engine: iQFX-750P
Heat Output: 1.5kW



54" Cassia

W1370mm x H900mm x D400mm
Engine: iQFX-750L
Heat Output: 1.5kW



52" Cedar

W1320mm x H1141mm x D400mm
Engine: iQFX-600P
Heat Output: 1.5kW



50" Dahlia

W1270mm x H1080mm x D400mm
Engine: iQFX-600P
Heat Output: 1.5kW



57" Hickory

W1450mm x H935mm x D290mm
Engine: iQFX-1000L
Heat Output: 1.5kW



47" Lotus

W1200mm x H725mm x D290mm
Engine: iQFX-750L
Heat Output: 1.5kW



57" Maple

W1450mm x H725mm x D290mm
Engine: iQFX-1000L
Heat Output: 1.5kW



48" Olive

W1220mm x H1040mm x D400mm
Engine: iQFX-600P
Heat Output: 1.5kW



52" Orchid

W1320mm x H917mm x D400mm
Engine: iQFX-750L
Heat Output: 1.5kW



47" Redwood

W1200mm x H935mm x D290mm
Engine: iQFX-750L
Heat Output: 1.5kW

NEW

A White | B Rigel | C White & Grey Slip | D White & Nightfall | E White & Black Nickel | F White & Fossilwood

iQFX MICRO MARBLE FIREPLACES

PG	Description	Code	Width	Height	Depth	Finish	Engine	Heat Output
45	52" Alder	ALD-W	1320mm (52")	1141mm	400mm	White	iQFX-750P	1.5kW
	52" Alder	ALD-WG	1320mm (52")	1141mm	400mm	White & Grey	iQFX-750P	1.5kW
42	54" Calla	CAL-W	1370mm (54")	1150mm	400mm	White	iQFX-750P	1.5kW
	54" Calla	CAL-R	1370mm (54")	1150mm	400mm	Rigel	iQFX-750P	1.5kW
43	54" Cassia	CAS-W	1370mm (54")	900mm	400mm	White	iQFX-750L	1.5kW
	54" Cassia	CAS-R	1370mm (54")	900mm	400mm	Rigel	iQFX-750L	1.5kW
46	52" Cedar	CED-W	1320mm (52")	1141mm	400mm	White	iQFX-600P	1.5kW
	52" Cedar	CED-WG	1320mm (52")	1141mm	400mm	White & Grey	iQFX-600P	1.5kW
47	50" Dahlia	DAH-W	1270mm (50")	1080mm	400mm	White	iQFX-600P	1.5kW
	50" Dahlia	DAH-R	1270mm (50")	1080mm	400mm	Rigel	iQFX-600P	1.5kW
40	57" Hickory	HIC-W-FW	1450mm (57")	935mm	290mm	White & Fossilwood	iQFX-1000L	1.5kW
	57" Hickory	HIC-W-BLKN	1450mm (57")	935mm	290mm	White & Black Nickel	iQFX-1000L	1.5kW
	57" Hickory	HIC-W-NF	1450mm (57")	935mm	290mm	White & Nightfall	iQFX-1000L	1.5kW
38	47" Lotus	LOT-W-FW	1200mm (47")	725mm	290mm	White & Fossilwood	iQFX-750L	1.5kW
	47" Lotus	LOT-W-BLKN	1200mm (47")	725mm	290mm	White & Black Nickel	iQFX-750L	1.5kW
	47" Lotus	LOT-W-NF	1200mm (47")	725mm	290mm	White & Nightfall	iQFX-750L	1.5kW
41	57" Maple	MAP-W-FW	1450mm (57")	725mm	290mm	White & Fossilwood	iQFX-1000L	1.5kW
	57" Maple	MAP-W-BLKN	1450mm (57")	725mm	290mm	White & Black Nickel	iQFX-1000L	1.5kW
	57" Maple	MAP-W-NF	1450mm (57")	725mm	290mm	White & Nightfall	iQFX-1000L	1.5kW
32-33	48" Olive	OLIVE-IQFX-W	1220mm (48")	1040mm	400mm	White	iQFX-600P	1.5kW
	48" Olive	OLIVE-IQFX-R	1220mm (48")	1040mm	400mm	Rigel	iQFX-600P	1.5kW
44	52" Orchid	ORC-W	1320mm (52")	917mm	400mm	White	iQFX-750L	1.5kW
	52" Orchid	ORC-WG	1320mm (52")	917mm	400mm	White & Grey	iQFX-750L	1.5kW
39	47" Redwood	RED-W-FW	1200mm (47")	935mm	290mm	White & Fossilwood	iQFX-750L	1.5kW
	47" Redwood	RED-W-BLKN	1200mm (47")	935mm	290mm	White & Black Nickel	iQFX-750L	1.5kW
	47" Redwood	RED-W-NF	1200mm (47")	935mm	290mm	White & Nightfall	iQFX-750L	1.5kW

Optional LED mood lighting (Code 50199)




Maple electric fireplace in White micro marble + Nightfall

iQFX Marble Fireplaces

UPGRADE your log bed as an optional extra



52" Ivy with Echo fascia
W1320mm x H1145mm x D400mm
Engine: iQFX-16 - Echo
Heat Output: 1.5kW



52" Ivy with Delta fascia
W1320mm x H1145mm x D400mm
Engine: iQFX-16 - Delta
Heat Output: 1.5kW



52" Ivy with Cast Stove fascia
W1320mm x H1145mm x D400mm
Engine: iQFX-16 - Echo
Heat Output: 1.5kW



48" Jasmine with Echo fascia
W1220mm x H1080mm x D400mm
Engine: iQFX-16 - Echo
Heat Output: 1.5kW




48" Jasmine with Delta fascia
W1220mm x H1080mm x D400mm
Engine: iQFX-16 - Delta
Heat Output: 1.5kW



48" Jasmine with Cast Stove fascia
W1220mm x H1080mm x D400mm
Engine: iQFX-16 - Echo
Heat Output: 1.5kW



54" Rosa with Echo fascia
W1370mm x H1235mm x D400mm
Engine: iQFX-16 - Echo
Heat Output: 1.5kW



54" Rosa with Delta fascia
W1370mm x H1235mm x D400mm
Engine: iQFX-16 - Delta
Heat Output: 1.5kW



54" Rosa with Cast Stove fascia
W1370mm x H1235mm x D400mm
Engine: iQFX-16 - Echo
Heat Output: 1.5kW

Black Cast |
 Chrome |
 Black Nickel |
 Anthracite |
 White |
 Rigel |
 Black & Chrome |
 Black & Black Nickel |
 Black & Brass

iQFX MICRO MARBLE FIREPLACES

PG	Description	Code	Width	Height	Depth	Finish	Fire Finish	Engine	Heat Output
34-35	52" Ivy	IVY-W-C	1320mm (52")	1145mm	400mm	White	Chrome	iQFX-16 - Echo	1.5kW
	52" Ivy	IVY-W-BLKN	1320mm (52")	1145mm	400mm	White	Black Nickel		1.5kW
	52" Ivy	IVY-W-ANTH	1320mm (52")	1145mm	400mm	White	Anthracite		1.5kW
	52" Ivy	IVY-R-C	1320mm (52")	1145mm	400mm	Rigel	Chrome		1.5kW
	52" Ivy	IVY-R-BLKN	1320mm (52")	1145mm	400mm	Rigel	Black Nickel		1.5kW
	52" Ivy	IVY-R-ANTH	1320mm (52")	1145mm	400mm	Rigel	Anthracite		1.5kW
	52" Ivy	IVY-W-DCH	1320mm (52")	1145mm	400mm	White	Black Chrome	iQFX-16 - Delta	1.5kW
	52" Ivy	IVY-W-DBN	1320mm (52")	1145mm	400mm	White	Black Black Nickel		1.5kW
	52" Ivy	IVY-W-DBR	1320mm (52")	1145mm	400mm	White	Black Brass		1.5kW
	52" Ivy	IVY-R-DCH	1320mm (52")	1145mm	400mm	Rigel	Black Chrome		1.5kW
	52" Ivy	IVY-R-DBN	1320mm (52")	1145mm	400mm	Rigel	Black Black Nickel		1.5kW
	52" Ivy	IVY-R-DBR	1320mm (52")	1145mm	400mm	Rigel	Black Brass		1.5kW
	52" Ivy	IVY-W-CAST	1320mm (52")	1145mm	400mm	White	Black Cast	iQFX-16 - Cast Stove Front	1.5kW
	52" Ivy	IVY-R-CAST	1320mm (52")	1145mm	400mm	Rigel			1.5kW
36	48" Jasmine	JAS-W-C	1220mm (48")	1080mm	400mm	White	Chrome	iQFX-16 - Echo	1.5kW
	48" Jasmine	JAS-W-BLKN	1220mm (48")	1080mm	400mm	White	Black Nickel		1.5kW
	48" Jasmine	JAS-W-ANTH	1220mm (48")	1080mm	400mm	White	Anthracite		1.5kW
	48" Jasmine	JAS-R-C	1220mm (48")	1080mm	400mm	Rigel	Chrome		1.5kW
	48" Jasmine	JAS-R-BLKN	1220mm (48")	1080mm	400mm	Rigel	Black Nickel		1.5kW
	48" Jasmine	JAS-R-ANTH	1220mm (48")	1080mm	400mm	Rigel	Anthracite		1.5kW
	48" Jasmine	JAS-W-DCH	1220mm (48")	1080mm	400mm	White	Black Chrome	iQFX-16 - Delta	1.5kW
	48" Jasmine	JAS-W-DBN	1220mm (48")	1080mm	400mm	White	Black Black Nickel		1.5kW
	48" Jasmine	JAS-W-DBR	1220mm (48")	1080mm	400mm	White	Black Brass		1.5kW
	48" Jasmine	JAS-R-DCH	1220mm (48")	1080mm	400mm	Rigel	Black Chrome		1.5kW
	48" Jasmine	JAS-R-DBN	1220mm (48")	1080mm	400mm	Rigel	Black Black Nickel		1.5kW
	48" Jasmine	JAS-R-DBR	1220mm (48")	1080mm	400mm	Rigel	Black Brass		1.5kW
	48" Jasmine	JAS-W-CAST	1220mm (48")	1080mm	400mm	White	Black Cast	iQFX-16 - Cast Stove Front	1.5kW
	48" Jasmine	JAS-R-CAST	1220mm (48")	1080mm	400mm	Rigel			1.5kW
37	54" Rosa	ROS-W-C	1370mm (54")	1235mm	400mm	White	Chrome	iQFX-16 - Echo	1.5kW
	54" Rosa	ROS-W-BLKN	1370mm (54")	1235mm	400mm	White	Black Nickel		1.5kW
	54" Rosa	ROS-W-ANTH	1370mm (54")	1235mm	400mm	White	Anthracite		1.5kW
	54" Rosa	ROS-W-DCH	1370mm (54")	1235mm	400mm	White	Black Chrome	iQFX-16 - Delta	1.5kW
	54" Rosa	ROS-W-DBN	1370mm (54")	1235mm	400mm	White	Black Black Nickel		1.5kW
	54" Rosa	ROS-W-DBR	1370mm (54")	1235mm	400mm	White	Black Brass		1.5kW
	54" Rosa	ROS-W-CAST	1370mm (54")	1235mm	400mm	White	Black Cast	iQFX-16 - Cast Stove Front	1.5kW

Optional LED mood lighting (Code 50199)



Ivy electric fireplace in White micro marble with iQFX-16 - Echo - Chrome

iQFX Timber Fireplaces

UPGRADE your log bed as an optional extra



62" Acacia

W1586mm x H886mm x D300mm
Engine: iQFX-1000L
Heat Output: 1.5kW




47" Cherry

W1200mm x H725mm x D290mm
Engine: iQFX-750L
Heat Output: 1.5kW



52" Cypress

W1320mm x H1143mm x D350mm
Engine: iQFX-600P
Heat Output: 1.5kW



52" Elm

W1320mm x H1143mm x D350mm
Engine: iQFX-750P
Heat Output: 1.5kW



42" Hawthorn

W1080mm x H700mm x D277mm
Engine: iQFX-750L
Heat Output: 1.5kW



57" Holly

W1450mm x H725mm x D290mm
Engine: iQFX-1000L
Heat Output: 1.5kW



52" Juniper

W1320mm x H886mm x D300mm
Engine: iQFX-750L
Heat Output: 1.5kW




67" Ornella

W1700mm x H725mm x D290mm
Engine: iQFX-1250L
Heat Output: 1.5kW



52" Rowan

W1320mm x H1113mm x D350mm
Engine: iQFX-750P
Heat Output: 1.5kW



64" Sycamore

W1620mm x H842mm x D345mm
Engine: iQFX3SL-1250L
Heat Output: 1.5kW



52" Willow

W1320mm x H1113mm x D350mm
Engine: iQFX-600P
Heat Output: 1.5kW

Ash White | Dune | Dune & Nightfall | Dune & Fossilwood | Dune & Black Nickel | Dune & Matt Black
 Ash White & Nightfall | Ash White & Fossilwood | Ash White & Black Nickel | Ash White & Matt Black

iQFX TIMBER FIREPLACES

PG	Description	Code	Width	Height	Depth	Finish	Engine	Heat Output
61	62" Acacia	ACA-D-FW	1586mm (62")	886mm	300mm	Dune & Fossilwood	iQFX-1000L	1.5kW
	62" Acacia	ACA-D-BLKN	1586mm (62")	886mm	300mm	Dune & Black Nickel	iQFX-1000L	1.5kW
	62" Acacia	ACA-D-NF	1586mm (62")	886mm	300mm	Dune & Nightfall	iQFX-1000L	1.5kW
	62" Acacia	ACA-AW-FW	1586mm (62")	886mm	300mm	Ash White & Fossilwood	iQFX-1000L	1.5kW
	62" Acacia	ACA-AW-BLKN	1586mm (62")	886mm	300mm	Ash White & Black Nickel	iQFX-1000L	1.5kW
	62" Acacia	ACA-AW-NF	1586mm (62")	886mm	300mm	Ash White & Nightfall	iQFX-1000L	1.5kW
63	47" Cherry	CHE-D-FW	1200mm (47")	725mm	290mm	Dune & Fossilwood	iQFX-750L	1.5kW
	47" Cherry	CHE-D-BLKN	1200mm (47")	725mm	290mm	Dune & Black Nickel	iQFX-750L	1.5kW
	47" Cherry	CHE-D-NF	1200mm (47")	725mm	290mm	Dune & Nightfall	iQFX-750L	1.5kW
	47" Cherry	CHE-AW-FW	1200mm (47")	725mm	290mm	Ash White & Fossilwood	iQFX-750L	1.5kW
	47" Cherry	CHE-AW-BLKN	1200mm (47")	725mm	290mm	Ash White & Black Nickel	iQFX-750L	1.5kW
	47" Cherry	CHE-AW-NF	1200mm (47")	725mm	290mm	Ash White & Nightfall	iQFX-750L	1.5kW
54	52" Cypress	CYP-AW	1320mm (52")	1143mm	350mm	Ash White	iQFX-600P	1.5kW
	52" Cypress	CYP-AW-BLKN	1320mm (52")	1143mm	350mm	Ash White & Black Nickel	iQFX-600P	1.5kW
	52" Cypress	CYP-AW-NF	1320mm (52")	1143mm	350mm	Ash White & Nightfall	iQFX-600P	1.5kW
55	52" Elm	ELM-AW	1320mm (52")	1143mm	350mm	Ash White	iQFX-750P	1.5kW
	52" Elm	ELM-AW-BLKN	1320mm (52")	1143mm	350mm	Ash White & Black Nickel	iQFX-750P	1.5kW
	52" Elm	ELM-AW-NF	1320mm (52")	1143mm	350mm	Ash White & Nightfall	iQFX-750P	1.5kW
62	42" Hawthorn	HAW-D	1080mm (42")	700mm	277mm	Dune	iQFX-750L	1.5kW
	42" Hawthorn	HAW-AW	1080mm (42")	700mm	277mm	Ash White	iQFX-750L	1.5kW
64	57" Holly	HOL-D-FW	1450mm (57")	725mm	290mm	Dune & Fossilwood	iQFX-1000L	1.5kW
	57" Holly	HOL-D-BLKN	1450mm (57")	725mm	290mm	Dune & Black Nickel	iQFX-1000L	1.5kW
	57" Holly	HOL-D-NF	1450mm (57")	725mm	290mm	Dune & Nightfall	iQFX-1000L	1.5kW
	57" Holly	HOL-AW-FW	1450mm (57")	725mm	290mm	Ash White & Fossilwood	iQFX-1000L	1.5kW
	57" Holly	HOL-AW-BLKN	1450mm (57")	725mm	290mm	Ash White & Black Nickel	iQFX-1000L	1.5kW
	57" Holly	HOL-AW-NF	1450mm (57")	725mm	290mm	Ash White & Nightfall	iQFX-1000L	1.5kW
60	52" Juniper	JUN-D-FW	1320mm (52")	886mm	300mm	Dune & Fossilwood	iQFX-750L	1.5kW
	52" Juniper	JUN-D-BLKN	1320mm (52")	886mm	300mm	Dune & Black Nickel	iQFX-750L	1.5kW
	52" Juniper	JUN-D-NF	1320mm (52")	886mm	300mm	Dune & Nightfall	iQFX-750L	1.5kW
	52" Juniper	JUN-D-FW	1320mm (52")	886mm	300mm	Ash White & Fossilwood	iQFX-750L	1.5kW
	52" Juniper	JUN-D-BLKN	1320mm (52")	886mm	300mm	Ash White & Black Nickel	iQFX-750L	1.5kW
	52" Juniper	JUN-D-NF	1320mm (52")	886mm	300mm	Ash White & Nightfall	iQFX-750L	1.5kW
65	67" Ornella	ORN-D-FW	1700mm (67")	725mm	290mm	Dune & Fossilwood	iQFX-1250L	1.5kW
	67" Ornella	ORN-D-BLKN	1700mm (67")	725mm	290mm	Dune & Black Nickel	iQFX-1250L	1.5kW
	67" Ornella	ORN-D-NF	1700mm (67")	725mm	290mm	Dune & Nightfall	iQFX-1250L	1.5kW
	67" Ornella	ORN-AW-FW	1700mm (67")	725mm	290mm	Ash White & Fossilwood	iQFX-1250L	1.5kW
	67" Ornella	ORN-AW-BLKN	1700mm (67")	725mm	290mm	Ash White & Black Nickel	iQFX-1250L	1.5kW
	67" Ornella	ORN-AW-NF	1700mm (67")	725mm	290mm	Ash White & Nightfall	iQFX-1250L	1.5kW
59	52" Rowan	ROW-D	1320mm (52")	1113mm	350mm	Dune	iQFX-750P	1.5kW
	52" Rowan	ROW-D-BLKN	1320mm (52")	1113mm	350mm	Dune & Black Nickel	iQFX-750P	1.5kW
	52" Rowan	ROW-D-NF	1320mm (52")	1113mm	350mm	Dune & Nightfall	iQFX-750P	1.5kW
	52" Rowan	ROW-AW	1320mm (52")	1113mm	350mm	Ash White	iQFX-750P	1.5kW
	52" Rowan	ROW-AW-BLKN	1320mm (52")	1113mm	350mm	Ash White & Black Nickel	iQFX-750P	1.5kW
	52" Rowan	ROW-AW-NF	1320mm (52")	1113mm	350mm	Ash White & Nightfall	iQFX-750P	1.5kW
50-51	64" Sycamore	SYC-D-BN	1620mm (64")	842mm	345mm	Dune & Black Nickel	iQFX-1250L	1.5kW
	64" Sycamore	SYC-D-BL	1620mm (64")	842mm	345mm	Dune & Matt Black	iQFX-1250L	1.5kW
	64" Sycamore	SYC-AW-BN	1620mm (64")	842mm	345mm	Ash White & Black Nickel	iQFX-1250L	1.5kW
	64" Sycamore	SYC-AW-BL	1620mm (64")	842mm	345mm	Ash White & Matt Black	iQFX-1250L	1.5kW
58	52" Willow	WIL-D	1320mm (52")	1113mm	350mm	Dune	iQFX-600P	1.5kW
	52" Willow	WIL-D-BLKN	1320mm (52")	1113mm	350mm	Dune & Black Nickel	iQFX-600P	1.5kW
	52" Willow	WIL-D-NF	1320mm (52")	1113mm	350mm	Dune & Nightfall	iQFX-600P	1.5kW
	52" Willow	WIL-AW	1320mm (52")	1113mm	350mm	Ash White	iQFX-600P	1.5kW
	52" Willow	WIL-AW-BLKN	1320mm (52")	1113mm	350mm	Ash White & Black Nickel	iQFX-600P	1.5kW
	52" Willow	WIL-AW-NF	1320mm (52")	1113mm	350mm	Ash White & Nightfall	iQFX-600P	1.5kW

Optional LED mood lighting (Code 50199)

iQFX Timber Fireplaces


UPGRADE your log bed as an optional extra



52" Alpine with Echo fascia
W1320mm x H1143mm x D350mm
Engine: iQFX-16
Heat Output: 1.5kW



52" Walnut with Echo fascia
W1320mm x H1113mm x D350mm
Engine: iQFX-16
Heat Output: 1.5kW



52" Alpine with Delta fascia
W1320mm x H1143mm x D350mm
Engine: iQFX-16
Heat Output: 1.5kW



52" Walnut with Delta fascia
W1320mm x H1113mm x D350mm
Engine: iQFX-16
Heat Output: 1.5kW



52" Alpine with Cast Stove fascia
W1320mm x H1143mm x D350mm
Engine: iQFX-16
Heat Output: 1.5kW



52" Walnut with Cast Stove fascia
W1320mm x H1113mm x D350mm
Engine: iQFX-16
Heat Output: 1.5kW

Ash White |
 Dune |
 Dune & Nighfall |
 Ash White & Nightfall |
 Black Cast |
 Chrome |
 Black Nickel |
 Anthracite |
 Black & Chrome |
 Black & Black Nickel |
 Black & Brass

iQFX TIMBER FIREPLACES

PG	Description	Code	Width	Height	Depth	Finish	Fire Finish	Engine	Heat Output
52-53	52" Alpine	ALPAW-LED-CH	1320mm (52")	1143mm	350mm	Ash White	Chrome	iQFX-16 - Echo	1.5kW
	52" Alpine	ALPAW-LED-BN	1320mm (52")	1143mm	350mm	Ash White	Black Nickel		1.5kW
	52" Alpine	ALPAW-LED-AN	1320mm (52")	1143mm	350mm	Ash White	Anthracite		1.5kW
	52" Alpine	ALPAW-LEDNF-CH	1320mm (52")	1143mm	350mm	Ash White + Nightfall	Chrome		1.5kW
	52" Alpine	ALPAW-LEDNF-BN	1320mm (52")	1143mm	350mm	Ash White + Nightfall	Black Nickel		1.5kW
	52" Alpine	ALPAW-LEDNF-AN	1320mm (52")	1143mm	350mm	Ash White + Nightfall	Anthracite		1.5kW
	52" Alpine	ALPW-LED-DCH	1320mm (52")	1143mm	350mm	Ash White	Black Chrome	iQFX-16 - Delta	1.5kW
	52" Alpine	ALPW-LED-DBN	1320mm (52")	1143mm	350mm	Ash White	Black Black Nickel		1.5kW
	52" Alpine	ALPW-LED-DBR	1320mm (52")	1143mm	350mm	Ash White	Black Brass		1.5kW
	52" Alpine	ALPW-LEDNF-DCH	1320mm (52")	1143mm	350mm	Ash White + Nightfall	Black Chrome		1.5kW
	52" Alpine	ALPW-LEDNF-DBN	1320mm (52")	1143mm	350mm	Ash White + Nightfall	Black Black Nickel		1.5kW
	52" Alpine	ALPW-LEDNF-DBR	1320mm (52")	1143mm	350mm	Ash White + Nightfall	Black Brass		1.5kW
	52" Alpine	ALPW-LED-CAST	1320mm (52")	1143mm	350mm	Ash White	Cast Black	iQFX-16 - Cast Stove Front	1.5kW
	52" Alpine	ALPW-LEDNF-CST	1320mm (52")	1143mm	350mm	Ash White + Nightfall			1.5kW
56-57	52" Walnut	WALD-LED-CH	1320mm (52")	1113mm	350mm	Dune	Chrome	iQFX-16 - Echo	1.5kW
	52" Walnut	WALD-LED-BN	1320mm (52")	1113mm	350mm	Dune	Black Nickel		1.5kW
	52" Walnut	WALD-LED-AN	1320mm (52")	1113mm	350mm	Dune	Anthracite		1.5kW
	52" Walnut	WALD-LEDNF-CH	1320mm (52")	1113mm	350mm	Dune + Nightfall	Chrome		1.5kW
	52" Walnut	WALD-LEDNF-BN	1320mm (52")	1113mm	350mm	Dune + Nightfall	Black Nickel		1.5kW
	52" Walnut	WALD-LEDNF-AN	1320mm (52")	1113mm	350mm	Dune + Nightfall	Anthracite		1.5kW
	52" Walnut	WALD-LED-DCH	1320mm (52")	1113mm	350mm	Dune	Black Chrome	iQFX-16 - Delta	1.5kW
	52" Walnut	WALD-LED-DBN	1320mm (52")	1113mm	350mm	Dune	Black Black Nickel		1.5kW
	52" Walnut	WALD-LED-DBR	1320mm (52")	1113mm	350mm	Dune	Black Brass		1.5kW
	52" Walnut	WALD-LEDNF-DCH	1320mm (52")	1113mm	350mm	Dune + Nightfall	Black Chrome		1.5kW
	52" Walnut	WALD-LEDNF-DBN	1320mm (52")	1113mm	350mm	Dune + Nightfall	Black Black Nickel		1.5kW
	52" Walnut	WALD-LEDNF-DBR	1320mm (52")	1113mm	350mm	Dune + Nightfall	Black Brass		1.5kW
	52" Walnut	WALD-LED-CAST	1320mm (52")	1113mm	350mm	Dune	Cast Black	iQFX-16 - Cast Stove Front	1.5kW
	52" Walnut	WALD-LEDNF-CST	1320mm (52")	1113mm	350mm	Dune + Nightfall			1.5kW
	52" Walnut	WALAW-LED-CH	1320mm (52")	1113mm	350mm	Ash White	Chrome	iQFX-16 - Echo	1.5kW
	52" Walnut	WALAW-LED-BN	1320mm (52")	1113mm	350mm	Ash White	Black Nickel		1.5kW
	52" Walnut	WALAW-LED-AN	1320mm (52")	1113mm	350mm	Ash White	Anthracite		1.5kW
	52" Walnut	WALAW-LEDNF-CH	1320mm (52")	1113mm	350mm	Ash White + Nightfall	Chrome		1.5kW
	52" Walnut	WALAW-LEDNF-BN	1320mm (52")	1113mm	350mm	Ash White + Nightfall	Black Nickel		1.5kW
	52" Walnut	WALAW-LEDNF-AN	1320mm (52")	1113mm	350mm	Ash White + Nightfall	Anthracite		1.5kW
	52" Walnut	WALW-LED-DCH	1320mm (52")	1113mm	350mm	Ash White	Black Chrome	iQFX-16 - Delta	1.5kW
	52" Walnut	WALW-LED-DBN	1320mm (52")	1113mm	350mm	Ash White	Black Black Nickel		1.5kW
	52" Walnut	WALW-LED-DBR	1320mm (52")	1113mm	350mm	Ash White	Black Brass		1.5kW
	52" Walnut	WALW-LEDNF-DCH	1320mm (52")	1113mm	350mm	Ash White + Nightfall	Black Chrome		1.5kW
	52" Walnut	WALW-LEDNF-DBN	1320mm (52")	1113mm	350mm	Ash White + Nightfall	Black Black Nickel		1.5kW
	52" Walnut	WALW-LEDNF-DBR	1320mm (52")	1113mm	350mm	Ash White + Nightfall	Black Brass		1.5kW
	52" Walnut	WALW-LED-CAST	1320mm (52")	1113mm	350mm	Ash White	Cast Black	iQFX-16 - Cast Stove Front	1.5kW
	52" Walnut	WALW-LEDNF-CST	1320mm (52")	1113mm	350mm	Ash White + Nightfall			1.5kW



Alpine electric fireplace in Ash White & Nightfall with iQFX-16 - Echo - Black Nickel

G-**FX** Gas Fires



NEW

G-**FX**-16 - Alpha Fascia

W512mm x H611mm x D232mm
Inset Depth: 197mm
Bal Flue Inset Depth: 290 - 580mm



NEW

G-**FX**-16 - Beta Fascia

W511mm x H611mm x D232mm
Inset Depth: 197mm
Bal Flue Inset Depth: 290 - 580mm



NEW

G-**FX**-16 - 4 Sided Fascia

W511mm x H665mm x D231mm
Inset Depth: 197mm
Bal Flue Inset Depth: 290 - 580mm



NEW

G-**FX**-16 - Cast Stove Front

W562mm x H659mm x D232mm
Inset Depth: 197mm
Bal Flue Inset Depth: 290 - 580mm

G-**FX**-Flint




NEW

G-**FX**-Flint

W464mm x H600mm x D367mm


● **S** Black | ● **T** Matt Black | ● **U** Chrome | ● **V** Black Nickel | ● **W** Anthracite



G-FX Gas Engines

PG	Model	Gas Type	Flue Type	Code	Width	Height	Depth	Inset Depth	Inset W x H	Long Flue	Heat Output
70	G-FX-16 Alpha - Chrome	Natural Gas	Class 1 & 2	117013	512mm	611mm	231mm	197mm	403mm x 555mm	✗	3.6kW
		Natural Gas	Balanced Flue*	117137	512mm	611mm	231mm	290 - 580mm		✓	3.0kW
		LPG	Class 1 & 2	117072	512mm	611mm	231mm	197mm		✗	3.2kW
	G-FX-16 Alpha - Black Nickel	Natural Gas	Class 1 & 2	117021	512mm	611mm	231mm	197mm		✗	3.6kW
		Natural Gas	Balanced Flue*	117145	512mm	611mm	231mm	290 - 580mm		✓	3.0kW
		LPG	Class 1 & 2	117099	512mm	611mm	231mm	197mm		✗	3.2kW
	G-FX-16 Alpha - Anthracite	Natural Gas	Class 1 & 2	106968	512mm	611mm	231mm	197mm		✗	3.6kW
		Natural Gas	Balanced Flue*	108227	512mm	611mm	231mm	290 - 580mm		✓	3.0kW
		LPG	Class 1 & 2	106984	512mm	611mm	231mm	197mm		✗	3.2kW
71	G-FX-16 Beta - Chrome	Natural Gas	Class 1 & 2	117048	511mm	611mm	231mm	197mm	403mm x 555mm	✗	3.6kW
		Natural Gas	Balanced Flue*	117153	511mm	611mm	231mm	290 - 580mm		✓	3.0kW
		LPG	Class 1 & 2	117102	512mm	611mm	231mm	197mm		✗	3.2kW
	G-FX-16 Beta - Black Nickel	Natural Gas	Class 1 & 2	117056	511mm	611mm	231mm	197mm		✗	3.6kW
		Natural Gas	Balanced Flue*	117196	511mm	611mm	231mm	290 - 580mm		✓	3.0kW
73	G-FX-16 - 4 Sided Fascia - Chrome	Natural Gas	Class 1 & 2	GFX16-NG-4S-AN	511mm	665mm	231mm	197mm	403mm x 555mm	✗	3.6kW
		Natural Gas	Balanced Flue*	GFX16-BF-4S-AN	511mm	665mm	231mm	290 - 580mm		✓	3.0kW
		LPG	Class 1 & 2	GFX16-LP-4S-AN	511mm	665mm	231mm	197mm		✗	3.2kW
	G-FX-16 - 4 Sided Fascia - Black Nickel	Natural Gas	Class 1 & 2	GFX16-NG-4S-BN	511mm	665mm	231mm	197mm		✗	3.6kW
		Natural Gas	Balanced Flue*	GFX16-BF-4S-BN	511mm	665mm	231mm	290 - 580mm		✓	3.0kW
72	G-FX-16 - Cast Stove front	LPG	Class 1 & 2	GFX16-LP-4S-BN	511mm	665mm	231mm	197mm		✗	3.2kW
		Natural Gas	Class 1 & 2	GFX16-NG-CAST	562mm	659mm	231mm	197mm	403mm x 555mm	✗	3.6kW
		Natural Gas	Balanced Flue*	GFX16-BF-CAST	562mm	659mm	231mm	290 - 580mm		✓	3.0kW
		LPG	Class 1 & 2	GFX16-LP-CAST	562mm	659mm	231mm	197mm		✗	3.2kW

*includes balanced flue kit



G-FX Stove

PG	Model	Gas Type	Code	Width	Height	Depth	Engine	Visible Glass Area (mm)	Heat Output
80	G-FX-Flint - Top Flue	Natural Gas	106917	464mm	600mm	367mm	iQFX gas	336mm x 307mm	3.1kW
	G-FX-Flint - Rear Flue	Natural Gas		464mm	600mm	300mm	iQFX gas	336mm x 307mm	3.1kW

G-FX Flint Gas Stove Rear Flue & Closure Kit | Pre Cast Flue Kit - Code: 106925 | Optional Black slider cover (Code 110442)

G-**FX** Wall Mounted Gas Fires

NEW



Matt Black

G-**FX**-600 - Slim Trim
W598mm x H598mm x D280mm
Engine: G-**FX**-600CF | LPG
Heat Output: 4.4-5.3kW

NEW



Matt Black

G-**FX**-600 - Wide Trim
W747mm x H598mm x D280mm
Engine: G-**FX**-600CF | LPG
Heat Output: 4.4-5.3kW

NEW



Matt Black

G-**FX**-750 - Slim Trim
W748mm x H711mm x D280mm
Engine: G-**FX**-750CF | LPG
Heat Output: 5.7-5.8kW

NEW



Matt Black

G-**FX**-750 - Wide Trim
W807mm x H770mm x D280mm
Engine: G-**FX**-750CF | LPG
Heat Output: 5.7-5.8kW

NEW



Matt Black

G-**FX**-800 - Slim Trim
W798mm x H415mm x D280mm
Engine: G-**FX**-800CF | LPG
Heat Output: 4.8-5.0kW

NEW



Matt Black

G-**FX**-800 - Wide Trim
W857mm x H474mm x D280mm
Engine: G-**FX**-800CF | LPG
Heat Output: 4.8-5.0kW



G-**FX**-800 - Slim Trim

G-**FX** WALL MOUNTED FIRES

PG	Description	Gas Type	Flue Type	Code	Width	Height	Depth	Inset Depth	Finish	Heat Output
74-75	G- FX -600CF - Slim Trim	Natural Gas	Class 1 & 2	117293	598mm	598mm	280mm	310mm	Matt Black	5.1kW
	G- FX -600CF - Wide Trim	Natural Gas	Class 1 & 2	GFX600-NG-WIDE	747mm	747mm	280mm	310mm	Matt Black	5.1kW
	G- FX -600LPG - Slim Trim	LPG	Class 1 & 2	117331	598mm	598mm	280mm	310mm	Matt Black	5.3kW
	G- FX -600LPG - Wide Trim	LPG	Class 1 & 2	GFX600-LP-WIDE	747mm	747mm	280mm	310mm	Matt Black	5.3kW
	G- FX -600BF - Slim Trim	Natural Gas	Balanced Flue	11717X	598mm	662mm	280mm	310mm	Matt Black	4.4kW
76-77	G- FX -750CF - Slim Trim	Natural Gas	Class 1 & 2	117374	748mm	711mm	280mm	310mm	Matt Black	5.7kW
	G- FX -750CF - Wide Trim	Natural Gas	Class 1 & 2	GFX750-NG-WIDE	807mm	770mm	280mm	310mm	Matt Black	5.7kW
	G- FX -750LPG - Slim Trim	LPG	Class 1 & 2	117382	748mm	711mm	280mm	310mm	Matt Black	5.8kW
	G- FX -750LPG - Wide Trim	LPG	Class 1 & 2	GFX750-LP-WIDE	807mm	770mm	280mm	310mm	Matt Black	5.8kW
78-79	G- FX -800CF - Slim Trim	Natural Gas	Class 1 & 2	117420	798mm	415mm	280mm	310mm	Matt Black	4.9kW
	G- FX -800CF - Wide Trim	Natural Gas	Class 1 & 2	GFX800-NG-WIDE	857mm	474mm	280mm	310mm	Matt Black	4.9kW
	G- FX -800LPG - Slim Trim	LPG	Class 1 & 2	11734X	798mm	415mm	280mm	310mm	Matt Black	5.0kW
	G- FX -800LPG - Wide Trim	LPG	Class 1 & 2	GFX800-LP-WIDE	857mm	474mm	280mm	310mm	Matt Black	5.0kW
	G- FX -800BF - Slim Trim	Natural Gas	Balanced Flue	11703X	798mm	415mm	280mm	310mm	Matt Black	4.8kW

G-**FX** Micro Marble Gas Fireplaces

NEW



A

B

U

V

W

52" Ivy with Alpha fascia
W1320mm x H1145mm x D400mm
Engine: G-**FX**-16 - Alpha
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

B

U

V

52" Ivy with Beta fascia
W1320mm x H1145mm x D400mm
Engine: G-**FX**-16 - Beta
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

B

T

52" Ivy with Cast Stove fascia
W1320mm x H1145mm x D400mm
Engine: G-**FX**-16 - Cast Stove fascia
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

B

U

V

W

48" Jasmine with Alpha fascia
W1220mm x H1080mm x D400mm
Engine: G-**FX**-16 - Alpha
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

B

U

V

48" Jasmine with Beta fascia
W1220mm x H1080mm x D400mm
Engine: G-**FX**-16 - Beta
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

B

T

48" Jasmine with Cast Stove fascia
W1220mm x H1080mm x D400mm
Engine: G-**FX**-16 - Cast Stove fascia
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

U

V

W

54" Rosa with Alpha fascia
W1370mm x H1235mm x D400mm
Engine: G-**FX**-16 - Alpha
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

U

V

54" Rosa with Beta fascia
W1370mm x H1235mm x D400mm
Engine: G-**FX**-16 - Beta
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

NEW



A

T

54" Rosa with Cast Stove fascia
W1370mm x H1235mm x D400mm
Engine: G-**FX**-16 - Cast Stove fascia
Heat Output: Conventional: 3.6kW
Bal Flue: 3.0kW | LPG: 3.2kW

A

 White |

B

 Rigel

T

 Black Cast |

U

 Chrome |

V

 Black Nickel |

W

 Anthracite

G-**FX** MICRO MARBLE FIREPLACES

PG	Description	Rebate	Conventional	LPG	Balanced Flue	Width	Height	Depth	Finish	Fire Finish	Engine
88-89	52" Ivy	45mm	IVYW45-HE-AC	IVYW45-LPG-AC	IVYW45-BF-AC	1320mm (52")	1145mm	400mm	White	Chrome	G- FX -16 Alpha
		75mm	IVYW75-HE-AC	IVYW75-LPG-AC	IVYW75-BF-AC					Black Nickel	
		45mm	IVYW45-HE-ABN	IVYW45-LPG-ABN	IVYW45-BF-ABN					Anthracite	
		75mm	IVYW75-HE-ABN	IVYW75-LPG-ABN	IVYW75-BF-ABN						
		45mm	IVYW45-HE-AAN	IVYW45-LPG-AAN	IVYW45-BF-AAN						
		75mm	IVYW75-HE-AAN	IVYW75-LPG-AAN	IVYW75-BF-AAN						
		45mm	IVYR45-HE-AC	IVYR45-LPG-AC	IVYR45-BF-AC				Rigel	Chrome	
		75mm	IVYR75-HE-AC	IVYR75-LPG-AC	IVYR75-BF-AC					Black Nickel	
		45mm	IVYR45-HE-ABN	IVYR45-LPG-ABN	IVYR45-BF-ABN					Anthracite	
		75mm	IVYR75-HE-ABN	IVYR75-LPG-ABN	IVYR75-BF-ABN						
		45mm	IVYR45-HE-AAN	IVYR45-LPG-AAN	IVYR45-BF-AAN						
		75mm	IVYR75-HE-AAN	IVYR75-LPG-AAN	IVYR75-BF-AAN						
	52" Ivy	45mm	IVYW45-HE-BC	IVYW45-LPG-BC	IVYW45-BF-BC	1320mm (52")	1145mm	400mm	White	Chrome	G- FX -16 Beta
		75mm	IVYW75-HE-BC	IVYW75-LPG-BC	IVYW75-BF-BC					Black Nickel	
		45mm	IVYW45-HE-BBN	IVYW45-LPG-BBN	IVYW45-BF-BBN					Chrome	
		75mm	IVYW75-HE-BBN	IVYW75-LPG-BBN	IVYW75-BF-BBN					Black Nickel	
		45mm	IVYR45-HE-BC	IVYR45-LPG-BC	IVYR45-BF-BC				Rigel	Chrome	
		75mm	IVYR75-HE-BC	IVYR75-LPG-BC	IVYR75-BF-BC					Black Nickel	
		45mm	IVYR45-HE-BBN	IVYR45-LPG-BBN	IVYR45-BF-BBN						
		75mm	IVYR75-HE-BBN	IVYR75-LPG-BBN	IVYR75-BF-BBN						
	52" Ivy	45mm	IVYW45-HE-CAST	IVYW45-LPG-CST	IVYW45-BF-CAST	1320mm (52")	1145mm	400mm	White	Cast Black	G- FX -16 Cast Stove Front
		75mm	IVYW75-HE-CAST	IVYW75-LPG-CST	IVYW75-BF-CAST						
		45mm	IVYR45-HE-CAST	IVYR45-LPG-CST	IVYR45-BF-CAST				Rigel		
		75mm	IVYR75-HE-CAST	IVYR75-LPG-CST	IVYR75-BF-CAST						
86-87	48" Jasmine	45mm	JASW45-HE-AC	JASW45-LPG-AC	JASW45-BF-AC	1220mm (48")	1080mm	400mm	White	Chrome	G- FX -16 Alpha
		75mm	JASW75-HE-AC	JASW75-LPG-AC	JASW75-BF-AC					Black Nickel	
		45mm	JASW45-HE-ABN	JASW45-LPG-ABN	JASW45-BF-ABN					Anthracite	
		75mm	JASW75-HE-ABN	JASW75-LPG-ABN	JASW75-BF-ABN						
		45mm	JASW45-HE-AAN	JASW45-LPG-AAN	JASW45-BF-AAN						
		75mm	JASW75-HE-AAN	JASW75-LPG-AAN	JASW75-BF-AAN						
	48" Jasmine	45mm	JASR45-HE-AC	JASR45-LPG-AC	JASR45-BF-AC				Rigel	Chrome	
		75mm	JASR75-HE-AC	JASR75-LPG-AC	JASR75-BF-AC					Black Nickel	
		45mm	JASR45-HE-ABN	JASR45-LPG-ABN	JASR45-BF-ABN					Anthracite	
		75mm	JASR75-HE-ABN	JASR75-LPG-ABN	JASR75-BF-ABN						
		45mm	JASR45-HE-AAN	JASR45-LPG-AAN	JASR45-BF-AAN						
		75mm	JASR75-HE-AAN	JASR75-LPG-AAN	JASR75-BF-AAN						
	48" Jasmine	45mm	JASW45-HE-BC	JASW45-LPG-BC	JASW45-BF-BC	1220mm (48")	1080mm	400mm	White	Chrome	G- FX -16 Beta
		75mm	JASW75-HE-BC	JASW75-LPG-BC	JASW75-BF-BC					Black Nickel	
		45mm	JASW45-HE-BBN	JASW45-LPG-BBN	JASW45-BF-BBN					Chrome	
		75mm	JASW75-HE-BBN	JASW75-LPG-BBN	JASW75-BF-BBN					Black Nickel	
		45mm	JASR45-HE-BC	JASR45-LPG-BC	JASR45-BF-BC				Rigel	Chrome	
		75mm	JASR75-HE-BC	JASR75-LPG-BC	JASR75-BF-BC					Black Nickel	
		45mm	JASR45-HE-BBN	JASR45-LPG-BBN	JASR45-BF-BBN						
		75mm	JASR75-HE-BBN	JASR75-LPG-BBN	JASR75-BF-BBN						
	48" Jasmine	45mm	JASW45-HE-CAST	JASW45-LPG-CST	JASW45-BF-CAST	1220mm (48")	1080mm	400mm	White	Cast Black	G- FX -16 Cast Stove Front
		75mm	JASW75-HE-CAST	JASW75-LPG-CST	JASW75-BF-CAST						
		45mm	JASR45-HE-CAST	JASR45-LPG-CST	JASR45-BF-CAST				Rigel		
		75mm	JASR75-HE-CAST	JASR75-LPG-CST	JASR75-BF-CAST						
90-91	54" Rosa	45mm	ROSW45-HE-AC	ROSW45-LPG-AC	ROSW45-BF-AC	1370mm (54")	1235mm	400mm	White	Chrome	G- FX -16 Alpha
		75mm	ROSW75-HE-AC	ROSW75-LPG-AC	ROSW75-BF-AC					Black Nickel	
		45mm	ROSW45-HE-ABN	ROSW45-LPG-ABN	ROSW45-BF-ABN					Anthracite	
		75mm	ROSW75-HE-ABN	ROSW75-LPG-ABN	ROSW75-BF-ABN						
		45mm	ROSW45-HE-AAN	ROSW45-LPG-AAN	ROSW45-BF-AAN						
		75mm	ROSW75-HE-AAN	ROSW75-LPG-AAN	ROSW75-BF-AAN						
	54" Rosa	45mm	ROSW45-HE-BC	ROSW45-LPG-BC	ROSW45-BF-BC	1370mm (54")	1235mm	400mm	White	Black Chrome	G- FX -16 Beta
		75mm	ROSW75-HE-BC	ROSW75-LPG-BC	ROSW75-BF-BC					Black Black Nickel	
		45mm	ROSW45-HE-BBN	ROSW45-LPG-BBN	ROSW45-BF-BBN						
		75mm	ROSW75-HE-BBN	ROSW75-LPG-BBN	ROSW75-BF-BBN						
	54" Rosa	45mm	ROSW45-HE-CAST	ROSW45-LPG-CST	ROSW45-BF-CAST	1370mm (54")	1235mm	400mm	White	Black Cast	G- FX -16 Cast Stove Front
		75mm	ROSW75-HE-CAST	ROSW75-LPG-CST	ROSW75-BF-CAST						
	Min Max Heat Output			2.1kW 3.6kW	1.8kW 3.2kW	1.7kW 3.0kW					

G-**FX** Micro Marble Gas Fireplaces

NEW



48" Birch with G-**FX**-600
W1220mm x H1040mm x D400mm
Engine: G-**FX**-600CF | LPG
Heat Output: 5.1-5.3kW

NEW



54" Chestnut with G-**FX**-800
W1370mm x H875mm x D300mm
Engine: G-**FX**-800CF | LPG
Heat Output: 4.9-5.0kW

NEW



54" Eucalyptus with G-**FX**-800BF
W1370mm x H900mm x D400mm
Engine: G-**FX**-800BF
Heat Output: 4.8kW



NEW



48" Hazel with G-**FX**-600BF
W1220mm x H1040mm x D400mm
Engine: G-**FX**-600BF
Heat Output: 4.4kW



NEW



50" Larch with G-**FX**-600BF
W1270mm x H1080mm x D400mm
Engine: G-**FX**-600BF
Heat Output: 4.4kW



NEW



50" Silverberry with G-**FX**-600
W1270mm x H1080mm x D300mm
Engine: G-**FX**-600CF | LPG
Heat Output: 5.1-5.3kW



NEW



54" Teak with G-**FX**-750
W1370mm x H1150mm x D300mm
Engine: G-**FX**-750CF | LPG
Heat Output: 5.7-5.8kW



A White | B Rigel

G-FX MICRO MARBLE FIREPLACES

PG	Description	Gas Type	Trim	Flue Type	Code	Width	Height	Depth	Finish	Engine	Max Heat Output
84	48" Birch	Natural Gas	Slim	Class 1 2	BIRCH-CF-WHT	1220mm	1040mm	300mm	White	G-FX-600CF	5.1kW
		Natural Gas	Slim	Class 1 2	BIRCH-CF-RIG	1220mm	1040mm	300mm	Rigel	G-FX-600CF	5.1kW
		LPG	Slim	Class 1 2	BIRCH-LPG-WHT	1220mm	1040mm	300mm	White	G-FX-600LPG	5.3kW
		LPG	Slim	Class 1 2	BIRCH-LPG-RIG	1220mm	1040mm	300mm	Rigel	G-FX-600LPG	5.3kW
94-95	54" Chestnut	Natural Gas	Slim	Class 1 2	CHE-W-NG-S	1370mm	875mm	300mm	White	G-FX-800CF	4.9kW
		Natural Gas	Wide	Class 1 2	CHE-W-NG-W	1370mm	875mm	300mm	White	G-FX-800CF	4.9kW
		LPG	Slim	Class 1 2	CHE-W-LPG-S	1370mm	875mm	300mm	White	G-FX-800LPG	5.0kW
		LPG	Wide	Class 1 2	CHE-W-LPG-W	1370mm	875mm	300mm	White	G-FX-800LPG	5.0kW
97	54" Eucalyptus	Natural Gas	Slim	Balanced Flue	EUC-W-BF-S	1370mm	900mm	400mm	White	G-FX-800BF	4.8kW
85	48" Hazel	Natural Gas	Slim	Balanced Flue	HAZEL-BF-WHT	1220mm	1040mm	400mm	White	G-FX-600BF	4.4kW
		Natural Gas	Slim	Balanced Flue	HAZEL-BF-RIG	1220mm	1040mm	400mm	Rigel	G-FX-600BF	4.4kW
96	50" Larch	Natural Gas	Slim	Balanced Flue	LAR-W-BF-S	1270mm	1080mm	400mm	White	G-FX-600BF	4.4kW
92	50" Silverberry	Natural Gas	Slim	Class 1 2	SIL-W-NG-S	1270mm	1080mm	300mm	White	G-FX-600CF	5.1kW
		LPG	Slim	Class 1 2	SIL-W-LPG-S	1270mm	1080mm	300mm	White	G-FX-600LPG	5.3kW
93	54" Teak	Natural Gas	Slim	Class 1 2	TEAK-W-NG-S	1370mm	1150mm	300mm	White	G-FX-750CF	5.7kW
		LPG	Slim	Class 1 2	TEAK-W-LPG-S	1370mm	1150mm	300mm	White	G-FX-750LPG	5.8kW



Larch gas fireplace in White micro marble with G-FX-600BF

Warranty

Electric

1 Year warranty comes as standard, providing you with reassurance and peace of mind.

2 Years extended warranty is obtained by registering your product free, within 28 days of purchase. After registration you will receive cover for parts only in year 2 & 3.

Gas

Our G-FX gas products have **5 year Limited Warranty*** so you can be confident you have purchased and installed a high quality product. All gas fires need to be serviced annually by a Registered Gas Safe Engineer to ensure continued operation and optimum performance. This annual service is a condition of our 5 year limited warranty, and you must show record of approved servicing.

*Upon registration. Terms & conditions apply



atlantabathrooms.com

bemodern®

FOR MORE INFORMATION ON OUR OTHER BRANDS,
PLEASE CONTACT BELOW.

DIAMOND

Luxury Fireplaces

www.diamondfireplaces.co.uk
tel: 0191 430 9434



P R  Z M
REVOLUTIONIZING FLAMES

www.pryzmfires.com
tel: 0191 430 9434



FLARE
collection

www.flarecollection.com
tel: 0191 430 9434



atlantabathrooms.com
tel: 0191 428 3104





DIAMOND

Luxury Fireplaces

Be Modern Ltd | 19 | 34 Bedesway
Bede Industrial Estate | Jarrow
Tyne and Wear | NE32 3BE
Tel: 0191 430 9434
Email: bmdsales@bemodern.co.uk

www.diamondfireplaces.co.uk

 **MADE IN BRITAIN®**

UK Registered Designs



DIAMOND hold design copyright and registration of design for its product ranges. DIAMOND are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used.
© DIAMOND SEPTEMBER 2026

