bemodern®

COLLECTION

E&H ELGIN&HALL | FLARE | PRYZM



MADE IN BRITAIN®

HEATING HOMES FOR GENERATIONS

Welcome

Discover a curated collection of stunning FLARE and Pryzm fires and fireplaces & Elgin & Hall micro marble surrounds, designed to bring warmth, style and atmosphere to your home.

From timeless elegance to bold contemporary design, each fireplace combines innovative technology with exceptional craftsmanship. Expertly manufactured and hand-finished in premium marble and timber, our collection offers distinctive centrepieces designed to complement every interior.

Explore the FLARE, Pryzm and Elgin & Hall range and find the perfect fireplace to transform your living space—bringing together comfort, character and effortless style.

MADE IN BRITAIN®

E&H EST. 1948 ELGIN&HALL BRITISH MADE | FLARE | PRYZM

bemodern® history so far

1963 — Began as Modern Trends manufacturing fire surrounds in Sunderland from a 5000sq.ft factory

1964 — Business incorporated as **BeModern®**

1967 — Expansion of **BeModern®** leads them to move to larger premises in Nile Street, South Shields

1970 — Continued expansion leads to purpose built premises in Western Approach, South Shields

1982 — **BeModern®** moves into the retail sector with the acquisition of Academy Crafts selling kitchen furniture

1988 — **BeModern®** celebrates 25 years as a British manufacturer

2001 — **BeModern®** acquires current Shaftsbury Avenue site and commences manufacture of marble surrounds (later extended in 2004 & 2013)

2006 — **BeModern®** acquired design and product rights of Elgin & Hall - manufacturing hand painted, individually crafted fire surrounds in our Marcraft factory

2009 — **BeModern®** acquires Broseley, to extend product choice into multifuel, electric and gas stoves (later merged with FLARE 2021)

Contents

MediaVue 6-7

Timber Electric Fireplaces 8-17

Timber Inglenooks 18

Micro Marble Inglenook 19

Micro Marble Electric Fireplaces 20-21

Micro Marble Gas Fireplaces 22-23

Micro Marble Surrounds 24-27

Inset Electric Fires 28-35

Wall Mounted Electric Fires 36-37


Inset Gas Fires 38-41

Electric Stoves 42-51

Gas Stoves 52-53

Multifuel Stoves 54-55

Technical Information 56-59







Key

- Manual Control
- Smart Slide
- Remote Control
- 7 Day Programmable Remote Control
- App Control

- Flat wall fix
- Inset wall fix
- Glass Fronted
- Open Fronted
- Heat Output
- Real Log Upgrade available

- Floorstanding
- Wall Mounted
- Inset Wall Mounted
- Freestanding

- Optional / Mood Lighting
- Built-in Mood Lighting
- Undermantel Lighting
- Motion Sense Undermantel Lighting

- **SL** Standard Lipped Hearth
- **BN** Bullnose Hearth
- Bespoke Hearth

- Stove Switch
- Decorative Flue

PRYZM

ELGIN&HALL

FLARE

MEDIAVUE
Media Wall


Cashmere Matt


Midnight Mist

Mediavue

Powered by: Arteon 1500L-3SL

W1835mm | (WM)H1880mm/(FS)H1970mm | D365mm

Furniture Colour Options

Cashmere Matt | Indigo Matt | Midnight Mist Matt

TV Back Panel / Side Details Colour Options

Oak Slats | Colour Matched to Unit

Shelf Options

White Marble Effect | Dark Slate Effect


Indigo Matt


7 DAY
1.5kW
GLASS FRONTED
OPTIONAL MOOD LED
FLAT WALL FIX

TIMBER
Electric Fireplaces



Oxton

1-2kW · GLASS FRONTED · 7 DAY · MOOD LIGHTING · FLAT WALL FIX

63" - W1600mm x H2200/2500mm x D260mm
*Compatible with mood lights only

Ash White



Elyce

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

43" - W1100mm x H602mm x D255mm

Matt Cashmere & Anthracite



Elyce Grande

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

55" - W1390mm x H602mm x D255mm

Matt Cashmere & Anthracite



Broadwell

1-2kW | FLAT WALL FIX

48" - W1220mm x H1050mm x D300mm

Dark Grey & Matt Black



Fairview

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

63" - W1600mm x H1150mm x D260mm

Ash White



Olora

7 DAY | GLASS FRONTED | FLAT WALL FIX

52" - W1320mm x H1131mm x D400mm

Light Grey & White Levanto



Linmere


1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

44" - W1120mm x H995mm x D330mm
Available with Chrome or Black Nickel Trim

Soft White



Matt Cashmere & Anthracite



Ash White

Huxton

7 DAY | OPEN FRONTED | FLAT WALL FIX

41" - W1034mm x H588mm x D277mm | (Top Width 36")
51" - W1284mm x H588mm x D277mm | (Top Width 46")

Matt Cashmere & Anthracite | Ash White





Arana

7 DAY | OPEN FRONTED | FLAT WALL FIX

50" - W1270mm x H1021mm x D350mm

Ash White

Juliette

7 DAY | GLASS FRONTED | FLAT WALL FIX

48" - W1211mm x H596mm x D300mm
58" - W1461mm x H596mm x D300mm

Angora & Matt Cashmere



Chollerton 22: Black Nickel



Chollerton 22: Chrome



Chollerton Edge 22: Black Nickel

Amorina

7 DAY · GLASS FRONTED · FLAT WALL FIX

50" - W1270mm x H1016mm x D300mm
Powered by: Chollerton 22

Ash White



Self Assembly

Farleigh 38

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

38" - W966mm x H803mm x D250mm

Ash White



Self Assembly

Farleigh 52

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

52" - W1320mm x H760mm x D250mm

Ash White



Hansford

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

46" - W1170mm x H815mm x D300mm

Pearlescent Cashmere



Hansford Grande

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

52" - W1320mm x H760mm x D300mm

Pearlescent Cashmere



Orwell

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

48" - W1220mm x H1071mm x D300mm

Ash White



Colby

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

38" - W960mm x H805mm x D300mm
(Hearth W1016mm)

Soft White



Sennen

DECORATIVE FLUE · GLASS FRONTED · 0.9 -1.8kW · FLAT WALL FIX

54" - W1370mm x H1150mm x D360mm

Chalet Oak, Ash White & Grey Herringbone



Soft White

Elsham

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

40" - W1020mm x H920mm x D300mm

Pearlescent Cashmere

Soft White



Stanton

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

46" - W1170mm x H1058mm x D330mm
Available with Chrome or Black Nickel Trim

Soft White



Soft White & Black Nickel

Ice White / Chrome

Whitham

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

48" - W1220mm x H1011mm x D300mm

Ice White & Chrome

Soft White & Black Nickel



Natural Oak effect & Anthracite with Colman Stove



Natural Oak effect, Stone & Anthracite with Colman Stove

Barrowden Inglenook

DECORATIVE FLUE · GLASS FRONTED · 0.9 -1.8kW · 7 DAY · FLAT WALL FIX

42" - W1070mm x H1045mm x D350mm

Natural Oak effect & Anthracite

Natural Oak effect, Stone & Anthracite



Ice White

Beadnell

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

46" - W1170mm x H1048mm x D300mm

Ice White



Evento 64: 1250-3SL - Ash White & Nightfall



Evento 54: 1000-3SL - Ash White

Evento

1.5kW | GLASS FRONTED | MOOD LIGHTING | FLAT WALL FIX

54" - W1370mm x H842mm x D320mm
64" - W1620mm x H842mm x D345mm

Ash White | Ash White & Nightfall



Floorstanding

Salehurst Grande

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

52" - W1320mm x H760mm x D250mm

Ash White



Wall Mounted

Salehurst

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

38" - W996mm x H803mm x D250mm

Ash White

MIX & MATCH
Your electric fire & surround



42" Elanwood shown with Ember Chrome



42" Elanwood
with Aspen Chrome

OPEN FRONTED



42" Elanwood
with Beam Black Nickel

GLASS FRONTED 7 DAY



48" Elanwood
with Banbury Black

GLASS FRONTED



Bayden Brass — OPEN FRONTED

Bayden Chrome — OPEN FRONTED

Comet Black — OPEN FRONTED

Ember Black Nickel — OPEN FRONTED 7 DAY

Abbey Black — OPEN FRONTED

Beam Black — GLASS FRONTED 7 DAY

Beam Chrome — GLASS FRONTED 7 DAY

Fazer Chrome — OPEN FRONTED

Elanwood

1-2kW 7 DAY FLAT WALL FIX

42": W1070mm x H1123mm x D330mm
48": W1210mm x H1123mm x D330mm

Torro Oak & Marfil Cream

MIX & MATCH
Your electric fire & surround



48" Dunswood shown with Abbey Black



42" Dunswood
with Aspen Chrome

OPEN FRONTED



42" Dunswood
with Ember Chrome

OPEN FRONTED 7 DAY



48" Dunswood
with Ember Black Nickel

OPEN FRONTED 7 DAY



48" Dunswood
with Fazer Chrome

OPEN FRONTED



Bayden Brass

OPEN FRONTED



Bayden Chrome

OPEN FRONTED



Comet Black

OPEN FRONTED



Ember Black Nickel

OPEN FRONTED 7 DAY



Banbury Black

OPEN FRONTED



Beam Black

GLASS FRONTED 7 DAY



Beam Chrome

GLASS FRONTED 7 DAY

Dunswood

1-2kW OPEN FRONTED 7 DAY FLAT WALL FIX

42": W1070mm x H1123mm x D330mm
48": W1210mm x H1123mm x D330mm

Torro Oak &
Marfil Cream

TIMBER Inglenooks

Stove Switch


Trowpoint Grande


Elstow


Norwood

A selection of our electric stoves can be paired with our inglenooks.
See pages 40-46 for more options


Natural Oak effect & Anthracite styled with Colman electric stove in French Grey

Barrowden

DECORATIVE FLUE · SWITCH · FLAT WALL FIX

42" - W1070mm x H1045mm x D350mm
Opening: W700mm x H775mm
Depth: Hearth Front to Back Panel: 318mm

Natural Oak effect & Anthracite

Natural Oak effect, Stone & Anthracite



Sennen

DECORATIVE FLUE · SWITCH · FLAT WALL FIX

54" - W1370mm x H1150mm x D360mm
Opening: W910mm x H850mm
Depth: Hearth Front to Back Panel - 322mm

Chalet Oak, Ash White & Grey Herringbone

See page 40-46 for stove options



Cheshire

DECORATIVE FLUE · SWITCH · FLAT WALL FIX

48" - W1220mm x H1050mm x D360mm
Opening: W840mm x H800mm
Depth: Hearth Front to Back Panel: 320mm

Dark Grey & Grey Slate effect

See page 73 for decorative flue pipe options

Inglenooks are surround only (Stoves sold separately)

MICRO MARBLE
Inglenooks


White Micro Marble


Chicago Concrete Herringbone

Allensford Inglenook

SL | DECORATIVE FLUE | FLAT WALL FIX

48" - W1220mm x H1095mm x D400mm
Opening: W820mm x H810mm
Depth: Hearth Front to Back Panel - 365mm

Back Panel Options

White | White | Chicago Concrete Herringbone



Odella Inglenook

SL

54" - W1370mm x H1235mm x D400mm
Inglenook Rear Hearth - W1016mm x H20mm x D457mm
Rebate: 75mm | Opening Height: 908mm
Inside Leg Opening Width: 856mm

White

Inglenooks are surround only (Stoves sold separately)

MICRO MARBLE
Electric Fireplaces



Vitalia

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

48" - W1220mm x H1080mm x D400mm

White



Cabrina

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

52" - W1320mm x H1040mm x D400mm

White



Rigel micro marble - Chollerton Edge - Chrome



Arteon - Ray - Black Nickel



Chollerton - Chrome



Pryzm - Chollerton - Chrome



Pryzm - Edge - Black Nickel

Cotsmore

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

46" - W1170mm x H960mm x D400mm

Rigel | A | B

(A) Chrome | (B) Black Nickel



White

Vistus

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

48" - W1220mm x H830mm x D400mm

White | Rigel



Embleton

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

52" - W1320mm x H1159mm x D400mm

White



Impero 47 & 57

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

47" - W1200mm x H619mm / H810mm x D290mm
(Top Width 42 ")
57" - W1450mm x H619mm / H810mm x D290mm
(Top Width 52 ")

White



White micro marble

Ezra

7 DAY · 7 DAY · 1.5kW · GLASS FRONTED · INSET WALL FIX

54" - W1370mm x H1162mm x D300mm
Inset: 225mm

White | Rigel



White micro marble

Alesso

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

48" - W1220mm x H1000mm x D400mm

White | Rigel



White micro marble

Cassius

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

52" - W1320mm x H967mm x D400mm

White | White & Grey

MICRO MARBLE
Gas Fireplaces



White & Grey micro marble

Cassius

GLASS FRONTED · 4.6kW

52" - W1320mm x H967mm x D400mm
Flue Fit Options: Standard Class 1, Standard Class 2, Pre-Cast Flue*

White | White & Grey

*For pre-cast model, please state when ordering.



Greenwood

GLASS FRONTED · 5.1kW

48" - W1220mm x H1080mm x D400mm
Flue Fit Options: Standard Class 1, Standard Class 2, Pre-Cast Flue*

White



Earlston

GLASS FRONTED · 4.6kW

48" - W1220mm x H897mm x D400mm
Flue Fit Options: Standard Class 1, Standard Class 2, Pre-Cast Flue*

White

*For pre-cast model, please state when ordering.

MICRO MARBLE Surrounds



Millington

SL

54" - W1370mm x H1162mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White | Rigel



Amorina

SL

50" - W1270mm x H1137mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White



Odella

SL

54" - W1370mm x H1160/1235mm x D400mm
Rebate: 75mm
Back Panel cut out: 16" / 22"

White

Bullnose hearths are available as a special order. Ask your retailer for further information.

Surround only
(Fires sold separately)



Florano

SL

42" - W1070mm x H1050mm x D400mm
48" - W1220mm x H1095mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White

White &
Grey Slip

White &
Black Granite



Sophia

SL

50" - W1270mm x H1145mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White



Tasmin

SL

42" - W1070mm x H1015mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White



Madalyn

SL

52" - W1320mm x H1155mm x D400mm
Rebate: 75mm
Back Panel cut out: 22"

White

†22" cut out for Calleos gas is not available on 48" model (Only Chollerton electric is compatible) - See pryzmfires.com



Elda

SL

48" - W1220mm x H1080mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White &
Black Granite



Verdena

SL

48" - W1220mm x H1110mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

Rigel



Eliana

SL

48" - W1220mm x H1155mm x D400mm
52" - W1320mm x H1155mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16" / 22"**

White



Viena

SL

48" - W1220mm x H1110mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White

Rigel

**22" cut out is not available on 48" model / 45mm rebate



Timara

SL

42" - W1070mm x H1050mm x D400mm
48" - W1220mm x H1095mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White

White & Grey Slip

White & Black Granite



Isabelle

SL

45" - W1168mm x H1045mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

Rigel



Vitalia

SL

48" - W1220mm x H1080mm x D400mm
52" - W1320mm x H1040mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16" / 22"†

White

Marble Sets

Available to purchase separately if you're updating an existing fireplace or have purchased a surround-only product from a third-party supplier.

Rigel

Rigel Standard Back Panel
42" x 16" Standard Lipped Hearth
46" x 16" Standard Lipped Hearth
48" x 16" Standard Lipped Hearth
51" x 16" Standard Lipped Hearth
54" x 16" Standard Lipped Hearth

White

White Standard Back Panel
48" x 16" Standard Lipped Hearth
51" x 16" Standrad Lipped Hearth
54" x 16" Standard Lipped Hearth

†22" back panel cut out is available on 52" model / 75mm rebate only

INSET Electric Fires



Moulton 16 - *Devotion*

B C D G

W510mm x H605mm x D174mm
Inset rebate - 145mm / 75mm



Moulton 16 - *Sola*

B C F

W512mm x H605mm x D165mm
Inset rebate - 145mm / 75mm

Availability from December (Black/Black Nickel)



Abbey 16

F 1-2kW OPEN FRONTED

W569mm x H731mm x D167mm
Inset rebate - D90mm



Arteon 16 - *Ray*

A B

W512mm x H611mm x D174mm
Inset rebate - 145mm / 75mm



Arteon 16 - *Cast Stove Front*

E 2kW GLASS FRONTED 7 DAY OPTIONAL REAL LOG

W562mm x H658mm x D239mm
Inset rebate - 145mm

(A) Chrome | (B) Black Nickel | (C) Brass | (D) Brushed Steel | (E) Black Cast | (F) Matt Black | (G) Anthracite



Arteon 22 - *Ray*

A B

W612mm x H611mm x D174mm
Inset rebate - 145mm / 75mm



Arteon 22 - *Cast Stove Front*

E

W668mm x H672mm x D252mm
Inset rebate - 145mm



Pryzm 16 - *Chollerton*

A B

W512mm x H611mm x D170mm
Inset rebate - 145mm / 75mm



Pryzm 16 - *Edge*

A B

W511mm x H611mm x D165mm
Inset rebate - 145mm / 75mm



Pryzm 16 - *Devotion*

D B C G

W510mm x H605mm x D174mm
Inset rebate - 145mm / 75mm



Pryzm 16 - *Cast Stove Front*

E

W562mm x H659mm x D243mm
Inset rebate - 145mm



Pryzm 22 - *Chollerton*

A B

W612mm x H611mm x D165mm
Inset rebate - 145mm / 75mm



Pryzm 22 - *Edge*

A B

W611mm x H611mm x D166mm
Inset rebate - 145mm / 75mm



Pryzm 22 - *Cast Stove Front*

E

W670mm x H672mm x D253mm
Inset rebate - 145mm



Chollerton 16

Chollerton

A B

W512mm x H611mm x D170mm
Inset rebate - 145mm / 75mm




Chollerton 16

Edge

A B

W511mm x H611mm x D165mm
Inset rebate - 145mm / 75mm



Chollerton 16

Devotion

D B
C G

W510mm x H605mm x D194mm
Inset rebate - 145mm / 75mm



Chollerton 16

Cast Stove front

E

W562mm x H659mm x D243mm
Inset rebate - 145mm



Chollerton 22

Chollerton

A B

W612mm x H611mm x D165mm
Inset rebate - 145mm / 75mm
Fits into a 16" back panel cut out



Chollerton 22

Edge

A B

W611mm x H611mm x D166mm
Inset rebate - 145mm / 75mm
Fits into a 16" back panel cut out



Chollerton 22

Cast Stove front

E

W670mm x H672mm x D253mm
Inset rebate - 145mm



Ember 16

A B

W510mm x H612mm x D172mm
Inset rebate - D75mm



Banbury 16

E

W568mm x H623mm x D190mm
Inset rebate - D75mm

(A) Chrome | (B) Black Nickel | (C) Brass | (D) Brushed Steel | (E) Black Cast | (F) Matt Black | (G) Anthracite



Bayden 16

A | B | 1-2kW

W483mm x H593mm x D196mm
Inset rebate - D110mm | 2 Spacer frames available



Comet 16

A | F | 1-2kW

W557mm x H650mm x D177mm (includes canopy)
Comes complete with fitted 40mm spacer: Creates a rebate of 0mm
Inset rebate - D40mm (with spacer removed)





Beam 16 - *Edge*

A | B | F

W509mm x H593mm x D110mm
Inset rebate - D75mm



Beam 16 - *Stove Front*

E

W564mm x H638mm x D148mm
Inset rebate - D75mm



Beam 22

A | B | F

W661mm x H603mm x D110mm
Inset rebate - D75mm



Novus 22

A | B

W651mm x H610mm x D151mm
Inset rebate - D156mm



Fazer 16

A | 1-2kW

W532mm x H590mm x D165mm
Inset rebate - D90mm (0mm: Spacer)



Aspen 16

A | 1-2kW

W532mm x H590mm x D165mm
Inset rebate - D90mm (0mm: Spacer)



1500-3SL - 3 Sided





1000-3SL - 1 Sided



1250mm - 2 Sided

Arteon - 1000, 1250, 1500-3SL

See Technical for dimensions



Rodwell 22

W584mm x H503mm
Aperture required - W558mm x H495mm
Inset rebate - D145mm
(inc 12mm clearance when surface mounted)



Rodwell 28

W710mm x H734mm
Aperture required - W714mm x H738mm
Inset rebate - D133mm
(inc 12mm clearance when surface mounted)



Rodwell 36

W914mm x H452mm
Aperture required - W888mm x H452mm
Inset rebate - D145mm
(inc 12mm clearance when surface mounted)



Elsie 900

2kW GLASS FRONTED 7 DAY INSET WALL FIX

W660mm x H742mm x D165mm
Opening Required:
W663mm x H744mm x D165mm



Elsie 950

2kW GLASS FRONTED 7 DAY INSET WALL FIX

W800mm x H622mm x D165mm
Opening Required:
W804mm x H624mm x D165mm



Adali

B F

W660mm x H488mm
Aperture required - W600mm x H450mm
Inset rebate - D190mm



Avella

B F

W860mm x H491mm
Aperture required: W727mm x H428mm
Inset rebate - D165mm



Avella Grande

B F

W1150mm x H492mm
Aperture required: W1018mm x H428mm
Inset rebate - D165mm

(A) Chrome | (B) Black Nickel | (C) Brass | (D) Brushed Steel | (E) Black Cast | (F) Matt Black



2 Sided



1 Sided



3 Sided

Arteon 750-3SP *(1, 2 or 3 sided)*

1.5kW | GLASS FRONTED | 7 DAY | OPTIONAL MOOD LED | INSET WALL FIX

W731mm x H655mm



3 Sided



2 Sided



1 Sided

Invision

GLASS FRONTED | 7 DAY | 2kW

1000-3SL: W1016mm x H488mm x D236mm
1250-3SL: W1266mm x H488mm x D236mm

Inset depth required - 235mm



Black Nickel



Chrome



Matt Black

FLAT WALL FIX

Volta

OPEN FRONTED | 7 DAY | 2kW

32"- (Trim - W804mm x H432mm) x D238mm
42"- (Trim - W1054mm x H432mm) x D238mm

WALL MOUNTED
Electric Fires











Azonto

1-2kW | FLAT WALL FIX | 7 DAY

W900mm x H580mm x D110mm
Height with baffle = 605mm

Black Glass



Amari

1-2kW | FLAT WALL FIX | 7 DAY

Mounted: W960mm x H450mm x D126mm
Freestanding: W960mm x H521mm x D207mm

Black Glass



Quattro

1-2kW | FLAT WALL FIX | 7 DAY

W640mm x H500mm x D150mm

Black Glass



Albali

1-2kW | 7 DAY | FLAT WALL FIX

W971mm x H608mm x D174mm

Anthracite

Stone







Bolen 3 in 1


W1016mm x H400mm x D102mm | Aperture required - W997mm x H380mm x D115mm



Serena

Anthracite

W710mm x H755mm x D180mm



Salehurst

Ash White

Wall Mounted / Floorstanding
W966mm x H803mm x D250mm



Salehurst Grande

Ash White


Wall Mounted / Floorstanding
W1320mm x H760mm x D250mm



Check the chimney or flue

All gas fires require a chimney or flue to safely vent gases outside.


Use the guide below to identify your flue type and find the right fire. If you're unsure, please contact an approved retailer for advice.



Brick Chimney | (Class 1)

A conventional chimney rises above the roofline and usually has a pot or gas terminal.


Suitable for all our gas fires



Pre-Fabricated Flue | (Class 2)

Identifiable by a metal flue and terminal on the roof this flue system.

Suitable for all 16" Exclusive / Devotion or Cast Stove Trim



Pre-Cast Flue


Identified by a ridge vent on the roofline. Built from concrete or clay blocks usually within the wall cavity.

Suitable for Radiant Slimline or Radiant Deepline gas fires.*

**Radiant Deepline suitable when installed with a 75mm rebated fire surround*

Ease of Operation





All gas fires feature Smartslide Control for easy ignition and flame adjustment, conveniently mounted on the side of the fire.

For a traditional gas fire, choose an open-fronted model with manual controls, discreetly concealed behind the fret for easy flame and heat adjustment.

3 YEAR WARRANTY

5 YEAR WARRANTY

All gas fires are supplied with a 3 or 5 year warranty†

Terms & Conditions apply

All gas fires are rigorously tested and checked by our internal Quality Control Department to the latest ISO standards before being sent to our approved retailers.

All gas fires are supplied with a 3 or 5 year warranty providing you with the reassurance and peace of mind that you have purchased and installed a high quality product.

A safe fire in your home

Quality Approved
All gas fires are made in accordance with Quality Management System Standard ISO 9001.


Flame Failure Device
All gas fires are fitted with a device which ensures that in the event of the flame going out during operation, the gas supply to the fire is cut off.

Oxygen Depletion Sensor
All gas fires feature an Oxygen Depletion Sensor that cuts the gas supply if oxygen levels fall too low or the flue is blocked.

GAS safe™ REGISTER

Fire Additions


Suitable for 16" Exclusive / Devotion or Cast Stove Trim



Matching Handle
Available in Black, Brass or Chrome finish.
Black handle supplied as standard



Xtra Canopy
A canopy kit designed to raise the efficiency of the fire by up to 8%.



Easy Grip Handle
Easy-grip handle is available, making ignition and heat control easier.



Optional Spacer
Fits to the rear of the fire, reducing depth by 25mm. Ideal for pre-cast flues with limited space.



Exclusive

C D

W510mm x H605mm x D Please see table



Devotion

C D

W510mm x H605mm x D Please see table



Cast Stove Trim

Mid Depth HE: W559mm x H658mm x D128mm
Deepline HE: W559mm x H658mm x D198mm


Exclusive, Devotion or Cast Stove Front Engine Options

Fire Engine	Slimline Radiant	Deepline Radiant	Deepline Convector	Mid Depth H.E	Deepline H.E
Inset Depth	123mm	173mm	198mm	128mm	198mm
Flue Type	Class 1 & 2 + Pre-Cast		Class 1 & 2	Class 1 & 2 + Pre-Cast	Class 1 & 2
Gas Type	Natural Gas				
Minimum Aperture in Chimney	W405mm x H555mm				
Open or Glass Fronted	Open Fronted			Glass Fronted	
Xtra Canopy	☑	☑	☒	☒	☒
Control	Smartslide & Manual			Smartslide	

Glass Fronted


Mid-Depth

Ceramic glass keeps heat in the room, increasing radiant and convected heat.



Flue Type	Class 1 & 2 + Pre-Cast	
Gas Type	Natural Gas	
Efficiency	84%	
Control	Smartslide	
EEC	D	
EEI (%)	74%	
Heat Input	High 3.7kW	Low 2.5kW
Heat Output	High 2.7kW	Low 1.7kW

Deepline




Flue Type	Class 1 & 2	
Gas Type	Natural Gas	
Efficiency	87%	
Control	Smartslide	
EEC	C	
EEI (%)	77%	
Heat Input	High 5.3kW	Low 3.2kW
Heat Output	High 4.2kW	Low 2.3kW

Open Fronted


Slimline Radiant

Draws in cool air, circulate it over real flames, and release the warm air back into the room.



Flue Type	Conventional Class 1 & 2 + Pre-Cast	
Gas Type	Natural Gas	
Efficiency	57.9%	
Control	Smartslide or Manual	
EEC	F	
EEI (%)	52.3%	
	High	Low
Heat Input:	6.75kW	3.5kW
Heat Output:	3.5kW	1.7kW


Deepline Radiant



Flue Type	Conventional Class 1 & 2 + Pre-Cast*	
Gas Type	Natural Gas	
Efficiency	57.2%	
Control	Smartslide or Manual	
EEC	F	
EEI (%)	51.9%	
	High	Low
Heat Input:	6.75kW	3.5kW
Heat Output:	3.4kW	1.6kW

Deepline Convector

Hot air circulates through the canopy, warming the room.



Flue Type	Conventional Class 1 & 2	
Gas Type	Natural Gas	
Efficiency	63.6%	
Control	Smartslide or Manual	
EEC	F	
EEI (%)	55%	
	High	Low
Heat Input:	6.75kW	3.5kW
Heat Output:	3.8kW	1.8kW

For more gas specifications, please see www.flarecollection.com



Abide 16

D | 3.4kW | 3 YEAR WARRANTY

W512mm x H610mm x D230mm
(Inset Depth: 197mm)

Availability from January 2027



Abide 600CF

D | 5.1kW | 3 YEAR WARRANTY

W597mm x H664mm x D280mm
(Inset Depth: 310mm)

Availability from November 2026



Calleos 22
Chollerton Fascia

D | 4.2kW | 5 YEAR WARRANTY

W612mm x H611mm x D230mm
(Inset Depth: 195mm)

A | B



Calleos 22
Cast Stove front

D | 4.2kW | 5 YEAR WARRANTY

W668mm x H672mm x D265mm
(Inset Depth: 195mm)



Elsie 960BF

4.6kW | 5 YEAR WARRANTY

W1198mm x H666mm x D187mm
Includes Engine, trim, lining set, flue & cowl kit
Wall Depth: min 270 - max 725mm



Elsie 950CF

4.6kW | 5 YEAR WARRANTY

W800mm x H622mm x D273mm



Elsie 900CF

5.1kW | 5 YEAR WARRANTY

W660mm x H742mm x D273mm
(Inset Depth: 255mm)


Matt Black


With Log Store

Tunstall

1-2kW

W410mm x H645mm x D410mm
Height with optional decorative log store: 850mm

Matt Black


Grey


Matt Black

Southgate

1-2kW DECORATIVE FLUE

W550mm x H585mm x D297mm

Grey Matt Black

Please note: Log store logs are not included



Matt Black



Cream



French Grey

Colman

W445mm x H528mm x D272mm

Cream | French Grey | Matt Black



Matt Black

Winchester

W640mm x H620mm x D365mm
Full Cast Iron Stove

Cast Iron Black



Qube

W435mm x H560mm x D240mm

Matt Black



Ignite Inset

W486mm x H587mm x D238mm (Inset 75mm)

Matt Black



Heslington

W591mm x H651mm x D324mm
Full Cast Iron Stove

Cast Iron Black



Burtree

1-2kW

W410mm x H834mm x D365mm

Matt Black



Burtree - Log Store

1-2kW

W410mm x H1049mm x D365mm

Arriving Spring 2027

Matt Black



Matt Black

Norwood

0.9 -1.8kW

DECORATIVE FLUE

W477mm x H585mm x D325mm

Matt Black



Trowpoint

0.9 -1.8kW

W495mm x H595mm x D346mm

Matt Black



Serrano

1-2kW

W430mm x H545mm x D265mm
Full Cast Iron Stove

Cast Iron
Black







Trowpoint Grande

0.9
-1.8kW

W635mm x H665mm x D383mm

Matt Black


Freestanding Small


Inset Large

Beacon

1-2kW

Free Standing - Small: W486mm x H599mm x D292mm
Free Standing - Large: W586mm x H599mm x D292mm
Inset - Small: W486mm x H599mm x D232mm (Inset 45mm)
Inset - Large: W586mm x H599mm x D232mm (Inset 45mm)

Matt Black


Desire 5


Desire 7


Desire 6


Desire Inset

Desire

1-2kW

Free Standing - 5: W430mm x H587mm x D292mm
Free Standing - 6: W486mm x H587mm x D292mm
Free Standing - 7: W542mm x H587mm x D292mm
Inset: W486mm x H587mm x D238mm (Inset 75mm)

Matt Black


Ora 5


Ora 7


Ora Inset

Ora

1-2kW

Free Standing - 5: W453mm x H607mm x D377mm
Free Standing - 7: W565mm x H607mm x D377mm
Inset: W496mm x H588mm x D253mm (Inset 75mm)
Cast Iron Door

Matt Black


Matt Black

Elstow

1-2kW

W577mm x H620mm x D186mm

Matt Black


Matt Black

Plain Door option

York

2kW

W465mm x H580mm x D310mm
Full Cast Iron Stove

Cast Iron Black



Canterbury

W591mm x H651mm x D324mm
Full Cast Iron Stove

Cast Iron Black



Espire

W486mm x H586mm x D292mm
Lightweight Stove

Matt Black



Hereford 5

W453mm x H607mm x D377mm
Cast Iron Door

Matt Black



Hereford 7

W565mm x H607mm x D377mm
Cast Iron Door

Matt Black

Stove Switch & Decorative flue / Inglenook compatibility

Electric Stoves	Decorative Flue Options	Barrowden Timber Inglenook	Cheshire Timber Inglenook	Sennen Timber Inglenook
Beacon Small / Large	Stove Only	✓	✓	✓
	Curved Plastic Flue	-	✓	✓
Desire 5 / 6 / 7	Stove Only	✓	✓	✓
	Curved Plastic Flue	-	✓	✓
Canterbury	Stove Only	✓*	✓*	✓*
	Curved Plastic Flue	-	-	✓*
Colman	Stove Only	✓	✓	✓
	Curved Plastic Flue	✓	✓	✓
Elstow Inset	Stove Only	✓	✓	✓
	Curved Plastic Flue	-	-	-
Espire	Stove Only	✓	✓	✓
	Curved Plastic Flue	-	✓	✓
Hereford 5 / 7	Stove Only	-	-	-
	Curved Plastic Flue	-	-	-
Heslington	Stove Only	✓*	✓*	✓*
	Curved Plastic Flue	-	-	✓*
Norwood	Stove Only	✓*	✓*	✓*
	Curved Plastic Flue	-	✓*	✓*
Ora 5 / 7	Stove Only	-	-	-
	Curved Plastic Flue	-	-	-
Serrano	Stove Only	✓	✓	✓
	Curved Plastic Flue	✓	✓	✓
Qube	Stove Only	✓	✓	✓
	Curved Plastic Flue	✓	✓	✓
Southgate	Stove Only	✓	✓	✓
	Curved Plastic Flue	-	✓	✓
Trowpoint	Stove Only	✓*	✓*	✓*
	Curved Plastic Flue	-	✓*	✓*
Trowpoint Grande	Stove Only	-	-	-
	Curved Plastic Flue	-	-	-
Winchester	Stove Only	✓*	✓*	✓*
	Curved Plastic Flue	-	-	✓*
Wimslow	Stove Only	✓	✓	✓
	Curved Plastic Flue	-	✓	✓
York	Stove Only	✓	✓*	✓
	Curved Plastic Flue	✓	✓	✓



Curved Decorative flue pipe (Plastic)

Decorative curved plastic flue pipe. Suitable for electric stoves only.
(See above for compatibility)
In Matt Black, Cream & French Grey
W122mm x H195mm x D195mm

*Handle and / or skirt will protrude over the front of the hearth slightly.



Hereford 5 / 7

C E

Hereford 5 : W453mm x H606mm x D381mm
Hereford 7 : W565mm x H606mm x D376mm

Matt Black



Ignite 5



Ignite 7

Ignite 5 & 7

C D

Ignite 5: W430mm x H582mm x D371mm
Ignite 7: W542mm x H582mm x D345mm

Matt Black



Desire 5



Desire 7

Desire 5 & 7

C D

Desire 5: W430mm x H582mm x D371mm
Desire 7: W542mm x H582mm x D345mm

Matt Black



Ignite 5 Widescreen



Ignite 5 Widescreen Logstore

Ignite 5 Widescreen

A

5kW

Ignite 5: W542mm x H582mm x D356mm
Log store: W542mm x H827mm x D356mm

Matt Black

Please note: Log store logs are not included



Desire 5 Widescreen



Matt Black

Hereford 5 Widescreen

A 5kW

W565mm x H608mm x D366mm

Matt Black



Desire 5 Widescreen Log Store



Curved



Square

Desire 5 Widescreen

A 5kW

Desire 5: W542mm x H582mm x D356mm
Log store: W542mm x H827mm x D356mm

Matt Black

Log Baskets

Curved: W450mm x H358mm x D350mm
Square: W447mm x H340mm x D352mm

Matt Black

Technical Information

MediaVue - Media Wall

Page	Brand	Model	Size (mm)	Engine	Heat Output	Optional Mood Lighting	App Control
6-7		**MEDIAVUE** Wall Mounted	W1835 x H1880 x D365	Arteon 1500-3SL	1.5kW	Yes	Yes
		MEDIAVUE Floorstanding	W1835 x H1970 x D365	Arteon 1500-3SL	1.5kW	Yes	Yes

Timber Electric Fireplaces

Page	Brand	Model	Mantel Width (mm)	Height (mm)	Hearth Width (mm)	Hearth Depth (mm)	Hearth	Trim Options	Heat Input/Output	Finish
11		Amorina (Chollerton)	1270 (50")	1016	1270	300	SL	Black Nickel or Chrome	1 / 2kW	Ash White
10		Arana	1270 (50")	1021	1270	350	SL	See page 29-30	1 / 2kW	Ash White
14		Barrowden Inglenook (Colman)	1070 (42")	1045	1070	350	SL	Matt Black	0.9/1.8kW	Natural Oak effect & Anthracite or Natural Oak effect, Stone & Anthracite
14		Beadnell	1170 (46")	1048	1170	300	BV	Matt Black	1 / 2kW	Ice White
9		Broadwell	1220 (48")	1050	1220	300	SL	Matt Black	1 / 2kW	Dark Grey & Matt Black
12		Colby	960 (38")	805	1016	300	SL	Chrome	1 / 2kW	Soft White
17		Dunswood	1070 (42")	1123	1070	330	SL	See page 28-31	1 / 2kW	Torro Oak & Marfil Cream finish
		Dunswood	1210 (48")	1123	1210	330	SL	See page 28-31	1 / 2kW	
16		Elanwood	1070 (42")	1123	1070	330	SL	See page 28-31	1 / 2kW	Torro Oak & Marfil Cream finish
		Elanwood	1210 (48")	1123	1210	330	SL	See page 28-31	1 / 2kW	
13		Elsham	1020 (40")	920	1020	300	BV	Chrome	1 / 2kW	Pearlescent Cashmere or Soft White
8		Elyce	1100 (43")	602	N/A	255	N/A	N/A	1 / 2kW	Matt Cashmere & Anthracite
		Elyce Grande	1390 (55")	602	N/A	255	N/A	N/A	1 / 2kW	Matt Cashmere & Anthracite
15		Evento 54	1270 (54")	842	1370	320	N/A	N/A	1.5kW	Ash White or Ash White & Nightfall
		Evento 64	1520 (64")	842	1620	345	N/A	N/A	1.5kW	
11		Farleigh 38	908 (38)	803	966	250	SL	Anthracite	1 / 2kW	Ash White
		Farleigh 52	1240 (52")	760	1320	250	SL	Anthracite	1 / 2kW	
9		Fairview	1470 (48")	1150	1600	260	N/A	N/A	1 / 2kW	Ash White
12		Hansford	1170 (46")	815	1170	300	BV	Brushed Steel	1 / 2kW	Pearlescent Cashmere
		Hansford Grande	1320 (52")	760	1320	300	BV	Anthracite	1 / 2kW	
10		Huxton 41	904 (41")	588	1034	277	N/A	N/A	1 / 2kW	Ash White or Matt Cashmere & Anthracite
		Huxton 51	1154 (51")	588	1284	277	N/A	N/A	1 / 2kW	
10		Juliette 48	1211 (48")	596	1211	300	N/A	N/A	1 / 2kW	Angora & Matt Cashmere
		Juliette 58	1461 (51")	596	1461	300	N/A	N/A	1 / 2kW	
9		Linmere	1120 (44")	995	1120	330	SL	Chrome or Black Nickel	1 / 2kW	Soft White
9		Olora	1320 (52")	1131	1320	400	SL	N/A	1.5kW	Light Grey & White Lavanto
12		Orwell	1220 (48")	1071	1220	300	SL	Matt Black	1 / 2kW	Ash White
8		Oxton	1470 (58")	2200 / 2500	1600	260	N/A	N/A	1 / 2kW	Ash White
15		Salehurst	966 (38")	803	966	250	SL	N/A	1 / 2kW	Ash White
		Salehurst Grande	1320 (52")	760	1320	250	SL	N/A	1 / 2kW	
13		Sennen (Colman)	1370 (54")	1150	1370	360	SL	Matt Black	0.9/1.8kW	Ash White, Grey Herringbone & Chalet Oak
13		Stanton	1170 (46")	1058	1170	330	BN	Chrome or Black Nickel	1 / 2kW	Soft White
13		Whitham	1220 (48")	1011	1220	300	SL	Chrome / Black Nickel	1 / 2kW	Soft White + Black Nickel or Ice White + Chrome

Timber Inglenook

Page	Brand	Model	Mantel Width (mm)	Height (mm)	Depth (mm)	Overall Depth for Stove (mm)	Hearth	Finish
18		Barrowden	1070 (42")	1045	350	318	SL	Natural Oak effect & Anthracite or Natural Oak effect, Stone & Anthracite
18		Cheshire	1220 (48")	1050	360	320	SL	Dark Grey & Grey Slate effect
18		Sennen	1370 (54")	1150	360	322	SL	Ash White, Chalet Oak & Grey Herringbone

Micro Marble Inglenook

Page	Brand	Model	Mantel Width (mm)	Height (mm)	Depth (mm)	Overall Depth for Stove (mm)	Hearth	Finish
19		Allensford	1220	1095	400	365	SL	White with White or Chicargo Concrete Herringbone Back Panel
19		Odella Inglenook†•	1370	1235	400	457	SL	White

†Not suitable for solid fuel stoves | • Inglenook rear hearth supplied - 1016x457x20mm - Inglenook Back Panels not supplied

Micro Marble Electric Fireplaces

Page	Brand	Model	Mantel Width (mm)	Height (mm)	Hearth Width (mm)	Hearth Depth (mm)	Hearth	Heat Output	Engine	Finish
21		Alesso	1220 (48")	1000	1220	400	SL	2kW	Pryzm 750P	Rigel or White
20		Cabrina	1320 (52")	1040	1320	400	SL	2kW	Pryzm 750P	White
21		Cassius	1320 (52")	967	1320	400	SL	2kW	Elsie 950	White or White & Grey
20		Cotsmore	1170 (46")	960	1170	400	SL	2kW	See page 29-31	Rigel
21		Embleton	1320 (52")	1159	1320	400	SL	2kW	Elsie 900	White
21		Ezra	1370 (54")	1162	1370	300	SL	1.5kW	Arteon 750-3SP	Rigel or White
21		Impero 47	1200 (47")	619 / 810	N/A	290	N/A	2kW	Pryzm 750	White
		Impero 57	1450 (57")	619 / 810	N/A	290	N/A	2kW	Pryzm 1000	White
21		Vistus	1220 (48")	830	1220	400	SL	2kW	Pryzm 750	Rigel or White
20		Vitalia	1220 (48")	1080	1220	400	SL	2kW	Elsie 900	White

Please note: Oak finishes are vinyl wrap and not timber veneer.

* Supplied with spacer kit

Micro Marble Gas Fireplaces

Page	Brand	Model	Mantel Width (mm)	Height (mm)	Depth (mm)	Hearth	Finish	EEC	Efficiency
22		Cassius	1320 (52")	967	400	SL	White or White & Grey	D	75.3%
23		Earlston	1220 (48")	897	400	SL	White	D	75.3%
		Greenwood	1220 (48")	1080	400	SL	White	D	83%

Micro Marble Surrounds

Page	Brand	Model	Mantel Width (mm)	Height (mm)	Hearth Width (mm)	Hearth Depth (mm)	Rebate (mm)	Motion Sense Lights	Hearth Option	Finishes
24		Amorina*	1270 (50")	1137	1270	400	45 / 75	Optional	SL, BN**	White
26		Elda	1220 (48")	1080	1220	400	45 / 75	Optional	SL	White & Black Granite
26		Eliana	1220 (48")	1155	1220	400	45 / 75	Optional	SL, BN**	White
		Eliana*	1320 (52")	1155	1320	400	45 / 75	Optional	SL, BN**	
25		Florano	1070 (42")	1050	1070	400	45 / 75	Optional	SL	White, White & Black Granite or White & Grey Slip
		Florano	1220 (48")	1095	1220	400	45 / 75	Optional	SL, BN**	
27		Isabelle	1150 (45")	1045	1168	400	45 / 75	Optional	SL	Rigel
25		Madalyn	1320 (52")	1115	1320	400	75	Optional	SL	White
24		Millington	1370 (54")	1162	1370	400	45 / 75	Optional	SL	White or Rigel
24		Odella*	1370 (54")	1235	1370	400	75	Optional	SL	White
		Odella*	1370 (54")	1160	1370	400	75	Optional	SL	
25		Sophia*	1270 (50")	1145	1270	400	45 / 75	Optional	SL, BN**	White
25		Tasmin	1070 (42")	1015	1070	400	45 / 75	Optional	SL	White
27		Timara	1070 (42")	1050	1070	400	45 / 75	Optional	SL	White, White & Black Granite or White & Grey Slip
		Timara	1220 (48")	1095	1220	400	45 / 75	Optional	SL, BN**	
26		Verdena	1220 (48")	1110	1220	400	45 / 75	Optional	SL	Rigel
26		Viena	1220 (48")	1110	1220	400	45 / 75	Optional	SL	White or Rigel
27		Vitalia	1220 (48")	1080	1220	400	45 / 75	Optional	SL, BN**	White
		Vitalia*	1320 (52")	1040	1320	400	45 / 75	Optional	SL, BN**	

*Back panel available with 22" cut out for installation with the Calleos 22" gas or Chollerton 22" electric fires. NB: all of our surrounds are available with Motion Sense lights
**Bullnose hearths are available as a special order. Ask your retailer for further information.

Inset Electric Fires

Page	Brand	Wall Mounted Fires	Fascia	Width (mm)	Height (mm)	Overall Depth (mm)	Inset Depth (mm)	Heat Output	Finish	App Controlled	Remote Control
28		Abbey 16	Coal	569	731	167	90	1 / 2kW	Matt Black	No	No
28		Arteon 16	Ray	512	611	174	145 / 75*	2kW	Chrome or Black Nickel	Yes	Yes
			Cast Stove Front	562	658	239	145	2kW	Matt Black	Yes	Yes
29		Arteon 22	Ray	612	611	174	145 / 75*	2kW	Chrome or Black Nickel	Yes	Yes
			Cast Stove Front	668	672	252	145	2kW	Matt Black	Yes	Yes
31		Aspen 16 *	Coal	532	590	165	0 / 90	1 / 2kW	Chrome	No	No
30		Banbury 16	Log	568	623	190	75	1 / 2kW	Matt Black	No	No
31		Bayden 16	Coal	483	593	196	0 / 53 / 110	1 / 2kW	Brass, Chrome	No	No
31		Beam 16 - Edge	Log	509	593	110	75	1 / 2kW	Chrome, Black Nickel, Matt Black	No	Yes
		Beam 16 - Timber Stove Front	Log	564	638	148	75	1 / 2kW	Matt Black	No	Yes
31		Beam 22	Log	661	603	110	75	1 / 2kW	Chrome, Black Nickel, Matt Black	No	Yes
30		Chollerton 16	Chollerton	512	611	170	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Edge	511	611	165	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Devotion	510	605	194	145 / 75*	2kW	Anthracite, Brass, Brushed Steel, Black Nickel	No	Yes
			Cast Stove Front	562	659	243	145	2kW	Matt Black	No	Yes
30		Chollerton 22	Chollerton	612	611	165	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Edge	611	611	166	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Cast Stove Front	670	672	253	145	2kW	Matt Black	No	Yes
31		Comet 16	Coal	557	650	177	0 / 40	1 / 2kW	Chrome/Black or Black/Brass	No	No
30		Ember 16	Coal	510	612	172	75	1 / 2kW	Chrome, Black Nickel	No	Yes
31		Fazer 16 *	Coal	535	590	165	0 / 90	1 / 2kW	Chrome	No	No
28		Moulton 16 - Devotion	Log	510	605	174	145 / 75	2kW	Anthracite, Brass, Brushed Steel, Black Nickel	No	Yes
		Moulton 16 - Sola	Log	510	605	165	145 / 75	2kW	Black/Black Nickel, Black/Brass, Black/Black	No	Yes
31		Novus 22	Log	651	610	151	156	1 / 2kW	Chrome, Black Nickel	No	No
29		PRYZM 16	Chollerton	512	611	170	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Edge	511	611	165	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Devotion	510	605	174	145 / 75*	2kW	Anthracite, Brass, Brushed Steel, Black Nickel	No	Yes
			Cast Stove Front	562	659	243	145	2kW	Matt Black	No	Yes
29		PRYZM 22	Chollerton	612	611	165	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Edge	611	611	166	145 / 75*	2kW	Chrome or Black Nickel	No	Yes
			Cast Stove Front	670	672	253	145	2kW	Matt Black	No	Yes

Large Format Inset Electric Fires

Page	Brand	Wall Mounted Fires	Sided	Width (mm)	Height (mm)	Overall Depth (mm)	Inset Depth (mm)	Heat Output	Finish	App Controlled	Remote Control
34		Adali	1 Sided	660	488	190	N/A	1 / 2kW	Matt Black, Black Nickel	No	Yes
35		Arteon 750 3SP	1, 2 or 3 Sided	731	655	257	255	1.5kW	N/A	Yes	Yes
33		Arteon 1000	1 Sided	1002	515	257	255	1.5kW	N/A	No	Yes
			2 Sided	1015	515	257	246	1.5kW	N/A	No	Yes
			3 Sided	1028	515	257	246	1.5kW	N/A	No	Yes
33		Arteon 1250	1 Sided	1252	515	282	280	1.5kW	N/A	No	Yes
			2 Sided	1265	515	282	271	1.5kW	N/A	No	Yes
			3 Sided	1278	515	282	271	1.5kW	N/A	No	Yes
33		Arteon 1500	1 Sided	1502	515	282	280	1.5kW	N/A	Yes	Yes
			2 Sided	1515	515	282	271	1.5kW	N/A	Yes	Yes
			3 Sided	1528	515	282	271	1.5kW	N/A	Yes	Yes
34		Avella	1 Sided	860	491	-	165	1 / 2kW	Matt Black, Black Nickel	No	Yes
		Avella Grande	1 Sided	1150	492	-	165	1 / 2kW	Matt Black, Black Nickel	No	Yes
34		Elsie 900	1 Sided	660	742	-	165	2kW	N/A	No	Yes
		Elsie 950	1 Sided	800	622	-	165	2kW	N/A	No	Yes
35		Invision-1000-3SL	1, 2 or 3 Sided	1016	488	236	235	2kW	N/A	No	Yes
		Invision-1250-3SL	1, 2 or 3 Sided	1266	488	236	235	2kW	N/A	No	Yes
34		Rodwell 22"	1 Sided	584	503	133	N/A	1 / 2kW	Matt Black	No	Yes
		Rodwell 28"	1 Sided	710	734	154	133	1 / 2kW	Matt Black	No	Yes
		Rodwell 36"	1 Sided	914	452	133	133	1 / 2kW	Matt Black	No	Yes
35		Volta 32	1 Sided	804	432	238	*238mm (min)	2kW	Black Nickel, Chrome, Matt Black	No	Yes
		Volta 42	1 Sided	1054	432	238	*238mm (min)	2kW	Black Nickel, Chrome, Matt Black	No	Yes

*depth does not include wall thickness

Wall Mounted Electric Fires

Page	Brand	Wall Mounted Fires	Fascia	Width (mm)	Height (mm)	Overall Depth (mm)	Inset Depth (mm)	Heat Output	Finish	App Controlled	Remote Control
36		Albali	Flat	971	608	174	N/A	1 / 2kW	Stone, Anthracite	No	Yes
36		Amari Wall Mounted	Flat	960	450	126	N/A	1 / 2kW	Black Glass	No	Yes
		Amari Freestanding	Flat	960	521	207	N/A	1 / 2kW	Black Glass	No	Yes
36		Azonto	Flat	900	580	110	N/A	1 / 2kW	Black Glass	No	Yes
37		Bolen 3 in 1	Log	1016	400	102	115	2kW	N/A	No	Yes
36		Quattro	Curved	640	500	150	N/A	1 / 2kW	Black Glass	No	Yes
37		Salehurst	Flat	966	803	250	N/A	1 / 2kW	Ash White	No	Yes
		Salehurst Grande	Flat	1320	760	250	N/A	1 / 2kW	Ash White	No	Yes
37		Serena	Flat	710	755	180	N/A	1 / 2kW	Anthracite	No	Yes

Inset Gas Fires: Exclusive & Devotion

Page	Brand	Model	Width (mm)	Height (mm)	Inset Depth (mm)	Inset Width (mm)	Inset Height (mm)	EEC	Heat Input	Heat Output
40		Slimline Radiant	510	605	123	403	553	F	6.75 / 3.5kW	3.5 / 1.7kW
		Deepline Radiant	510	605	173	403	553	F	6.75 / 3.5kW	3.4 / 1.6kW
		Deepline Convector	510	605	198	403	553	F	6.75 / 3.5kW	3.8 / 1.8kW
		Mid-Depth High Efficiency	510	605	128	403	553	D	3.7 / 2.5kW	2.7 / 1.7kW
		Deepline High Efficiency	510	605	198	403	553	C	5.3 / 3.2kW	4.2 / 2.3kW

Inset Gas Fires: Cast Stove Front

Page	Brand	Model	Width (mm)	Height (mm)	Depth (mm)	Inset Depth (mm)	Inset Width (mm)	Inset Height (mm)	EEC	Long Flue
40		16 Mid-Depth High Efficiency	559	658	128	128	403	553	D	✕
		16 Deepline High Efficiency	559	658	198	198	403	553	C	✕

Complete Inset Gas Fires

Page	Brand	Model	Fuel Bed	Flue Type	Width (mm)	Height (mm)	Depth (mm)	Inset Depth (mm)	Trim Options	Efficiency	Heat Input (kW)	Heat Output(kW) Min	Heat Output(kW) Max
41		Abide 16	Log	Class 1 & 2	512	610	230	197	Black Nickel, Brass, Anthracite	83.1%	4.5	1.8	3.4
		Abide 600	Log	Class 1 & 2	597	664	280	310	Anthracite	84%	6.7	2.1	5.1
41		Calleos 22 - Chollerton	Log	Class 1 & 2	612	611	230	195	Chrome, Black Nickel	87.2%	5.3	2.0	4.2
		Calleos 22 - Cast Stove Front	Log	Class 1 & 2	668	672	265	195	Matt Black	87.2%	5.3	2.0	4.2
41		Elsie 900	Log	Class 1 & 2	660	742	273	255	Matt Black	83%	6.75	2.1	5.1
		Elsie 950CF	Log	Class 1 & 2	800	622	273	255	Matt Black	75.3%	6.9	1.9	4.6
		Elsie 960BF	Log	Balanced Flue*	1198	666	187	174	Brushed Steel Trim	86%	6.0	2.1	4.6

*Includes balance flue fit

Inset Electric Stoves

Page	Brand	Inset Electric Fires	Fuel Bed	Width (mm)	Height (mm)	Overall Depth (mm)	Inset Depth (mm)	Heat Input / Output	Trim Options	Remote Control
48		Beacon - Small	Log	486	599	232	45	2kW	Matt Black	Yes
		Beacon - Large	Log	586	599	232	45	2kW	Matt Black	Yes
48		Desire	Coal	486	587	238	75	2kW	Matt Black	Yes
44		Ignite	Coal	486	587	236	75	2kW	Matt Black	Yes
49		Ora	Log	496	588	253	75	2kW	Matt Black	Yes

Electric Stoves

Page		Electric Stoves	Fuel Bed	Width (mm)	Height (mm)	Depth (mm)	Heat Output	Colour Options	Inset Available	Remote Control
48		Beacon Small	Log	486	599	292	1 / 2kW	Matt Black	☑	Yes
		Beacon Large	Log	586	599	292	1 / 2kW	Matt Black	☑	Yes
45		Burtree	Log	410	834	365	1 / 2kW	Black Cast effect		No
		Burtree - Log Stone	Log	410	1049	365	1 / 2kW	Black Cast effect		No
50		Canterbury	Coal / Log	591	651	324	1 / 2kW	Matt Black		Yes
43		Colman	Log	445	528	272	0.9 - 1.8kW	Matt Black, Cream or French Grey		No
48		Desire 5	Coal	430	587	292	1 / 2kW	Matt Black		Yes
		Desire 6	Coal	486	587	292	1 / 2kW	Matt Black	☑	Yes
		Desire 7	Coal	542	587	292	1 / 2kW	Matt Black		Yes
49		Elstow	Log	577	620	186	1 / 2kW	Matt Black		Yes
50		Espire	Coal	486	586	292	1 / 2kW	Matt Black		Yes
50		Hereford 5	Coal	453	607	377	1 / 2kW	Matt Black		Yes
		Hereford 7	Coal	565	607	377	1 / 2kW	Matt Black		Yes
44		Heslington	Log	591	651	324	1 / 2kW	Matt Black		Yes
46		Norwood	Log	477	585	325	0.9 - 1.8kW	Matt Black		Yes
49		Ora 5	Log	453	607	377	1 / 2kW	Matt Black	☑	Yes
		Ora 7	Log	565	607	377	1 / 2kW	Matt Black		Yes
44		Qube	Log	435	560	240	1 / 2kW	Matt Black		No
47		Serrano	Coal	430	545	265	1 / 2kW	Matt Black		Yes
42		Southgate	Log	550	585	297	1 / 2kW	Matt Black or Grey		Yes
46		Trowpoint	Log	495	595	346	0.9 - 1.8kW	Matt Black		No
47		Trowpoint Grande	Log	635	665	383	0.9 - 1.8kW	Matt Black		No
42		Tunstall	Log	410	645	410	1 / 2kW	Matt Black		No
		Tunstall Logstore	Log	410	850	410	1 / 2kW	Matt Black		No
43		Winchester	Coal / Log	640	620	365	2kW	Matt Black		Yes
49		York	Coal	465	580	310	2kW	Matt Black		Yes
51		Decorative Flue Pipe (plastic)	N/A	122	195	195	N/A	Matt Black, Cream or French Grey		N/A

All dimensions are provided in mm unless otherwise stated
*Includes balanced flue kit

Specification correct at time of print

Gas Stoves

Page	Brand	Gas Stoves	Fuel Bed	Width (mm)	Height (mm)	Depth (mm)	Heat Output (High / Low)	EEC	Flue Position	Flue Outlet Size	Remote Control
53		Desire 5	Log	430	582	371	4.5kW (top) 4kW (rear)	D	Top or Rear	125mm (5")	No
		Desire 7	Log	542	582	345	4.7kW (top)	E	Top Only	125mm (5")	No
52		Hereford 5	Log	453	606	381	4.5kW (top) 4kW (rear)	C-E	Top or Rear	125mm (5")	No
		Hereford 7	Log	565	606	376	4.7kW	E	Top Only	125mm (5")	No
53		Ignite 5	Log	430	582	371	4.3kW (top) 4.15kW (rear)	D	Top or Rear	125mm (5")	No
		Ignite 7	Log	542	582	345	4.7kW (top)	E	Top Only	125mm (5")	No

Multifuel Stoves

Page	Brand	Multifuel Stoves	Fuel Type	Width (mm)	Height (mm)	Depth (mm)	Heat Output	EEC	Flue Outlet Size	Flue Position	DEAS KIT
55		Desire 5 Widescreen	Wood & Coal	542	582	356	5kW	A	125mm (5")	Top or Rear	Yes
		Desire 5 Widescreen Log Store	Wood & Coal	542	827	356	5kW	A	125mm (5")	Top or Rear	Yes
55		Hereford 5 Widescreen	Wood & Coal	565	608	366	5kW	A	125mm (5")	Top or Rear	Yes
54		Ignite 5 Widescreen	Wood & Coal	542	582	356	5kW	A	125mm (5")	Top or Rear	Yes
		Ignite 5 Widescreen Log Store	Wood & Coal	542	827	356	5kW	A	125mm (5")	Top or Rear	Yes
55		Log Basket Curved	-	450	358	350	-	-	-	-	-
		Log Basket Square	-	447	340	352	-	-	-	-	-

3 YEAR WARRANTY

5 YEAR WARRANTY

All gas fires are supplied with a 3 or 5 year warranty†

Terms & Conditions apply

† 12 Month warranty on Elsie 900 model

For over 60 years, Be Modern has manufactured fires and fireplaces to the highest standards. All gas fires are rigorously tested by our Quality Control Department to the latest ISO standards before reaching approved retailers.

Every gas fire comes with a 3 or 5-year† warranty for added peace of mind. Fires are fitted with an Oxygen Depletion Sensor, which automatically shuts off the gas supply if oxygen levels are too low or the chimney/flue is blocked.

Gas fires must only be fitted or serviced by a Gas Safe Engineer.

GAS safe™ REGISTER

Caring for your fire

Our gas fires are designed to provide efficient heat and reliable, hassle-free operation. For safe use and long-lasting performance:

1. Only use a Gas Safe Engineer for installation or servicing.
2. Never attempt to remove or service the fire yourself.
3. Have your fire serviced and safety checked annually.
4. If you suspect a gas leak or carbon monoxide, act immediately and follow gas emergency advice.
5. If in doubt, contact a Gas Safe Engineer or your local fireplace retailer.


Under mantel LED lighting


Under-mantel LED lighting highlights the natural detail of the micro marble, creating a soft, elegant glow. Concealed within the surround, it adds an energy-efficient feature available across the Marble range.



Hearths

SL - Standard Lipped | BN - Bullnose





bemodern®

ELGIN&HALL | FLARE | PRYZM

MADE IN BRITAIN®

Contact Us

For more information or to place an order please contact us

Tel: 0191 430 9434 | Email: sales@bemodern.com | Visit: bemodern.com

BeModern® | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne and Wear | NE32 3BE

BeModern® hold design copyright and registration of design for its product ranges. BeModern® are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used and you may find that shades, natural grain markings and marble colouring are not consistent. © BeModern® Oct 2026

valpak smas RoHS Compliant