

FLARE

collection



HEATING HOMES FOR GENERATIONS

FLARE

Welcome

Welcome to a curated collection of stunning fires and fireplaces, designed to transform your living space. While our connection to fire goes back centuries, today it's all about modern comfort, style, and creating a warm, inviting focal point in your home.


A FLARE fireplace does more than just heat a room—it sets the mood, creates a space to relax, entertain, and unwind. Whether you're drawn to timeless elegance or bold, contemporary design, this collection has something for every taste and lifestyle.

Explore our range and discover fireplaces that evolve with you. From traditional surrounds to sleek modern statements, each piece is crafted to perfection—combining cutting-edge technology with skilled craftsmanship. Our advanced manufacturing allows us to create exclusive features, while our team hand-finishes every marble and timber detail for that flawless finish.

It's this blend of innovation and heritage that makes every FLARE fireplace truly unique. So sit back, get inspired, and imagine your home elevated with the warmth and style of a FLARE centrepiece.




bemodern® history so far



Contents

Timber Electric Fireplaces.....	4 - 11
Timber Inglenooks.....	12 - 13
Micro Marble Electric Fireplaces.....	14 - 15
Micro Marble Gas Fireplaces	16 - 17
Wall Mounted & Inset Electric Fires.....	18 - 25
Inset Gas Fires.....	26 - 33
Electric Stoves	34 - 43
Gas Stoves	44 - 45
Multifuel Stoves	46 - 47
Technical Information	48 - 50



Timber Electric Fireplaces

All FLARE electric fireplaces have been carefully designed to provide a glowing natural focus on any wall, in any room.

There is no need for a chimney or a flue - just an ordinary power socket and once installed, simply plug in and enjoy.

Oxton	4
Broadwell	5
Fairview	5
Carina	5
Linmere	5
Hansford	6
Hansford Grande	6
Orwell	6
Colby	6
Edwin	7
Stanton	7
Sennen	7
Elsham	7
Barrowden	8
Beadnell	8
Whitham	8
Salehurst	9
Salehurst Grande	9
Elanwood	10
Dunswood	11

Key



Manual Control



Remote control included with 7 day timer



Flat wall fix



Heat Output



Mood Lighting



Undermantel Lighting



Oxton

63" Electric chimney breast fireplace in Ash White complete with voice operated LED mood lights. Suitable for TVs up to 55". Fire features 3 flame effects and 5 brightness settings.

W1600mm x H2200/2500mm x D260mm



JUST ASK alexa

works with the Google Assistant

Ash White



Dark Grey & Matt Black

Broadwell

48"Traditional Dark Grey & Matt Black fireplace complete with our Abbey electric fire and LED under mantel lighting.

W1220mm x H1050mm x D300mm



Dark Grey

Matt Black



Ash White

Fairview

63" Floorstanding electric fireplace in Ash White. With modern urban styling and low stance, makes it the perfect solution to install your tv above. Fire features 3 flame effects and 5 brightness settings.

W1600mm x H1150mm x D260mm



Ash White



Ivory

Carina

44"Electric fireplace in Ivory painted finish complete with a widescreen electric fire in Chrome with 3 bar fret.

W1106mm x H938mm x D360mm



Ivory



Soft White

Linmere

44" Electric fireplace in Soft White finish complete with the widescreen electric fire in Black Nickel with 3 bar fret. Fire is also available in Chrome.

W1120mm x H995mm x D330mm



Soft White



Pearlescent Cashmere

Hansford



Pearlescent Cashmere

46" Electric fireplace in Pearlescent Cashmere painted finish complete with a widescreen electric fire in Brushed Steel. 3 flame effects and 5 brightness settings. W1170mm x H815mm x D300mm



Pearlescent Cashmere

Hansford Grande



Pearlescent Cashmere

52" Electric fireplace in Pearlescent Cashmere painted finish complete with an ultra widescreen electric fire with Anthracite trim. 3 flame effects and 5 brightness settings. W1320mm x H760mm x D300mm



Ash White

Orwell



Ash White

48" Electric fireplace in Ash White painted finish complete with a glass fronted portrait electric fire.

W1220mm x H1071mm x D300mm



Stone & Black

Colby



Soft White

38" Electric fireplace in Soft White with Chrome trim complete with a widescreen electric fire.

W960mm x H805mm x D300mm (Hearth W1016mm)



Ash White, Grey Herringbone & Chalet Oak finish

Sennen

54"Traditional inglenook fireplace complete with the Colman electric stove and flue pipe in Black.
W1370mm x H1150mm x D360mm



Chalet Oak
Ash White
Grey Herringbone



Soft White

Elsham

40"Electric fireplace in Soft White or Pearlescent Cashmere painted finish complete with a widescreen electric fire in Chrome with 1 bar fret.
W1020mm x H920mm x D300mm



Pearlescent Cashmere
Soft White



Ice White

Edwin

52"Electric fireplace in Ice White painted finish with Black Nickel inlay complete with Elsie 950 widescreen electric fire.
W1320mm x H936mm x D280mm



Ice White



Soft White

Stanton

46"Electric fireplace in Soft White painted finish complete with widescreen electric fire in Black Nickel with 3 bar fret. Also available in Chrome.
W1170mm x H1058mm x D330mm



Soft White



Natural Oak effect & Anthracite with Colman Stove



Natural Oak effect, Stone & Anthracite with Colman Stove

Barrowden Inglenook

42" Timber Inglenook Surround in Natural Oak effect & Anthracite or Stone & Anthracite finish with Natural Oak effect top, complete with Colman electric stove in Black and decorative flue pipe.

W1070mm x H1045mm x D350mm



Natural Oak effect	Nat Oak effect
Stone	
Anthracite	Anthracite



Ice White

Beadnell

46" electric fireplace in Ice White painted finish with a glass fronted widescreen electric fire. Features 3 flame effects and 7 Day Programmable Thermostat Remote Control. W1170mm x H1048mm x D300mm



Ice White



Soft White

Whitham

48" Electric fireplace complete with a widescreen electric fire. Available in Soft White or Ice White with Black Nickel or Chrome trim. W1220mm x H1011mm x D300mm



Ice White

Soft White



Floorstanding

Salehurst

38" Electric fireplace complete with a Rodwell electric fire. Can be wall mounted or floorstanding. Available in Ash White painted finish. Realistic log bed featuring 5 flame brightness settings.

W996mm x H803mm x D250mm



Ash White



Floorstanding

Salehurst Grande

52" Electric fireplace complete with a Rodwell electric fire. Can be wall mounted or floorstanding. Available in Ash White painted finish. Realistic log bed featuring 5 flame brightness settings.

W1320mm x H760mm x D250mm



Ash White

MIX & MATCH

your electric fireplace

NEW



42" Elanwood shown with Ember Chrome



42" Elanwood
with Aspen Chrome



42" Elanwood
with Beam Black Nickel



48" Elanwood
with Fazer Brass



48" Elanwood
with Banbury Black



Bayden Brass



Bayden Chrome



Comet Black



Ember Black Nickel



Abbey Black



Beam Black



Beam Chrome



Fazer Chrome



Elanwood

42" or 48" Electric fireplace in Torro Oak & Marfil Cream finish with choice of inset electric fires and trims.

42": W1070mm x H1123mm x D330mm
48": W1210mm x H1123mm x D330mm

1-2kW FLAT WALL FIX

Torro Oak

Marfil Cream

MIX & MATCH

your electric fireplace


NEW



48" Dunswood shown with Abbey Black




42" Dunswood
with Aspen Chrome



42" Dunswood
with Ember Chrome



48" Dunswood
with Ember Black Nickel



48" Dunswood
with Fazer Chrome



Bayden Brass



Bayden Chrome



Comet Black



Ember Black Nickel



Banbury Black



Beam Black



Beam Chrome



Fazer Brass



Dunswood

42" or 48" Electric fireplace in Torro Oak & Marfil Cream finish with choice of inset electric fires and trims.

42": W1070mm x H1123mm x D330mm
48": W1210mm x H1123mm x D330mm

1-2kW FLAT WALL FIX

Torro Oak

Marfil Cream

Timber Inglenooks

New styles and new finishes combine to create our stunning range of timber inglenook surrounds; the soft hues of the surrounds are complemented by the Concrete and Grey Slate effect back panels.

These beautifully designed flat to wall fit inglenooks, give the added depth of an inset inglenook without the need for any remedial work to the wall they are positioned against.

Under mantel lighting is included and once on will adorn the inglenook back panel with a warm glow.

The range includes not only traditional inglenook surrounds, but also full chimney breast inglenook options.

Choose from our range of electric stoves and matching flues to create a truly remarkable centrepiece
- Pages 34 - 43

Sennen	12
Cheshire	13
Barrowden	13

(Stoves sold separately)

Key



Stove Switch



Undermantel Lighting



Flat wall fix



Mood Lighting



Decorative Flue available



Inset inglenook



Stove Switch



Colman French Grey



Elstow Black



Beacon Ash White

A selection of our electric stoves can be paired with our inglenooks.
See pages 34 for more options



Sennen

54"Traditional inglenook in Ash White, Grey Herringbone back panel & Chalet Oak top.
Styled with the Southgate electric stove in Black. (sold separately)

W1370mm x H1150mm x D360mm

Opening: W910mm x H850mm

Depth: Hearth Front to Back Panel - 322mm



Chalet Oak

Ash White

Grey Herringbone



Ash White styled with Beacon electric stove in Ash White



Dark Grey styled with Canterbury electric stove in Matt Black

Cheshire

48"Timber Inglenook Surround in Ash White or Dark Grey painted finish with Grey Slate effect back panel and hearth, styled with an electric stove (sold separately).

W1220mm x H1050mm x D360mm
Opening: W840mm x H800mm
Depth: Hearth Front to Back Panel: 320mm



Ash White

Grey Slate effect

Dark Grey

Grey Slate effect



Natural Oak effect & Anthracite styled with a Colman electric stove in French Grey

Barrowden

42" Timber Inglenook in Natural Oak effect & Anthracite or Stone & Anthracite finish with Natural Oak effect top, styled with Colman electric stove in French Grey (sold separately).

W1070mm x H1045mm x D350mm
Opening: W700mm x H775mm
Depth: Hearth Front to Back Panel: 318mm



Natural Oak effect

Anthracite

Nat Oak effect

Stone

Anthracite

Micro Marble Electric Fireplaces

All FLARE electric fireplaces have been carefully designed to provide a glowing natural focus on any wall, in any room.

With tasteful designs from traditional to contemporary, the heat is instant and thermostatically controlled for lasting comfort.

There is no need for a chimney or a flue, all the electric fireplaces can be flat wall fixed.

Wayland	14
Vitalia	14
Embleton	15
Cassius	15



Wayland

52" Electric fireplace in White or Manila micro marble, complete with a Elsie 950 widescreen electric fire.

W1320mm x H947mm x D400mm

2kW

7 DAY

FLAT

WALL FIX

White

Manila



Key



Remote control included with 7 day timer



Flat wall fix



Heat Output

Vitalia

48" Electric fireplace in White micro marble, complete with the Elsie 900 electric fire.

W1220mm x H1080mm x D400mm

2kW

7 DAY

FLAT

WALL FIX

White



White with Grey slips micro marble

Embleton

52" Electric fireplace in White or White & Grey micro marble, complete with a Elsie 900 widescreen electric fire.

W1320mm x H1159mm x D400mm



White

White & Grey



White micro marble

Cassius

52" Electric fireplace in White or White & Grey micro marble, complete with a Elsie 950 widescreen electric fire.

W1320mm x H967mm x D400mm



White

White & Grey

Micro Marble Gas Fireplaces

Pre-Cast or Standard Flue solutions.

We have engineered a way to fit our highly desirable 900 gas fires into the standard 16 x 22" opening in a UK chimney breast or pre-cast flue, with no building work.

The installation is all the more simple because all the fireplaces are made as a complete single unit. It has taken years of research to develop and perfect this innovative technology which puts us ahead of the market.

Earlston	16
Cassius	16
Greenwood	17
Hamton	17



Earlston

48" gas fireplace in White or Manila micro marble, complete with the Elsie 950 gas fire.

W1220mm x H897mm x D400mm

Heat Output: 4.6kW

Flue Fit Options: Standard Class 1, Standard Class 2, Pre-Cast Flue*

White

Manila



Cassius

52" gas fireplace in White micro marble or with a Grey Slip, complete with the Elsie 950 gas fire.

W1320mm x H967mm x D400mm

Heat Output: 4.6kW

Flue Fit Options: Standard Class 1, Standard Class 2, Pre-Cast Flue*

White/Grey

White



Key

Smartslide control



Greenwood

48" gas fireplace in White micro marble, complete with a 900 gas fire.

W1220mm x H1080mm x D400mm

Heat Output: 5.1kW

Flue Fit Options: Standard Class 1, Standard Class 2, Pre-Cast Flue*

White



Hamton

52" gas fireplace in White micro marble or with a Grey Slip, complete with a 900 gas fire.

W1320mm x H1159mm x D400mm

Heat Output: 5.1kW

Flue Fit Options: Standard Class 1, Standard Class 2, Pre-Cast Flue*

White/Grey

White

Wall Mounted & Inset Electric Fires

The latest LED technology emulates the shimmering, smouldering effect of a natural flame to a degree of realism that will amaze you. The heat is instant and thermostatically controlled for lasting comfort. There is no need for a chimney or flue, just plug in and enjoy.

With many designs and style options on offer, the Flare Collection is sure to have your perfect wall mounted or inset electric fire to suite your living space.



Avella Grande



45" Inset wall mounted ultra widescreen electric fire with 4 sided trim and realistic log bed. Featuring 3 flame effects and 5 brightness settings.

W1150mm x H492mm
Aperture required:
W1018mm x H428mm
Inset rebate - D165mm

Black Nickel

Matt Black

Key



LED Back Lighting



Remote control included with 7 day timer



Remote control included



Manual Control



Inset Rebate Required



Flat wall fix



Inset wall fix



Heat Output

Inset fire key

A - Chrome

C - Black Nickel

B - Brass

D - Matt Black



Avella



34" Inset wall mounted electric fire with 4 sided trim and realistic log bed. Featuring 3 flame effects and 5 brightness settings.
W860mm x H491mm

Aperture required:
W727mm x H428mm
Inset rebate - D165mm

Black Nickel

Matt Black



Matt Cashmere & Anthracite

Elyce

1-2kW 7 DAY FLAT WALL FIX

Matt
Cashmere
Anthracite

43" Wall mounted widescreen electric fire with realistic log bed. Featuring 3 flame effects and 5 brightness settings.
W1100mm x H602mm x D255mm



Matt Cashmere & Anthracite

Elyce Grande

1-2kW 7 DAY FLAT WALL FIX

Matt
Cashmere
Anthracite

55" Wall mounted ultra widescreen electric fire with realistic log bed. Featuring 3 flame effects and 5 brightness settings.
W1390mm x H602mm x D255mm



Anthracite

Albali

1-2kW 7 DAY FLAT WALL FIX

Anthracite
Stone

38" Wall mounted electric fire with realistic log bed. Available in Anthracite and Stone painted finishes. Featuring 3 flame effects and 5 brightness settings.
W971mm x H608mm x D174mm



Black Nickel

Adali

1-2kW 7 DAY INSET WALL FIX

Black Nickel
Matt Black

26" Inset wall mounted electric fire with 4 sided trim and realistic log bed.
W660mm x H488mm
Aperture required - W600mm x H450mm
Inset rebate - D190mm



Matt Black

Rodwell 22

22" Inset wall mounted widescreen electric fire with 4 sided trim and realistic log bed. Featuring 5 flame brightness settings.

W584mm x H503mm
Aperture required - W558mm x H495mm
Inset rebate - D145mm (inc 12mm clearance when surface mounted)



Matt Black



Matt Black

Rodwell 36

36" Inset wall mounted widescreen electric fire with 4 sided trim and realistic log bed. Featuring 5 flame brightness settings.

W914mm x H452mm
Aperture required - W888mm x H452mm
Inset rebate - D145mm (inc 12mm clearance when surface mounted)



Matt Black



Wall Mounted

Salehurst

38" Electric fireplace complete with a Rodwell electric fire. Can be wall mounted or floorstanding. Available in Ash White painted finish. Realistic log bed featuring 5 flame brightness settings.

W966mm x H803mm x D250mm



Ash White



Wall Mounted

Salehurst Grande

52" Electric fireplace complete with a Rodwell electric fire. Can be wall mounted or floorstanding. Available in Ash White painted finish. Realistic log bed featuring 5 flame brightness settings.

W1320mm x H760mm x D250mm



Ash White



Quattro

25" Wall mounted electric fire with curved Black glass fascia and realistic log bed. Complete with mood LED lighting & remote control.

W640mm x H500mm x D150mm



Black Glass



Amari

38" Wall mounted or free standing electric fire with pebble bed. LED mood lighting and realistic flame effect.


Wall Mounted: W960mm x H450mm x D126mm
Freestanding: W960mm x H521mm x D207mm




Black Glass




Black Glass




Pebble Bed



Log Bed



Crystal Bed



Optional Baffle

Azonto

35" Wall mounted electric fire with changeable fuel beds including loose pebbles, crystals or fixed log bed. 7 different flame effects & mood lighting colours. Includes optional baffle.

W900mm x H580mm x D110mm
Height with baffle: 605mm

Baffle reduces minimum distance to floor level from 400mm to 100mm



Black Glass



Ember



16" Inset electric fire with realistic coal bed.
3 flame effects and 5 brightness settings.
W510mm x H612mm x D172mm
Inset rebate - D75mm



Banbury



16" Inset electric stove with realistic log bed & Silver handle.
W568mm x H623mm x D190mm
Inset rebate - D75mm



Abbey



16" Inset electric fire with realistic coal bed and Black Abbey Arched fascia.
W569mm x H731mm x D160mm
Inset rebate - D90mm



Novus



22" Inset electric fire with realistic log bed
W651mm x H610mm x D151mm
Inset rebate - D156mm



Beam - Stove Front



16" Inset electric fire with unique log bed and flame effect.
W564mm x H638mm x D148mm
Inset rebate - D75mm



Widescreen inset electric fire with realistic log bed
W660mm x H742mm x D165mm
Opening Required: W663mm x H744mm x D165mm



Widescreen inset electric fire with realistic log bed
W800mm x H622mm x D165mm
Opening Required: W804mm x H624mm x D165mm



Bayden



16" Inset electric fire with realistic coal bed & manual or remote control.
W483mm x H593mm x D196mm
Inset rebate - D110mm | 2 Spacer frames available



Comet



16" Inset electric fire with realistic coal bed & manual side controls.
W550mm x H650mm x D168mm
Inset rebate - D36mm (0mm: Spacer)



Beam - Edge

16" Inset electric fire with unique log bed and flame effect.
W509mm x H593mm x D110mm | Inset rebate - D75mm



Beam 22"

22" Inset widescreen electric fire with unique log bed and flame effect, remote controlled and concealed manual controls behind hinged fret.
W661mm x H603mm x D110mm | Inset rebate - D75mm



Fazer

16" Inset electric fire with realistic coal bed, traditional fret & manual side controls.
W525mm x H590mm x D165mm
Inset rebate - D90mm (0mm: Spacer)



Aspen

16" Inset electric fire with realistic coal bed & manual side controls.
W525mm x H590mm x D165mm
Inset rebate - D90mm (0mm: Spacer)

Inset Gas Fires

With a FLARE gas fire you are adding a true centrepiece which naturally draws people together, creating a relaxed ambience that enhances the quality of life at home.

Choose from our Exclusive, Devotion or Cast Stove Front with a choice of colour trim options.

Or opt for one of our sleek, widescreen wall-mounted / inset gas fires for a clean, minimalist aesthetic.

Each of our timeless designs offer different variations which you can refine to your tastes, be it contemporary or traditional.

16" Inset Gas Fires.....	26-30
Cast Stove Front.....	31
Elsie 960BF	32
Elsie 900	33
Elsie 950 CF	33




Check the chimney or flue

All gas fires require a chimney or flue to conduct expended gases outside. FLARE has a range of fires available to suit your chimney or flue type. To help you identify which type you have and which fire will fit it best (slimline, mid-depth or deepline) look at the simple explanation below. If you are still in any doubt about which flue or chimney you have, please contact one of our approved retailers for advice.




Brick Chimney | (Class 1)

A conventional chimney for use with a solid fuel or gas appliance is easily recognisable, as the stack rises above the roofline and usually has a pot or gas terminal on top. With this type of chimney you can install all our gas fires including the deepline model.



Pre-Fabricated Flue | (Class 2)

Identifiable by a metal flue and terminal on the roof this flue system is suitable for all Flare gas fires.



Pre-Cast Flue

A pre-cast flue can be identified by a ridge vent on the roofline. Built from concrete or clay blocks usually within the wall cavity, they are perfect for our Radiant Slimline or Radiant Deepline* gas fires.

*Radiant Deepline suitable when installed with a 75mm rebated fire surround



All gas fires are supplied with a 5 year warranty[†]

Terms & Conditions apply

All gas fires are rigorously tested and checked by our internal Quality Control Department to the latest ISO standards before being sent to our approved retailers.

All gas fires are supplied with a 5 year warranty providing you with the reassurance and peace of mind that you have purchased and installed a high quality product.

Ease of Operation



All gas fires are available with a Smartslide Control feature to turn the fire on and regulate its flame level. Mounted on the side of the fire, the control provides convenience of operation.



If you prefer the traditional feel of a gas fire choose one of our open fronted models with manual controls. Concealed behind the fret of the fire, the controls are easy to access so you can regulate your desired flame setting and heat output.

A safe fire in your home



Quality Approved

For your reassurance, all FLARE fires are made in accordance with Quality Management System Standard ISO 9001. We have a range of fires available to suit your chimney or flue.

Flame Failure Device

All gas fires are fitted with a device which ensures that in the event of the flame going out during operation, the gas supply to the fire is cut off.

Oxygen Depletion Sensor

All fires are fitted with an Oxygen Depletion Sensor that shuts off the gas supply if the oxygen level is too low in the room or if there is a blockage in the chimney or flue.




Fire Additions



Matching Handle

The Smartslide Control handle is available in Black, Brass or Chrome finish.

Black handle supplied as standard



Easy Grip Handle

An easy grip handle is available for all fires. It is a simple attachment to the handle allowing convenient control of fire ignition and heat settings.



Xtra Canopy

Extra efficiency comes in the form of a canopy kit designed to raise the efficiency of the fire by up to 8%.



Optional Spacer

Fits to the rear of the fire and reduces the depth by 25mm. It is ideal for use with pre-cast flues where there is insufficient space.

Choosing the right engine

Designed for both style and convenience, our gas fires feature a discreet Smartslide control mounted on the top side for effortless adjustment—or opt for a manual control with an igniter located neatly behind the fret. You have full control over flame height and heat output to suit your mood.

Choose from three stunning fascia styles: **Exclusive** – Sleek and refined, **Devotion** – A contemporary statement, **Cast Stove Front** – A classic, traditional finish. Available in six engine types to suit your space: Slimline Radiant, Deepline Radiant, Deepline Convector, Mid-Depth High Efficient, Deepline High Efficient and Balanced Flue.


Fire Engine	Inset Depth	Flue Type	Gas Type	Minimum Aperture in Chimney	Open or Glass Fronted	Xtra Canopy	Control
Slimline Radiant	123mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas	W405mm x H555mm	Open Fronted	<input checked="" type="checkbox"/>	Smartslide & Manual
Deepline Radiant	173mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas			<input checked="" type="checkbox"/>	Smartslide & Manual
Deepline Convector	198mm	Conventional Class 1 & 2	Natural Gas			<input checked="" type="checkbox"/>	Smartslide & Manual
Mid Depth H.E	128mm	Conventional Class 1 & 2 + Pre-Cast	Natural Gas		<input checked="" type="checkbox"/>	Smartslide	
Deepline H.E	198mm	Conventional Class 1 & 2	Natural Gas		<input checked="" type="checkbox"/>	Smartslide	
Balanced Flue*	186mm	Balanced Flue	Natural Gas	N/A		<input checked="" type="checkbox"/>	Manual

*Includes: Balanced Flue kit


Open Fronted

Slimline Radiant

Radiant gas fires pull in cold air through their open front, circulating it over the real flames and emitting it back into the room.




Deepline Radiant



Deepline Convector

Hot air is transferred through the canopy to circulate the warmth around the room.



Flue Type | Conventional Class 1 & 2 + Pre-Cast

Gas Type | Natural Gas

Efficiency | 52% (58% with Xtra canopy)

Control | Smartslide or Manual

EEC | F

EEI (%) | 43% (48% Canopy)

	High	Canopy	Low	Canopy
Heat Input:	6.75kW		3.5kW	
Heat Output:	3.2kW	3.5kW	1.5kW	1.7kW

Flue Type | Conventional Class 1 & 2 + Pre-Cast*

Gas Type | Natural Gas

Efficiency | 52% (57% with Xtra canopy)

Control | Smartslide or Manual

EEC | F

EEI (%) | 43% (48% Canopy)

	High	Canopy	Low	Canopy
Heat Input:	6.75kW		3.5kW	
Heat Output:	3.2kW	3.5kW	1.5kW	1.6kW

Flue Type | Conventional Class 1 & 2

Gas Type | Natural Gas

Efficiency | 64%

Control | Smartslide or Manual

EEC | F


EEI (%) | 55%

	High	Low
Heat Input:	6.75kW	3.5kW
Heat Output:	3.9kW	1.8kW


Glass Fronted

Mid-Depth

A panel of ceramic glass prevents air from being sucked up through the front of the fire and directing heat up the chimney, meaning a higher percentage of convected and radiant heat is propelled back into the room.



Deepline



Flue Type | Conventional Class 1 & 2 + Pre-Cast

Gas Type | Natural Gas

Efficiency | 82%

Control | Smartslide

EEC | D

EEI (%) | 73%

Heat Input	High 3.7kW	Low 2.5kW
Heat Output	High 2.7kW	Low 1.7kW

Flue Type | Conventional Class 1 & 2

Gas Type | Natural Gas

Efficiency | 87%

Control | Smartslide

EEC | C


EEI (%) | 79%

Heat Input	High 5.3kW	Low 2.7kW
Heat Output	High 4.2kW	Low 2kW

Glass Fronted

Balanced Flue

The glass fronted balanced flue gas fire has an efficiency of 86% and a cosy 3.3kW heat output. Complete with Balanced Flue Kit.



Flue Type | Balanced Flue

Gas Type | Natural Gas

Efficiency | 86%

Control | Manual

EEC | C

EEI (%) | 77%

Heat Input	High 4.2kW	Low 2.9kW
Heat Output	High 3.3kW	Low 2kW



Exclusive Fascia Collection

The Exclusive trim features a flat face with a long bevelled edge, complementing the bold curves of the fret. Available in Brushed Steel, Brass, Chrome, or Black, it adds a modern yet harmonious touch to stylish interiors.

W510mm x H605mm x D Please see table





Black Nickel



Black Nickel

Brass

Brushed Steel

Chrome

Devotion Trim

A Black finished frame borders the metal trim, creating a striking contrast that highlights the Chrome, Brass, Black Nickel, or Brushed Steel finish. The subtly curved fret adds visual interest.

W510mm x H605mm x D Please see table





Cast Stove Trim

Experience the look and feel of a real stove with the Cast Stove Front in Matt Black finish. Fixes directly onto our glass fronted gas fires.

Mid Depth HE: W559mm x H658mm x D128mm
Deepline HE: W559mm x H658mm x D198mm
Balanced Flue*: W559mm x H658mm x D186mm



Matt Black



Brushed Steel

Elsie 960BF

Balanced flue solution with 2.1kW / 4.6kW heat output. Smartslide control for simple operation. Flue Type: Balanced Flue

W1198mm x H666mm x D187mm
Includes Engine, trim, lining set, flue & cowl kit
Wall Depth: min 270 - max 725mm



Brushed Steel





Matt Black

Elsie 900

Standard & Pre-Cast flue solution with 2.1kW / 5.1kW heat output. Smartslide control for simple operation. Flue Type: Conventional Class 1 & 2 | Pre-Cast

W660mm x H742mm x D273mm | (Inset Depth: 255mm)



Matt Black



Matt Black

Elsie 950CF

Standard & Pre-Cast flue solution with 1.9kW / 4.6kW heat output. Smartslide control for simple operation. Flue Type: Conventional Class 1 & 2 | Pre-Cast

W800mm x H622mm x D273mm



Matt Black

Electric Stoves

The stove in its most convenient form; drawing on innovative design and the authenticity of the visual effect, the flames and smoulder emulate that of a real woodburning stove to the finest detail.

Our electric stoves will provide instant heat into the room, thermostatically remote controlled with a 7 day programme for lasting comfort, or manual options.

Tunstall	34
Colman.....	35
Qube.....	35
Winchester.....	35
Southgate.....	36
Serrano.....	36
Trowpoint	37
Trowpoint Grande	37
Beacon.....	38
Desire	38
Ora	39
Ignite Inset	39
Heslington.....	39
Vue.....	40
Elstow.....	40
Espire	41
York.....	41
Canterbury.....	42
Hereford 5	42
Hereford 7	42
Stove Switch / Flue Compatibility.....	43

Key



Stoves that can be paired with our Timber Inglenook surrounds



Remote control included



Manual Control



Heat Output



Decorative flue available



Eco Friendly Fires



Tunstall

Freestanding electric stove with optional log store and thermostatic controlled heat output. (Decorative flue pipe not included)

W410mm x H645mm x D410mm

Height with optional decorative log store: 850mm



1-2kW



Matt Black



Matt Black

Colman


Freestanding electric stove with realistic log bed, manual controls and 1.8kW heat output.
(Decorative flue pipe available as an extra)

W445mm x H528mm x D272mm



Cream

French Grey



Matt Black

Qube

A modern free standing electric stove with realistic log bed, manual control and up to 2kW heat output.

W435mm x H560mm x D240mm



Matt Black



Matt Black

Winchester

Freestanding cast iron electric stove complete with realistic coal bed or loose logs, up to 2kW of instant heat & remote controlled.

W640mm x H620mm x D365mm



Matt Black



Grey



Matt Black

Southgate

Freestanding electric stove with realistic log bed in Grey or Matt Black finish. A mesmerising flame effect with 5 brightness settings and 7 different fuel bed colours.

W550mm x H585mm x D297mm



Grey

Matt Black



Matt Black

Serrano

Freestanding cast iron electric stove with realistic coal bed with Chrome handle & lever.

W430mm x H545mm x D265mm



Matt Black



Matt Black



Trowpoint

Freestanding electric stove with realistic log bed, manual controls and 1.8kW heat output.

W495mm x H595mm x D346mm

Matt Black



Matt Black

Trowpoint Grande

Freestanding electric stove with realistic log bed, manual controls and 1.8kW heat output.

W635mm x H665mm x D383mm

Matt Black



Matt Black





Large in Matt Black



Small in Ash White



Inset Large in Matt Black

Beacon

Freestanding lightweight electric stove with realistic loose log bed. An inset version in Matt Black, which boasts a 45mm inset making it perfect for 45mm / 75mm rebated surrounds

Free Standing - Small: W 486mm x H 599mm x D 292mm

Free Standing - Large: W 586mm x H 599mm x D 292mm

Inset - Small: W 486mm x H 599mm x D 232mm (Inset 45mm)

Inset - Large: W 586mm x H 599mm x D 232mm (Inset 45mm)



Matt Black

Ash White
(Freestanding only)



Desire 5



Desire 7



Desire 6



Desire Inset

Desire

Freestanding steel electric stove in 3 sizes with realistic coal bed. An inset version boasts a 75mm rebate.

Free Standing - 5: W 430mm x H 587mm x D 292mm

Free Standing - 6: W 486mm x H 587mm x D 292mm

Free Standing - 7: W 542mm x H 587mm x D 292mm

Inset: W 486mm x H 587mm x D 238mm (Inset 75mm)



Matt Black



Ora

Freestanding cast iron door with steel body electric stove with realistic log bed. An inset version boasts a 75mm inset.

Free Standing - 5: W 453mm x H 604mm x D 377mm

Free Standing - 7: W 565mm x H 604mm x D 377mm

Inset: W 506mm x H 597mm x D 249mm (Inset 75mm)



Matt Black



Ignite Inset

Inset steel body and cast iron door electric stove with realistic coal bed.

W486mm x H587mm x D236mm (Inset 75mm)



Matt Black



Heslington

Freestanding cast iron electric stove with realistic log bed & arched window. Optional plain door available.

W591mm x H651mm x D324mm



Matt Black



Vue LS Plus



Vue

Freestanding electric stove with realistic log bed. 3 height options in one box. 1.8kW max heat output and touch controls on top of stove.

Vue LS Plus: W 450mm x H 1035mm x D 404mm

Vue LS: W 450mm x H 931mm x D 404mm

Vue: W 450mm x H 704mm x D 404mm



Matt Black



Matt Black

Elstow

Electric stove with realistic glowing log bed & slimline body, perfect for smaller hearths.

W570mm x H618mm x D205mm



Matt Black



Matt Black

Espire

Freestanding light weight electric stove with realistic coal bed. 2kW heat output and concealed controls behind a hinged door.

W486mm x H586mm x D290mm



Matt Black



Matt Black



Plain Door option

York

Freestanding cast iron electric stove with realistic coal bed & arched window. Optional plain door available.

W465mm x H580mm x D310mm



Matt Black



Matt Black



Plain Door option

Canterbury

Freestanding cast iron electric stove complete with realistic coal or log bed & arched window. Optional plain door available.

W605mm x H660mm x D325mm



Matt Black



Matt Black



Matt Black

Hereford 5

Freestanding electric stove with realistic coal bed and cast iron door with steel body. 3 flame options and 5 brightness settings.

W453mm x H608mm x D343mm



Matt Black

Hereford 7

Freestanding electric stove with realistic coal bed and cast iron door. 3 flame options and 5 brightness settings.

W565mm x H608mm x D343mm



Matt Black

Stove Switch & Decorative flue / Inglenook compatibility

Electric Stoves	Decorative Flue Options	Barrowden Timber Inglenook	Cheshire Timber Inglenook	Sennen Timber Inglenook
Beacon Small / Large	Stove Only	✓	✓	✓
	Plastic Flue	-	✓	✓
Desire 5 / 6 / 7	Stove Only	✓	✓	✓
	Plastic Flue	-	✓	✓
Canterbury	Stove Only	✓*	✓*	✓*
	Plastic Flue	-	-	✓*
Colman	Stove Only	✓	✓	✓
	Plastic Flue	✓	✓	✓
Elstow	Stove Only	✓	✓	✓
	Plastic Flue	-	-	-
Espire	Stove Only	✓	✓	✓
	Plastic Flue	-	✓	✓
Hereford 5 / 7	Stove Only	-	-	-
	Plastic Flue	-	-	-
Heslington	Stove Only	✓*	✓*	✓*
	Plastic Flue	-	-	✓*
Ora 5 / 7	Stove Only	-	-	-
	Plastic Flue	-	-	-
Serrano	Stove Only	✓	✓	✓
	Plastic Flue	✓	✓	✓
Qube	Stove Only	✓	✓	✓
	Plastic Flue	✓	✓	✓
Southgate	Stove Only	✓	✓	✓
	Plastic Flue	-	✓	✓
Trowpoint	Stove Only	✓*	✓*	✓*
	Plastic Flue	-	✓*	✓*
Trowpoint Grande	Stove Only	-	-	-
	Plastic Flue	-	-	-
Wimslow	Stove Only	✓	✓	✓
	Plastic Flue	-	✓	✓
York	Stove Only	✓	✓*	✓
	Plastic Flue	✓	✓	✓



Decorative flue pipe (Plastic)

Decorative plastic flue pipe to complete the stove appearance. Suitable for electric stoves only. (See above for compatibility) Available in Matt Black, Cream & French Grey W122mm x H195mm x D195mm

Gas Stoves

The flame picture which arises from the hand crafted ceramic fibre logs or coals in our Gas stoves is remarkably reminiscent of the real thing, whilst the heat is comparable in quality to the warmth radiating from our equivalent multifuel stoves.

The ease of control whether manual or remote, allows you to optimise the heat output, from blazing to smouldering. The sturdy construction of cast or steel and the optional fuel bed and door inserts on certain stoves, ensure that the finished look will suit your home, be it traditional or contemporary in style.

Hereford 5 & 7	44
Endure	44
Ignite 5 & 7	45
Desire 5 & 7	45



Hereford 5 / 7



Freestanding gas stove with realistic log bed, mesmerising real dancing flames.
Features a cast iron door for retained heat.

Hereford 5 : W453mm x H606mm x D381mm



Hereford 7 : W565mm x H606mm x D376mm



Matt Black



Endure - Balanced Flue



Freestanding Balanced Flue* gas stove with realistic coal bed and real dancing flames.

W542mm x H622mm x D336mm

Matt Black

Key



Manual Control



EEC Rating



Ignite 5



Ignite 7

Ignite 5 & 7

Freestanding gas stove with realistic log bed and real dancing flames. Features a cast iron door for retained heat.

Ignite 5: W430mm x H582mm x D371mm



Ignite 7: W542mm x H582mm x D345mm



Matt Black



Desire 5



Desire 7

Desire 5 & 7

Freestanding gas stove with realistic log bed and real dancing flames. Features an all steel door and body.

Desire 5: W430mm x H582mm x D371mm



Desire 7: W542mm x H582mm x D345mm



Matt Black



Multifuel Stoves

Our multifuel stoves hold energy efficiency class (EEC) ratings of A, making them the top of their class when it comes to reducing your carbon footprint.

Ecodesign Ready 2022 stoves are designed to burn at higher levels in the fire box; this greatly reduces the organic particles that are normally released, which in turn significantly reduces the level of emissions and has a positive impact on carbon reduction.

The Activview™ system enables all our stoves to keep it's glass clean for longer.



Ignite 5 Widescreen

Ignite 5 Widescreen	46
Hereford 5 Widescreen	47
Desire 5 Widescreen	47
Log Basket.....	47



Ignite 5 Widescreen Logstore

Key



Eco Design Ready 2022



Smoke Exempt Stove



EEC Rating



Heat output

Ignite 5 Widescreen

5kW Multifuel stove with a steel body and cast iron arched door for retained heat. Eco Design Ready 2022. Ignite 5: W542mm x H582mm x D356mm Log store: W542mm x H827mm x D356mm



Matt Black



Desire 5 Widescreen



Matt Black

A

5kW



Hereford 5 Widescreen

5kW Multifuel stove, Eco Design Ready 2022, easy to operate controls.

Featuring a cast iron door and steel body.

W565mm x H608mm x D366mm

Matt Black



Desire 5 Widescreen Log Store



Curved



Square

Desire 5 Widescreen



5kW Multifuel stove with all steel door and body.
Eco Design Ready 2022

Desire 5: W542mm x H582mm x D356mm

Log store: W542mm x H827mm x D356mm

Matt Black

Log Baskets

Store your logs with our convenient log baskets designed and manufactured in the UK.

Solid steel construction designed to last.

Curved: W450mm x H358mm x D350mm

Square: W447mm x H340mm x D352mm

Matt Black

Technical Information

Timber Electric Fireplaces

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth	Trim Options	Heat Input/Output	Finish
8	Barrowden Inglenook	1070 (42")	1045	1070	350	SL	Matt Black	0.9/1.8kW	Natural Oak effect & Anthracite or Natural Oak effect, Stone & Anthracite
8	Beadnell	1170 (46")	1048	1170	300	BV	Matt Black	2kW	Ice White
5	Broadwell	1220 (48")	1050	1220	300	SL	Matt Black	1 / 2kW	Dark Grey & Matt Black
5	Carina	1106 (44")	938	1106	360	BV	Chrome	1 / 2kW	Ivory
6	Colby	960 (38")	805	1016	300	SL	Chrome	1 / 2kW	Soft White
11	Dunswood	1070 (42")	1123	1070	330	SL	See page 24 - 25	1 / 2kW	Torro Oak & Marfil Cream finish
11	Dunswood	1210 (48")	1123	1210	330	SL	See page 24 - 25	1 / 2kW	Torro Oak & Marfil Cream finish
7	Edwin	1320 (52")	936	1320	280	BV	Anthracite	2kW	Ice White
10	Elanwood	1070 (42")	1123	1070	330	SL	See page 24 - 25	1 / 2kW	Torro Oak & Marfil Cream finish
10	Elanwood	1210 (48")	1123	1210	330	SL	See page 24 - 25	1 / 2kW	Torro Oak & Marfil Cream finish
7	Elsham	1020 (40")	920	1020	300	BV	Chrome	1 / 2kW	Pearlescent Cashmere or Soft White
5	Fairview	1470 (48")	1150	1600	260	N/A	N/A	1 / 2kW	Ash White
6	Hansford	1170 (46")	815	1170	300	BV	Brushed Steel	1 / 2kW	Pearlescent Cashmere
6	Hansford Grande	1320 (52")	760	1320	300	BV	Anthracite	1 / 2kW	Pearlescent Cashmere
5	Linmere	1120 (44")	995	1120	330	SL	Chrome or Black Nickel	1 / 2kW	Soft White
6	Orwell	1220 (48")	1071	1220	300	SL	Black Glass	1 / 2kW	Ash White
4	Oxton	1470 (58")	2200/2500	1600	260	N/A	N/A	1 / 2kW	Ash White
9	Salehurst	966 (38")	803	966	250	SL	N/A	1 / 2kW	Ash White
9	Salehurst Grande	1320 (52")	760	1320	250	SL	N/A	1 / 2kW	Ash White
7	Sennen	1370 (54")	1150	1370	360	SL	Matt Black	0.9/1.8kW	Ash White, Grey Herringbone & Chalet Oak
7	Stanton	1170 (46")	1058	1170	330	BN	Chrome or Black Nickel	1 / 2kW	Soft White
8	Whitham	1220 (48")	1011	1220	300	SL	Black Nickel	1 / 2kW	Soft White or Ice White

Timber Inglenook

Page	Model	Mantel Width	Height	Depth	Overall Depth for Stove	Hearth	Finish
13	Barrowden	1070 (42")	1045	350	318	SL	Natural Oak effect & Anthracite or Natural Oak effect, Stone & Anthracite
13	Cheshire	1220 (48")	1050	360	320	SL	Ash White & Grey Slate effect or Dark Grey & Grey Slate effect
12	Sennen	1370 (54")	1150	360	322	SL	Ash White, Chalet Oak & Grey Herringbone

Micro Marble Electric Fireplaces

Page	Model	Mantel Width	Height	Hearth Width	Hearth Depth	Hearth	Engine	Heat Output	Finish
15	Cassius	1320 (52")	967	1320	400	SL	Elsie 950	2kW	White or White & Grey
15	Embleton	1320 (52")	1159	1320	400	SL	Elsie 900	2kW	White or White & Grey
14	Vitalia	1220 (48")	1080	1220	400	SL	Elsie 900	2kW	White
14	Wayland	1320 (52")	947	1320	400	SL	Elsie 950	2kW	White or Manila

Micro Marble Gas Fireplaces

Page	Model	Mantel Width	Height	Depth	Hearth	Finish	EEC	Efficiency
16	Cassius	1320 (52")	967	400	SL	White or White & Grey	D	75.3%
16	Earlston	1220 (48")	897	400	SL	White or Manila	D	75.3%
17	Greenwood	1220 (48")	1080	400	SL	White	D	83%
17	Hamton	1320 (52")	1159	400	SL	White or White / Grey	D	83%

Wall Mounted & Inset Electric Fires

Page	Wall Mounted Fires	Fascia	Width	Height	Depth	Heat Output	Finish	Remote Control
19	Adali	Flat	660	488	See page 19	1 / 2kW	Matt Black, Black Nickel	Yes
19	Albali	Flat	971	608	174	1 / 2kW	Stone, Anthracite	No
22	Amari Wall Mounted	Flat	960	450	126	1 / 2kW	Black Glass	Yes
22	Amari Freestanding	Flat	960	521	207	1 / 2kW	Black Glass	Yes
18	Avella	Flat	860	491	See page 18	1 / 2kW	Matt Black, Black Nickel	Yes
18	Avella Grande	Flat	1150	492	See page 18	1 / 2kW	Matt Black, Black Nickel	Yes
23	Azonto	Flat	900	580	110	1 / 2kW	Black Glass	Yes
19	Elyce	Flat	1100	602	255	1 / 2kW	Matt Cashmere & Anthracite	Yes
19	Elyce Grande	Flat	1390	602	255	1 / 2kW	Matt Cashmere & Anthracite	Yes
22	Quattro	Curved	640	500	150	1 / 2kW	Black Glass	Yes
20	Rodwell 22"	Flat	584	495	133	1 / 2kW	Matt Black	Yes
20	Rodwell 36"	Flat	914	452	133	1 / 2kW	Matt Black	Yes
21	Salehurst	Flat	966	803	250	1 / 2kW	Matt Black	Yes
21	Salehurst Grande	Flat	1320	760	250	1 / 2kW	Matt Black	Yes

Please note: Oak finishes are vinyl wrap and not timber veneer.

* Supplied with spacer kit

Inset Electric Fires

Page	Inset Electric Fires	Fuel Bed	Width	Height	Overall Depth	Inset Depth	Heat Input / Output	Trim Options	Remote Control
24	Abbey	Coal	569	731	160	90	1 / 2kW	Matt Black	No
25	Aspen *	Coal	525	590	165	0 / 90	1 / 2kW	Chrome	No
24	Banbury	Log	568	623	190	75	1 / 2kW	Matt Black	No
25	Bayden	Coal	483	593	196	0 / 53 / 110	1 / 2kW	Brass, Chrome	Yes
25	16" Beam - Edge	Log	509	593	110	75	1 / 2kW	Chrome, Black Nickel, Matt Black	Yes
24	16" Beam - Timber Stove Front	Log	564	638	148	75	1 / 2kW	Matt Black	Yes
25	22" Beam	Log	661	603	110	75	1 / 2kW	Chrome, Black Nickel, Matt Black	Yes
25	Comet	Coal	525	590	150	0 / 36	1 / 2kW	Chrome, Matt Black	No
24	Elsie 900	Log	660	742	-	165	2kW	N/A	Yes
24	Elsie 950	Log	804	624	-	165	2kW	N/A	Yes
24	Ember	Coal	510	612	172	75	1 / 2kW	Chrome, Black Nickel	Yes
25	Fazer *	Coal	525	590	165	0 / 90	1 / 2kW	Brass, Chrome	No
24	Novus	Log	651	610	150	156	1 / 2kW	Chrome, Black Nickel	No

Inset Electric Stoves

Page	Inset Electric Fires	Fuel Bed	Width	Height	Overall Depth	Inset Depth	Heat Input / Output	Trim Options	Remote Control
38	Beacon - Small	Log	486	499	172	45	2kW	Matt Black	Yes
38	Beacon - Large	Log	586	599	172	45	2kW	Matt Black	Yes
38	Desire	Coal	486	587	238	57	2kW	Matt Black	Yes
39	Ignite	Coal	486	587	236	69	2kW	Matt Black	Yes
39	Ora	Log	506	597	249	69	2kW	Matt Black	Yes

Electric Stoves

Page	Electric Stoves	Fuel Bed	Width	Height	Depth	Heat Output	Colour Options	Inset Available	Remote Control
38	Beacon Small	Log	486	599	292	2kW	Matt Black or Ash White	<input checked="" type="checkbox"/>	Yes
38	Beacon Large	Log	586	599	292	2kW	Matt Black or Ash White	<input checked="" type="checkbox"/>	Yes
42	Canterbury	Coal / Log	605	660	325	2kW	Matt Black		Yes
35	Colman	Log	445	528	272	0.9 - 1.8kW	Matt Black, Cream or French Grey		No
38	Desire 5	Coal	430	587	292	2kW	Matt Black		Yes
38	Desire 6	Coal	486	587	292	2kW	Matt Black	<input checked="" type="checkbox"/>	Yes
38	Desire 7	Coal	542	587	292	2kW	Matt Black		Yes
40	Elstow	Log	570	618	205	1 / 2kW	Matt Black		Yes
41	Espire	Coal	486	586	290	1 / 2kW	Matt Black		Yes
42	Hereford 5	Coal	453	608	343	2kW	Matt Black		Yes
42	Hereford 7	Coal	565	608	343	2kW	Matt Black		Yes
39	Heslington	Log	591	651	324	2kW	Matt Black		Yes
39	Ora 5	Log	453	604	377	2kW	Matt Black	<input checked="" type="checkbox"/>	Yes
39	Ora 7	Log	565	604	377	2kW	Matt Black		Yes
35	Qube	Log	435	560	240	1 / 2kW	Matt Black		No
36	Serrano	Coal	430	545	265	2kW	Matt Black		Yes
36	Southgate	Log	550	585	297	1 / 2kW	Matt Black or Dark Grey		Yes
37	Trowpoint	Log	495	595	346	0.9 - 1.8kW	Matt Black		No
37	Trowpoint Grande	Log	635	665	383	0.9 - 1.8kW	Matt Black		No
34	Tunstall	Log	410	645	410	1 / 2kW	Matt Black		No
34	Tunstall Logstore	Log	410	850	410	1 / 2kW	Matt Black		No
40	Vue	Log	450	704	404	0.9 - 1.8kW	Matt Black		Yes
40	Vue LS	Log	450	931	404	0.9 - 1.8kW	Matt Black		Yes
40	Vue LS Plus	Log	450	1035	404	0.9 - 1.8kW	Matt Black		Yes
35	Winchester	Coal / Log	640	620	365	2kW	Matt Black		Yes
41	York	Coal	465	580	310	2kW	Matt Black		Yes
43	Decorative Flue Pipe (plastic)	N/A	122	195	195	N/A	Matt Black, Cream or French Grey		N/A

Gas Stoves

Page	Gas Stoves	Fuel Bed	Width	Height	Depth	Heat Output (High / Low)	EEC	Flue Outlet Size	Flue Position	Remote Control
45	Desire 5	Log	430	582	371	4.5kW (top) 4kW (rear)	D	125mm (5")	Top or Rear	No
45	Desire 7	Log	542	582	345	4.7kW (top)	E	125mm (5")	Top Only	No
44	Endure	Coal	542	622	336	3.3/2.1kW	C	150mm Balanced Flue	Rear Only	No
44	Hereford 5	Log	453	606	381	4.5kW (top) 4kW (rear)	C-E	125mm (5")	Top or Rear	No
44	Hereford 7	Log	565	606	376	4.7kW	E	125mm (5")	Top Only	No
45	Ignite 5	Log	430	582	371	4.3kW (top) 4.15kW (rear)	D	125mm (5")	Top or Rear	No
45	Ignite 7	Log	542	582	345	4.7kW (top)	E	125mm (5")	Top Only	No

Multifuel Stoves

Page	Multifuel Stoves	Fuel Type	Width	Height	Depth	Heat Output	EEC	Flue Outlet Size	Flue Position	DEAS KIT
47	Desire 5 Widescreen	Wood & Coal	542	582	356	5kW	A	125mm (5")	Top or Rear	Yes
47	Desire 5 Widescreen Log Store	Wood & Coal	542	827	356	5kW	A	125mm (5")	Top or Rear	Yes
47	Hereford 5 Widescreen	Wood & Coal	565	608	366	5kW	A	125mm (5")	Top or Rear	Yes
46	Ignite 5 Widescreen	Wood & Coal	542	582	356	5kW	A	125mm (5")	Top or Rear	Yes
46	Ignite 5 Widescreen Log Store	Wood & Coal	542	827	356	5kW	A	125mm (5")	Top or Rear	Yes
47	Log Basket Curved	-	450	358	350	-	-	-	-	-
47	Log Basket Square	-	447	340	352	-	-	-	-	-

Inset Gas Fires: Exclusive & Devotion

Page	Model	Width	Height	Inset Depth	Inset Width	Inset Height	EEC	Manual Control			Smartslide Control		
								Heat Input	Heat Output	Output with Xtra Canopy	Heat Input	Heat Output	Output with Xtra Canopy
29-30	Slimline Radiant	510mm	605mm	123mm	403mm	553mm	F	6.75 / 3.5kW	3.2 / 1.5kW	3.5 / 1.7kW	6.75 / 3.0kW	3.2 / 1.3kW	3.5 / 1.4kW
	Deepline Radiant	510mm	605mm	173mm	403mm	553mm	F	6.75 / 3.5kW	3.2 / 1.5kW	3.5 / 1.6kW	6.75 / 3.0kW	3.2 / 1.3kW	3.5 / 1.4kW
	Deepline Convector	510mm	605mm	198mm	403mm	553mm	F	6.75 / 3.5kW	3.9 / 1.8kW	N/A	6.75 / 3.0kW	3.9 / 1.6kW	N/A
	Mid-Depth High Efficiency	510mm	605mm	128mm	403mm	553mm	D	N/A	N/A	N/A	3.7 / 2.5kW	2.7 / 1.7kW	N/A
	Deepline High Efficiency	510mm	605mm	198mm	403mm	553mm	C	N/A	N/A	N/A	5.3 / 2.7kW	4.2 / 2.0kW	N/A
	Balanced flue*	510mm	605mm	186mm	400mm	550mm	C	4.2 / 2.9kW	3.3 / 2.1kW	N/A	4.2 / 2.7kW	3.3 / 2.0kW	N/A

Inset Gas Fires: Cast Stove Front

Page	Model	Width	Height	Depth	Inset Depth	Inset Width	Inset Height	EEC	Long Flue
31	16 Mid-Depth High Efficiency	562mm	659mm	128mm	128mm	403mm	553mm	D	X
	16 Deepline High Efficiency	562mm	659mm	198mm	198mm	403mm	553mm	C	X
	16 Balanced flue*	562mm	659mm	186mm	186mm	400mm	550mm	C	X

Complete Inset Gas Fires

Page	Model	Fuel Bed	Flue Type	Width	Height	Depth	Inset Depth	Trim Options	Efficiency	Heat Input (kW)	Heat Output(kW) Min	Heat Output(kW) Max
33	Elsie 900	Log	Plain	660mm	742mm	273mm	381mm	Matt Black	83%	6.75kW	2.1	5.1
33	Elsie 950CF	Log	Class 1 & 2	800mm	622mm	273mm	255mm	Matt Black	75.3%	6.9kW	1.9	4.6
32	Elsie 960BF	Log	Balanced Flue*	1198mm	666mm	187mm	174mm	Brushed Steel Trim	86%	6.0kW	2.1	4.6

All dimensions are provided in mm unless otherwise stated

*Includes balanced flue kit

Specification correct at time of print



All gas fires are supplied with a 5 year warranty[†]

Terms & Conditions apply

[†] 12 Month warranty on Elsie 900 model

For over 60 years Be Modern has been manufacturing fires and fireplaces to the highest of standards.

All gas fires are rigorously tested and checked by our internal Quality Control Department to the latest ISO standards before being sent to our approved retailers.

All gas fires are supplied with a 5 year[†] warranty providing you with the reassurance and peace of mind that you have purchased and installed a high quality product.

All fires are fitted with an Oxygen Depletion Sensor that shuts off the gas supply if the oxygen level is too low in the room or if there is a blockage in the chimney or flue.

Only use a Gas Safe Engineer to fit or service your gas fire.



Caring for your fire

Our range of gas fires have been designed to provide you with a clean and efficient heat source as well as years of hassle-free operation. To ensure your fire provides you with maximum enjoyment we have provided the following guidelines for caring for your fire.

1. Only use a Gas Safe Engineer to fit or service your gas fire.
2. Never attempt to remove or service the gas fire yourself.
3. Your gas fire should be regularly serviced and safety checked every year.
4. If you think there might be a gas leak or notice any signs of carbon monoxide, act quickly and follow the advice for gas emergencies.
5. If you are in any doubt regarding your gas fire, speak to a Gas Safe Engineer or contact your local fireplace retailer for assistance.

Under mantel LED lighting




Motion Sense Lights



Under mantel LED lighting highlights every natural detail of micro marble, giving your whole room a soft illuminated background. The lighting is concealed in the top recess of your surround creating an aesthetically pleasing yet energy efficient feature as an option on all models across the Marble range.

Hearths



(SL)



(BV)



(BN)

BN - Bullnose

SL - Standard Lipped

BV - Bevelled



For more information on our other brands,
please contact them below.

FLARE[®]

collection

www.flarecollection.com

tel: 0191 489 8006



ELGIN & HALL[®]

BRITISH MADE

www.elginandhall.com

tel: 0191 430 9434



PRYZM

REVOLUTIONIZING FLAMES

www.pryzmfires.com

tel: 0191 430 9434



atlanta[®]

Bathrooms

atlantabathrooms.com

tel: 0191 428 0444



FLARE

collection

by **be modern**®



Contact Us

For more information or to place an order please contact us

Tel: 0191 489 8006 | Email: sales@bemodern.com | Visit: flarecollection.com

BeModern® | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne and Wear | NE32 3BE

BeModern® hold design copyright and registration of design for its product ranges. BeModern® are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used and you may find that shades, natural grain markings and marble colouring are not consistent. © BeModern® FEB 2026



✓ RoHS Compliant