# bemodern®

## COLLECTION

E&H ELGIN&HALL | FLARE | PRYZM



MADE IN BRITAIN®

HEATING HOMES FOR GENERATIONS

# Welcome

Discover a curated collection of stunning FLARE and Pryzm fires and fireplaces & Elgin & Hall micro marble surrounds, designed to bring warmth, style and atmosphere to your home.

From timeless elegance to bold contemporary design, each fireplace combines innovative technology with exceptional craftsmanship. Expertly manufactured and hand-finished in premium marble and timber, our collection offers distinctive centrepieces designed to complement every interior.

Explore the FLARE, Pryzm and Elgin & Hall range and find the perfect fireplace to transform your living space—bringing together comfort, character and effortless style.

MADE IN BRITAIN®

E&H EST. 1948 ELGIN&HALL BRITISH MADE | FLARE | PRYZM

## bemodern® history so far

**1963** — Began as Modern Trends manufacturing fire surrounds in Sunderland from a 5000sq.ft factory

**1964** — Business incorporated as **BeModern®**

**1967** — Expansion of **BeModern®** leads them to move to larger premises in Nile Street, South Shields

**1970** — Continued expansion leads to purpose built premises in Western Approach, South Shields

**1982** — **BeModern®** moves into the retail sector with the acquisition of Academy Crafts selling kitchen furniture

**1988** — **BeModern®** celebrates 25 years as a British manufacturer

**2001** — **BeModern®** acquires current Shaftsbury Avenue site and commences manufacture of marble surrounds (later extended in 2004 & 2013)

**2006** — **BeModern®** acquired design and product rights of Elgin & Hall - manufacturing hand painted, individually crafted fire surrounds in our Marcraft factory

**2009** — **BeModern®** acquires Broseley, to extend product choice into multifuel, electric and gas stoves (later merged with FLARE 2021)

# Contents


MediaVue ..... 6-7

Timber Electric Fireplaces ..... 8-17

Timber Inglenooks ..... 18

Micro Marble Inglenook ..... 19

Micro Marble Electric Fireplaces ..... 20-21

Micro Marble Gas Fireplaces ..... 22-23

Micro Marble Surrounds ..... 24-27

Inset Electric Fires ..... 28-35

Wall Mounted Electric Fires ..... 36-37

Inset Gas Fires ..... 38-41

Electric Stoves ..... 42-51

Gas Stoves ..... 52-53

Multifuel Stoves ..... 54-55

Technical Information ..... 56-59








## Key

- Manual Control
- Smart Slide
- Remote Control
- 7 Day Programmable Remote Control
- App Control

- Flat wall fix
- Inset wall fix
- Glass Fronted
- Open Fronted
- Heat Output
- Real Log Upgrade available

- Floorstanding
- Wall Mounted
- Inset Wall Mounted
- Freestanding

- Optional / Mood Lighting
- Built-in Mood Lighting
- Undermantel Lighting
- Motion Sense Undermantel Lighting

- **SL** Standard Lipped Hearth
- **BN** Bullnose Hearth
- Bespoke Hearth

- Stove Switch
- Decorative Flue

PRYZM

ELGIN&HALL

FLARE

# MEDIAVUE
Media Wall


Cashmere Matt


Midnight Mist

## Mediavue

Powered by: Arteon 1500L-3SL

W1835mm | (WM)H1880mm/(FS)H1970mm | D365mm

**Furniture Colour Options**

Cashmere Matt | Indigo Matt | Midnight Mist Matt

**TV Back Panel / Side Details Colour Options**

Oak Slats | Colour Matched to Unit

**Shelf Options**

White Marble Effect | Dark Slate Effect

**Extra Options**

LED Mood Lighting


Indigo Matt


7 DAY
1.5kW
GLASS FRONTED
OPTIONAL MOOD LED
FLAT WALL FIX

# TIMBER
Electric Fireplaces




## Oxton

1-2kW · GLASS FRONTED · 7 DAY · MOOD LIGHTING · FLAT WALL FIX

63" - W1600mm x H2200/2500mm x D260mm
*Compatible with mood lights only

Ash White



## Elyce

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

43" - W1100mm x H602mm x D255mm

Matt Cashmere & Anthracite



## Elyce Grande

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

55" - W1390mm x H602mm x D255mm

Matt Cashmere & Anthracite



## Broadwell

1-2kW | FLAT WALL FIX

48" - W1220mm x H1050mm x D300mm

Dark Grey & Matt Black



## Fairview

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

63" - W1600mm x H1150mm x D260mm

Ash White



## Olora

7 DAY | GLASS FRONTED | FLAT WALL FIX

52" - W1320mm x H1131mm x D400mm

Light Grey & White Levanto



## Linmere

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

44" - W1120mm x H995mm x D330mm
Available with Chrome or Black Nickel Trim

Soft White



Matt Cashmere & Anthracite



Ash White

## Huxton

7 DAY | OPEN FRONTED | FLAT WALL FIX

41" - W1034mm x H588mm x D277mm | (Top Width 36")
51" - W1284mm x H588mm x D277mm | (Top Width 46")

Matt Cashmere & Anthracite | Ash White





## Arana

7 DAY | OPEN FRONTED | FLAT WALL FIX

50" - W1270mm x H1021mm x D350mm

Ash White

## Juliette

7 DAY | GLASS FRONTED | FLAT WALL FIX

48" - W1211mm x H596mm x D300mm
58" - W1461mm x H596mm x D300mm

Angora & Matt Cashmere



Chollerton 22: Black Nickel



Chollerton 22: Chrome



Chollerton Edge 22: Black Nickel

## Amorina

7 DAY · GLASS FRONTED · FLAT WALL FIX

50" - W1270mm x H1016mm x D300mm
Powered by: Chollerton 22

Ash White



Self Assembly

## Farleigh 38

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

38" - W966mm x H803mm x D250mm

Ash White



Self Assembly

## Farleigh 52

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

52" - W1320mm x H760mm x D250mm

Ash White



## Hansford

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

46" - W1170mm x H815mm x D300mm

Pearlescent Cashmere



## Hansford Grande

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

52" - W1320mm x H760mm x D300mm

Pearlescent Cashmere



## Orwell

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

48" - W1220mm x H1071mm x D300mm

Ash White



## Colby

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

38" - W960mm x H805mm x D300mm
(Hearth W1016mm)

Soft White



## Sennen

DECORATIVE FLUE · GLASS FRONTED · 0.9 -1.8kW · FLAT WALL FIX

54" - W1370mm x H1150mm x D360mm

Chalet Oak, Ash White & Grey Herringbone



Soft White

## Elsham

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

40" - W1020mm x H920mm x D300mm

Pearlescent Cashmere

Soft White



## Stanton

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

46" - W1170mm x H1058mm x D330mm
Available with Chrome or Black Nickel Trim

Soft White



Soft White & Black Nickel

Ice White / Chrome

## Whitham

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

48" - W1220mm x H1011mm x D300mm

Ice White & Chrome

Soft White & Black Nickel



Natural Oak effect & Anthracite with Colman Stove



Natural Oak effect, Stone & Anthracite with Colman Stove

## Barrowden Inglenook

DECORATIVE FLUE · GLASS FRONTED · 0.9 -1.8kW · 7 DAY · FLAT WALL FIX

42" - W1070mm x H1045mm x D350mm

Natural Oak effect & Anthracite

Natural Oak effect, Stone & Anthracite



Ice White

## Beadnell

1-2kW · GLASS FRONTED · 7 DAY · FLAT WALL FIX

46" - W1170mm x H1048mm x D300mm

Ice White



Evento 64: 1250-3SL - Ash White & Nightfall



Evento 54: 1000-3SL - Ash White

## Evento

GLASS FRONTED | 1.5kW | 7 DAY | MOOD LIGHTING | FLAT WALL FIX

54" - W1370mm x H842mm x D320mm
64" - W1620mm x H842mm x D345mm

Ash White | Ash White & Nightfall




Floorstanding




Wall Mounted

## Salehurst Grande

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

52" - W1320mm x H760mm x D250mm

Ash White

## Salehurst

1-2kW | GLASS FRONTED | 7 DAY | FLAT WALL FIX

38" - W996mm x H803mm x D250mm

Ash White

# MIX & MATCH
Your electric fire & surround




42" Elanwood shown with Ember Chrome



42" Elanwood
with Aspen Chrome

OPEN FRONTED



42" Elanwood
with Beam Black Nickel

GLASS FRONTED 7 DAY



48" Elanwood
with Banbury Black

GLASS FRONTED



Bayden Brass — OPEN FRONTED

Bayden Chrome — OPEN FRONTED

Comet Black — OPEN FRONTED

Ember Black Nickel — OPEN FRONTED 7 DAY

Abbey Black — OPEN FRONTED

Beam Black — GLASS FRONTED 7 DAY

Beam Chrome — GLASS FRONTED 7 DAY

Fazer Chrome — OPEN FRONTED

## Elanwood

1-2kW FLAT WALL FIX

42": W1070mm x H1123mm x D330mm
48": W1210mm x H1123mm x D330mm

Torro Oak & Marfil Cream

# MIX & MATCH
Your electric fire & surround




48" Dunswood shown with Abbey Black



42" Dunswood
with Aspen Chrome

OPEN FRONTED



42" Dunswood
with Ember Chrome

OPEN FRONTED 7 DAY



48" Dunswood
with Ember Black Nickel

OPEN FRONTED 7 DAY



48" Dunswood
with Fazer Chrome

OPEN FRONTED



Bayden Brass

OPEN FRONTED



Bayden Chrome

OPEN FRONTED



Comet Black

OPEN FRONTED



Ember Black Nickel

OPEN FRONTED 7 DAY



Banbury Black

OPEN FRONTED



Beam Black

GLASS FRONTED 7 DAY



Beam Chrome

GLASS FRONTED 7 DAY

## Dunswood

1-2kW FLAT WALL FIX

42": W1070mm x H1123mm x D330mm
48": W1210mm x H1123mm x D330mm

Torro Oak &
Marfil Cream

# TIMBER Inglenooks

## Stove Switch


Trowpoint Grande


Elstow


Norwood

A selection of our electric stoves can be paired with our inglenooks.
See pages 40-46 for more options


Natural Oak effect & Anthracite styled with Colman electric stove in French Grey

## Barrowden

DECORATIVE FLUE · SWITCH · FLAT WALL FIX

42" - W1070mm x H1045mm x D350mm
Opening: W700mm x H775mm
Depth: Hearth Front to Back Panel: 318mm

Natural Oak effect & Anthracite

Natural Oak effect, Stone & Anthracite



## Sennen

DECORATIVE FLUE · SWITCH · FLAT WALL FIX

54" - W1370mm x H1150mm x D360mm
Opening: W910mm x H850mm
Depth: Hearth Front to Back Panel - 322mm

Chalet Oak, Ash White & Grey Herringbone

See page 40-46 for stove options



## Cheshire

DECORATIVE FLUE · SWITCH · FLAT WALL FIX

48" - W1220mm x H1050mm x D360mm
Opening: W840mm x H800mm
Depth: Hearth Front to Back Panel: 320mm

Dark Grey & Grey Slate effect

See page 73 for decorative flue pipe options

Inglenooks are surround only (Stoves sold separately)

# MICRO MARBLE
Inglenooks


White Micro Marble


Chicago Concrete Herringbone

## Allensford Inglenook

SL | DECORATIVE FLUE | FLAT WALL FIX

48" - W1220mm x H1095mm x D400mm
Opening: W820mm x H810mm
Depth: Hearth Front to Back Panel - 365mm

Back Panel Options

White | White | Chicago Concrete Herringbone



## Odella Inglenook

SL

54" - W1370mm x H1235mm x D400mm
Inglenook Rear Hearth - W1016mm x H20mm x D457mm
Rebate: 75mm | Opening Height: 908mm
Inside Leg Opening Width: 856mm

White

Inglenooks are surround only (Stoves sold separately)

# MICRO MARBLE
Electric Fireplaces



## Vitalia

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

48" - W1220mm x H1080mm x D400mm

White



## Cabrina

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

52" - W1320mm x H1040mm x D400mm

White



Rigel micro marble - Chollerton Edge - Chrome



Arteon - Ray - Black Nickel



Chollerton - Chrome



Pryzm - Chollerton - Chrome



Pryzm - Edge - Black Nickel

## Cotsmore

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

46" - W1170mm x H960mm x D400mm

Rigel | A | B

(A) Chrome | (B) Black Nickel



White

## Vistus

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

48" - W1220mm x H830mm x D400mm

White | Rigel



## Embleton

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

52" - W1320mm x H1159mm x D400mm

White



## Impero 47 & 57

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

47" - W1200mm x H619mm / H810mm x D290mm
( Top Width 42 " )
57" - W1450mm x H619mm / H810mm x D290mm
( Top Width 52 " )

White



White micro marble

## Ezra

7 DAY · 7 DAY · 1.5kW · GLASS FRONTED · INSET WALL FIX

54" - W1370mm x H1162mm x D300mm
Inset: 225mm

White | Rigel



White micro marble

## Alesso

OPEN FRONTED · 2kW · 7 DAY · FLAT WALL FIX

48" - W1220mm x H1000mm x D400mm

White | Rigel



White micro marble

## Cassius

GLASS FRONTED · 2kW · 7 DAY · FLAT WALL FIX

52" - W1320mm x H967mm x D400mm

White | White & Grey

# MICRO MARBLE
Gas Fireplaces



White & Grey micro marble

## Cassius

GLASS FRONTED · 4.6kW

52" - W1320mm x H967mm x D400mm
**Flue Fit Options:** Standard Class 1, Standard Class 2, Pre-Cast Flue*

White | White & Grey

*For pre-cast model, please state when ordering.




## Greenwood

GLASS FRONTED · 5.1kW

48" - W1220mm x H1080mm x D400mm
**Flue Fit Options:** Standard Class 1, Standard Class 2, Pre-Cast Flue*

White




## Earlston

GLASS FRONTED · 4.6kW

48" - W1220mm x H897mm x D400mm
**Flue Fit Options:** Standard Class 1, Standard Class 2, Pre-Cast Flue*

White

*For pre-cast model, please state when ordering.

# MICRO MARBLE Surrounds



## Millington

SL

54" - W1370mm x H1162mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16" / 22"*

White

Rigel



## Mosello

SL

52" - W1320mm x H1115mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White & Grey Slip



## Amorina

SL

50" - W1270mm x H1137mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16" / 22"*

White



## Odella

SL

54" - W1370mm x H1235mm x D400mm
54" Petite - W1370mm x H1160 x D400mm
Rebate: 75mm
Back Panel cut out: 16" / 22"

White

*Available on the 75mm rebate only

Bullnose hearths are available as a special order. Ask your retailer for further information.

Surround only
(Fires sold separately)




## Florano

SL

42" - W1070mm x H1050mm x D400mm
48" - W1220mm x H1095mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White

White & Grey Slip

White & Black Granite **



## Sophia

SL

50" - W1270mm x H1145mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16" / 22"*

White



## Tasmin

SL

42" - W1070mm x H1015mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White



## Madalyn

SL

52" - W1320mm x H1155mm x D400mm
Rebate: 75mm
Back Panel cut out: 22"

White

*Available on the 75mm rebate only | **White & Black Granite finish available on 48" surround only



## Elda

SL

48" - W1220mm x H1080mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White &
Black Granite



## Verdena

SL

48" - W1220mm x H1110mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

Rigel



## Eliana

SL

48" - W1220mm x H1155mm x D400mm
52" - W1320mm x H1155mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16" / 22"†

White



## Viena

SL

48" - W1220mm x H1110mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White

Rigel



†22" back panel cut out is available on 52" model with 75mm rebate only



## Timara

SL

42" - W1070mm x H1050mm x D400mm
48" - W1220mm x H1095mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

White

White & Grey Slip

White & Black Granite **



## Vitalia

SL

48" - W1220mm x H1080mm x D400mm
52" - W1320mm x H1040mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16" / 22"†

White



## Isabelle

SL

45" - W1168mm x H1045mm x D400mm
Rebate: 45mm / 75mm
Back Panel cut out: 16"

Rigel

## Marble Sets

Available to purchase separately if you're updating an existing fireplace or have purchased a surround-only product from a third-party supplier.



### Rigel

Rigel Standard Back Panel
42" x 16" Standard Lipped Hearth
46" x 16" Standard Lipped Hearth
48" x 16" Standard Lipped Hearth
51" x 16" Standard Lipped Hearth
54" x 16" Standard Lipped Hearth

### White

White Standard Back Panel
48" x 16" Standard Lipped Hearth
51" x 16" Standrad Lipped Hearth
54" x 16" Standard Lipped Hearth

†22" back panel cut out is available on 52" model with 75mm rebate only | **White & Black Granite finish available on 48" surround only

# INSET Electric Fires




## Moulton 16 - *Devotion*

B C D G

W510mm x H605mm x D174mm
Inset rebate - 145mm / 75mm




## Moulton 16 - *Sola*

B C F

W512mm x H605mm x D165mm
Inset rebate - 145mm / 75mm

*Availability from December (Black/Black Nickel)*




## Abbey 16

F 1-2kW OPEN FRONTED

W569mm x H731mm x D167mm
Inset rebate - D90mm




## Arteon 16 - *Ray*

A B

W512mm x H611mm x D174mm
Inset rebate - 145mm / 75mm




## Arteon 16 - *Cast Stove Front*

E 2kW GLASS FRONTED 7 DAY OPTIONAL REAL LOG

W562mm x H658mm x D239mm
Inset rebate - 145mm

(A) Chrome | (B) Black Nickel | (C) Brass | (D) Brushed Steel | (E) Black Cast | (F) Matt Black | (G) Anthracite




## Arteon 22 - *Ray*

A B

W612mm x H611mm x D174mm
Inset rebate - 145mm / 75mm




## Arteon 22 - *Cast Stove Front*

E

W668mm x H672mm x D252mm
Inset rebate - 145mm




## Pryzm 16 - *Chollerton*

A B G

W512mm x H611mm x D170mm
Inset rebate - 145mm / 75mm




## Pryzm 16 - *Edge*

A B

W511mm x H611mm x D165mm
Inset rebate - 145mm / 75mm




## Pryzm 16 - *Devotion*

D B C G

W510mm x H605mm x D174mm
Inset rebate - 145mm / 75mm




## Pryzm 16 - *Cast Stove Front*

E

W562mm x H659mm x D243mm
Inset rebate - 145mm




## Pryzm 22 - *Chollerton*

A B

W612mm x H611mm x D165mm
Inset rebate - 145mm / 75mm




## Pryzm 22 - *Edge*

A B

W611mm x H611mm x D166mm
Inset rebate - 145mm / 75mm




## Pryzm 22 - *Cast Stove Front*

E

W670mm x H672mm x D253mm
Inset rebate - 145mm




## Chollerton 16

*Chollerton*

A B G

W512mm x H611mm x D170mm
Inset rebate - 145mm / 75mm




## Chollerton 16

*Edge*

A B

W511mm x H611mm x D165mm
Inset rebate - 145mm / 75mm




## Chollerton 16

*Devotion*

D B C G

W510mm x H605mm x D194mm
Inset rebate - 145mm / 75mm




## Chollerton 16

*Cast Stove front*

E

W562mm x H659mm x D243mm
Inset rebate - 145mm




## Chollerton 22

*Chollerton*

A B

W612mm x H611mm x D165mm
Inset rebate - 145mm / 75mm
*Fits into a 16" back panel cut out*




## Chollerton 22

*Edge*

A B

W611mm x H611mm x D166mm
Inset rebate - 145mm / 75mm
*Fits into a 16" back panel cut out*




## Chollerton 22

*Cast Stove front*

E

W670mm x H672mm x D253mm
Inset rebate - 145mm




## Ember 16

A B

W510mm x H612mm x D172mm
Inset rebate - D75mm




## Banbury 16

E

W568mm x H623mm x D190mm
Inset rebate - D75mm



(A) Chrome | (B) Black Nickel | (C) Brass | (D) Brushed Steel | (E) Black Cast | (F) Matt Black | (G) Anthracite




## Bayden 16

A | B | 1-2kW

W483mm x H593mm x D196mm
Inset rebate - D110mm | 2 Spacer frames available




## Comet 16

A | F | 1-2kW

W557mm x H650mm x D177mm (includes canopy)
Comes complete with fitted 40mm spacer: Creates a rebate of 0mm
Inset rebate - D40mm (with spacer removed)







## Beam 16 - *Edge*

A | B | F

W509mm x H593mm x D110mm
Inset rebate - D75mm




## Beam 16 - *Stove Front*

E

W564mm x H638mm x D148mm
Inset rebate - D75mm




## Beam 22

A | B | F

W661mm x H603mm x D110mm
Inset rebate - D75mm




## Novus 22

A | B

W651mm x H610mm x D151mm
Inset rebate - D156mm




## Fazer 16

A | 1-2kW

W532mm x H590mm x D165mm
Inset rebate - D90mm (0mm: Spacer)




## Aspen 16

A | 1-2kW

W532mm x H590mm x D165mm
Inset rebate - D90mm (0mm: Spacer)



1500-3SL - 3 Sided






1000-3SL - 1 Sided



1250mm - 2 Sided

## Arteon - 1000, 1250, 1500-3SL

See Technical for dimensions




## Rodwell 22

W584mm x H503mm
Aperture required - W558mm x H495mm
Inset rebate - D145mm
(inc 12mm clearance when surface mounted)




## Rodwell 28

W710mm x H734mm
Aperture required - W714mm x H738mm
Inset rebate - D133mm
(inc 12mm clearance when surface mounted)




## Rodwell 36

W914mm x H452mm
Aperture required - W888mm x H452mm
Inset rebate - D145mm
(inc 12mm clearance when surface mounted)



## Elsie 900

2kW GLASS FRONTED 7 DAY INSET WALL FIX

W660mm x H742mm x D165mm
Opening Required:
W663mm x H744mm x D165mm



## Elsie 950

2kW GLASS FRONTED 7 DAY INSET WALL FIX

W800mm x H622mm x D165mm
Opening Required:
W804mm x H624mm x D165mm




## Adali

B F

W660mm x H488mm
Aperture required - W600mm x H450mm
Inset rebate - D190mm




## Avella

B F

W860mm x H491mm
Aperture required: W727mm x H428mm
Inset rebate - D165mm




## Avella Grande

B F

W1150mm x H492mm
Aperture required: W1018mm x H428mm
Inset rebate - D165mm



(A) Chrome | (B) Black Nickel | (C) Brass | (D) Brushed Steel | (E) Black Cast | (F) Matt Black



2 Sided



1 Sided



3 Sided

## Arteon 750-3SP *(1, 2 or 3 sided)*

1.5kW | GLASS FRONTED | 7 DAY | OPTIONAL MOOD LED | INSET WALL FIX

W731mm x H655mm



3 Sided



2 Sided



1 Sided

## Invision

GLASS FRONTED | 7 DAY | 2kW

1000-3SL: W1016mm x H488mm x D236mm
1250-3SL: W1266mm x H488mm x D236mm

Inset depth required - 235mm



Black Nickel



Chrome



Matt Black

FLAT WALL FIX

## Volta

OPEN FRONTED | 7 DAY | 2kW

32"- (Trim - W804mm x H432mm) x D238mm
42"- (Trim - W1054mm x H432mm) x D238mm

# WALL MOUNTED
## Electric Fires















### Azonto

1-2kW · FLAT WALL FIX · 7 DAY

W900mm x H580mm x D110mm
Height with baffle = 605mm

Black Glass



### Amari

1-2kW · FLAT WALL FIX · 7 DAY

Mounted: W960mm x H450mm x D126mm
Freestanding: W960mm x H521mm x D207mm

Black Glass



### Quattro

1-2kW · FLAT WALL FIX · 7 DAY

W640mm x H500mm x D150mm

Black Glass




### Albali

1-2kW · 7 DAY · FLAT WALL FIX

W971mm x H608mm x D174mm

Anthracite

Stone










## Bolen 3 in 1

W1016mm x H400mm x D102mm | Aperture required - W997mm x H380mm x D115mm




## Serena

Anthracite

W710mm x H755mm x D180mm




## Salehurst

Ash White

Wall Mounted / Floorstanding
W966mm x H803mm x D250mm




## Salehurst Grande

Ash White

Wall Mounted / Floorstanding
W1320mm x H760mm x D250mm



## Check the chimney or flue

All gas fires require a chimney or flue to safely vent gases outside.

Use the guide below to identify your flue type and find the right fire. If you're unsure, please contact an approved retailer for advice.



**Brick Chimney | (Class 1)**

A conventional chimney rises above the roofline and usually has a pot or gas terminal.

*Suitable for all our gas fires*



**Pre-Fabricated Flue | (Class 2)**

Identifiable by a metal flue and terminal on the roof this flue system.

*Suitable for all 16" Exclusive / Devotion or Cast Stove Trim*



**Pre-Cast Flue**

Identified by a ridge vent on the roofline. Built from concrete or clay blocks usually within the wall cavity.

*Suitable for Radiant Slimline or Radiant Deepline* gas fires.*

**Radiant Deepline suitable when installed with a 75mm rebated fire surround*

# Ease of Operation





All gas fires feature Smartslide Control for easy ignition and flame adjustment, conveniently mounted on the side of the fire.

For a traditional gas fire, choose an open-fronted model with manual controls, discreetly concealed behind the fret for easy flame and heat adjustment.

3 YEAR WARRANTY

5 YEAR WARRANTY

All gas fires are supplied with a 3 or 5 year warranty†

*Terms & Conditions apply*

All gas fires are rigorously tested and checked by our internal Quality Control Department to the latest ISO standards before being sent to our approved retailers.

All gas fires are supplied with a 3 or 5 year warranty providing you with the reassurance and peace of mind that you have purchased and installed a high quality product.

## A safe fire in your home

**Quality Approved**
All gas fires are made in accordance with Quality Management System Standard ISO 9001.

**Flame Failure Device**
All gas fires are fitted with a device which ensures that in the event of the flame going out during operation, the gas supply to the fire is cut off.

**Oxygen Depletion Sensor**
All gas fires feature an Oxygen Depletion Sensor that cuts the gas supply if oxygen levels fall too low or the flue is blocked.

GAS safe™ REGISTER

## Fire Additions

*Suitable for 16" Exclusive / Devotion or Cast Stove Trim*



### Matching Handle
Available in Black, Brass or Chrome finish.
*Black handle supplied as standard*



### Xtra Canopy
A canopy kit designed to raise the efficiency of the fire by up to 8%.



### Easy Grip Handle
Easy-grip handle is available, making ignition and heat control easier.



### Optional Spacer
Fits to the rear of the fire, reducing depth by 25mm. Ideal for pre-cast flues with limited space.




## Exclusive

C D

W510mm x H605mm x D Please see table




## Devotion

C D

W510mm x H605mm x D Please see table




## Cast Stove Trim

Mid Depth HE: W559mm x H658mm x D128mm
Deepline HE: W559mm x H658mm x D198mm

# Exclusive, Devotion or Cast Stove Front Engine Options

| Fire Engine | Slimline Radiant | Deepline Radiant | Deepline Convector | Mid Depth H.E | Deepline H.E |
|---|---|---|---|---|---|
| Inset Depth | 123mm | 173mm | 198mm | 128mm | 198mm |
| Flue Type | Class 1 & 2 + Pre-Cast | | Class 1 & 2 | Class 1 & 2 + Pre-Cast | Class 1 & 2 |
| Gas Type | Natural Gas | | | | |
| Minimum Aperture in Chimney | W405mm x H555mm | | | | |
| Open or Glass Fronted | Open Fronted | | | Glass Fronted | |
| Xtra Canopy | ☑ | ☑ | ☒ | ☒ | ☒ |
| Control | Smartslide & Manual | | | Smartslide | |

## Glass Fronted

### Mid-Depth

Ceramic glass keeps heat in the room, increasing radiant and convected heat.



| | | |
|---|---|---|
| Flue Type | Class 1 & 2 + Pre-Cast | |
| Gas Type | Natural Gas | |
| Efficiency | 84% | |
| Control | Smartslide | |
| EEC | D | |
| EEI (%) | 74% | |
| Heat Input | High 3.7kW | Low 2.5kW |
| Heat Output | High 2.7kW | Low 1.7kW |

### Deepline



| | | |
|---|---|---|
| Flue Type | Class 1 & 2 | |
| Gas Type | Natural Gas | |
| Efficiency | 87% | |
| Control | Smartslide | |
| EEC | C | |
| EEI (%) | 77% | |
| Heat Input | High 5.3kW | Low 3.2kW |
| Heat Output | High 4.2kW | Low 2.3kW |

## Open Fronted

### Slimline Radiant

Draws in cool air, circulate it over real flames, and release the warm air back into the room.



| | | |
|---|---|---|
| Flue Type | Conventional Class 1 & 2 + Pre-Cast | |
| Gas Type | Natural Gas | |
| Efficiency | 57.9% | |
| Control | Smartslide or Manual | |
| EEC | F | |
| EEI (%) | 52.3% | |
| | High | Low |
| Heat Input: | 6.75kW | 3.5kW |
| Heat Output: | 3.5kW | 1.7kW |

### Deepline Radiant



| | | |
|---|---|---|
| Flue Type | Conventional Class 1 & 2 + Pre-Cast* | |
| Gas Type | Natural Gas | |
| Efficiency | 57.2% | |
| Control | Smartslide or Manual | |
| EEC | F | |
| EEI (%) | 51.9% | |
| | High | Low |
| Heat Input: | 6.75kW | 3.5kW |
| Heat Output: | 3.4kW | 1.6kW |

### Deepline Convector

Hot air circulates through the canopy, warming the room.



| | | |
|---|---|---|
| Flue Type | Conventional Class 1 & 2 | |
| Gas Type | Natural Gas | |
| Efficiency | 63.6% | |
| Control | Smartslide or Manual | |
| EEC | F | |
| EEI (%) | 55% | |
| | High | Low |
| Heat Input: | 6.75kW | 3.5kW |
| Heat Output: | 3.8kW | 1.8kW |



For more gas specifications, please see www.flarecollection.com




## Abide 16

D | 3.4kW | 3 YEAR WARRANTY

W512mm x H610mm x D230mm
(Inset Depth: 197mm)

*Availability from January 2027*




## Abide 600CF

D | 5.1kW | 3 YEAR WARRANTY

W597mm x H664mm x D280mm
(Inset Depth: 310mm)

*Availability from November 2026*



## Calleos 22
*Chollerton Fascia*

D | 4.2kW | 5 YEAR WARRANTY

W612mm x H611mm x D230mm
(Inset Depth: 195mm)

A | B



## Calleos 22
*Cast Stove front*

D | 4.2kW | 5 YEAR WARRANTY

W668mm x H672mm x D265mm
(Inset Depth: 195mm)




## Elsie 960BF

4.6kW | 5 YEAR WARRANTY

W1198mm x H666mm x D187mm
Includes Engine, trim, lining set, flue & cowl kit
Wall Depth: min 270 - max 725mm




## Elsie 950CF

4.6kW | 5 YEAR WARRANTY

W800mm x H622mm x D273mm
(Inset Depth: Class 1/2 = 165mm)
(Inset Depth: Pre Cast = 115mm)




## Elsie 900CF

5.1kW | 5 YEAR WARRANTY

W660mm x H742mm x D273mm
(Inset Depth: Class 1/2 = 165mm)
(Inset Depth: Pre Cast = 115mm)


Matt Black


With Log Store

## Tunstall

1-2kW

W410mm x H645mm x D410mm
Height with optional decorative log store: 850mm

Matt Black


Grey


Matt Black

## Southgate

1-2kW DECORATIVE FLUE

W550mm x H585mm x D297mm

Grey Matt Black

Please note: Log store logs are not included



Matt Black



Cream



French Grey

## Colman

W445mm x H528mm x D272mm

Cream | French Grey | Matt Black



Matt Black

## Winchester

W640mm x H620mm x D365mm
Full Cast Iron Stove

Cast Iron Black



## Qube

W435mm x H560mm x D240mm

Matt Black



## Ignite Inset

W486mm x H587mm x D238mm (Inset 75mm)

Matt Black




## Heslington

W591mm x H651mm x D324mm
Full Cast Iron Stove

Cast Iron Black




## Burtree

1-2kW

W410mm x H834mm x D365mm

Matt Black




## Burtree - Log Store

1-2kW

W410mm x H1049mm x D365mm

*Arriving Spring 2027*

Matt Black




Matt Black

## Norwood

0.9 -1.8kW

DECORATIVE FLUE

W477mm x H585mm x D325mm

Matt Black



## Trowpoint

0.9 -1.8kW

W495mm x H595mm x D346mm

Matt Black



## Serrano

1-2kW

W430mm x H545mm x D265mm
Full Cast Iron Stove

Cast Iron
Black







## Trowpoint Grande

0.9
-1.8kW

W635mm x H665mm x D383mm

Matt Black


Freestanding Small


Inset Large

## Beacon

1-2kW

**Free Standing - Small:** W486mm x H599mm x D292mm
**Free Standing - Large:** W586mm x H599mm x D292mm
**Inset - Small:** W486mm x H599mm x D232mm (Inset 45mm)
**Inset - Large:** W586mm x H599mm x D232mm (Inset 45mm)

Matt Black


Desire 5


Desire 7


Desire 6


Desire Inset

## Desire

1-2kW

**Free Standing - 5:** W430mm x H587mm x D292mm
**Free Standing - 6:** W486mm x H587mm x D292mm
**Free Standing - 7:** W542mm x H587mm x D292mm
**Inset**: W486mm x H587mm x D238mm (Inset 75mm)

Matt Black


Ora 5


Ora 7


Ora Inset

## Ora

1-2kW

**Free Standing - 5:** W453mm x H607mm x D377mm
**Free Standing - 7:** W565mm x H607mm x D377mm
**Inset:** W496mm x H588mm x D253mm (Inset 75mm)
Cast Iron Door

Matt Black


Matt Black

## Elstow

1-2kW

W577mm x H620mm x D186mm

Matt Black


Matt Black

Plain Door option

## York

2kW

W465mm x H580mm x D310mm
Full Cast Iron Stove

Cast Iron Black




## Canterbury

W591mm x H651mm x D324mm
Full Cast Iron Stove

Cast Iron Black




## Espire

W486mm x H586mm x D292mm
Lightweight Stove

Matt Black




## Hereford 5

W453mm x H607mm x D377mm
Cast Iron Door

Matt Black




## Hereford 7

W565mm x H607mm x D377mm
Cast Iron Door

Matt Black

# Stove Switch & Decorative flue / Inglenook compatibility

| Electric Stoves | Decorative Flue Options | Barrowden Timber Inglenook | Cheshire Timber Inglenook | Sennen Timber Inglenook |
|---|---|---|---|---|
| Beacon Small / Large | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | - | ✓ | ✓ |
| Desire 5 / 6 / 7 | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | - | ✓ | ✓ |
| Canterbury | Stove Only | ✓* | ✓* | ✓* |
| | Curved Plastic Flue | - | - | ✓* |
| Colman | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | ✓ | ✓ | ✓ |
| Elstow Inset | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | - | - | - |
| Espire | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | - | ✓ | ✓ |
| Hereford 5 / 7 | Stove Only | - | - | - |
| | Curved Plastic Flue | - | - | - |
| Heslington | Stove Only | ✓* | ✓* | ✓* |
| | Curved Plastic Flue | - | - | ✓* |
| Norwood | Stove Only | ✓* | ✓* | ✓* |
| | Curved Plastic Flue | - | ✓* | ✓* |
| Ora 5 / 7 | Stove Only | - | - | - |
| | Curved Plastic Flue | - | - | - |
| Serrano | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | ✓ | ✓ | ✓ |
| Qube | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | ✓ | ✓ | ✓ |
| Southgate | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | - | ✓ | ✓ |
| Trowpoint | Stove Only | ✓* | ✓* | ✓* |
| | Curved Plastic Flue | - | ✓* | ✓* |
| Trowpoint Grande | Stove Only | - | - | - |
| | Curved Plastic Flue | - | - | - |
| Winchester | Stove Only | ✓* | ✓* | ✓* |
| | Curved Plastic Flue | - | - | ✓* |
| Wimslow | Stove Only | ✓ | ✓ | ✓ |
| | Curved Plastic Flue | - | ✓ | ✓ |
| York | Stove Only | ✓ | ✓* | ✓ |
| | Curved Plastic Flue | ✓ | ✓ | ✓ |



## Curved Decorative flue pipe (Plastic)

Decorative curved plastic flue pipe. Suitable for electric stoves only.
(See above for compatibility)
In Matt Black, Cream & French Grey
W122mm x H195mm x D195mm

*Handle and / or skirt will protrude over the front of the hearth slightly.




## Hereford 5 / 7

C E

Hereford 5 : W453mm x H606mm x D381mm
Hereford 7 : W565mm x H606mm x D376mm

Matt Black



Ignite 5



Ignite 7

## Ignite 5 & 7

C D

Ignite 5: W430mm x H582mm x D371mm
Ignite 7: W542mm x H582mm x D345mm

Matt Black



Desire 5



Desire 7

## Desire 5 & 7

C D

Desire 5: W430mm x H582mm x D371mm
Desire 7: W542mm x H582mm x D345mm

Matt Black



Ignite 5 Widescreen



Ignite 5 Widescreen Logstore

## Ignite 5 Widescreen

A

5kW

Ignite 5: W542mm x H582mm x D356mm
Log store: W542mm x H827mm x D356mm

Matt Black

Please note: Log store logs are not included



Desire 5 Widescreen



Matt Black

## Hereford 5 Widescreen

A 5kW

W565mm x H608mm x D366mm

Matt Black



Desire 5 Widescreen Log Store



Curved



Square

## Desire 5 Widescreen

A 5kW

Desire 5: W542mm x H582mm x D356mm
Log store: W542mm x H827mm x D356mm

Matt Black

## Log Baskets

Curved: W450mm x H358mm x D350mm
Square: W447mm x H340mm x D352mm

Matt Black

# Technical Information

## MediaVue - Media Wall

| Page | Brand | Model | Size (mm) | Engine | Heat Output | Optional Mood Lighting | App Control |
|---|---|---|---|---|---|---|---|
| 6-7 | | **MEDIAVUE** Wall Mounted | W1835 x H1880 x D365 | Arteon 1500-3SL | 1.5kW | Yes | Yes |
| | | **MEDIAVUE** Floorstanding | W1835 x H1970 x D365 | Arteon 1500-3SL | 1.5kW | Yes | Yes |
| | | Optional LED Mood Lighting | 1-3m | N/A | N/A | N/A | Yes |

## Timber Electric Fireplaces

| Page | Brand | Model | Mantel Width (mm) | Height (mm) | Hearth Width (mm) | Hearth Depth (mm) | Hearth | Trim Options | Heat Input/Output | Finish |
|---|---|---|---|---|---|---|---|---|---|---|
| 11 | | Amorina (Chollerton) | 1270 (50") | 1016 | 1270 | 300 | SL | Black Nickel or Chrome | 1 / 2kW | Ash White |
| 10 | | Arana | 1270 (50") | 1021 | 1270 | 350 | SL | See page 29-30 | 1 / 2kW | Ash White |
| 14 | | Barrowden Inglenook (Colman) | 1070 (42") | 1045 | 1070 | 350 | SL | Matt Black | 0.9/1.8kW | Natural Oak effect & Anthracite or Natural Oak effect, Stone & Anthracite |
| 14 | | Beadnell | 1170 (46") | 1048 | 1170 | 300 | BV | Matt Black | 1 / 2kW | Ice White |
| 9 | | Broadwell | 1220 (48") | 1050 | 1220 | 300 | SL | Matt Black | 1 / 2kW | Dark Grey & Matt Black |
| 12 | | Colby | 960 (38") | 805 | 1016 | 300 | SL | Chrome | 1 / 2kW | Soft White |
| 17 | | Dunswood | 1070 (42") | 1123 | 1070 | 330 | SL | See page 28-31 | 1 / 2kW | Torro Oak & Marfil Cream finish |
| | | Dunswood | 1210 (48") | 1123 | 1210 | 330 | SL | See page 28-31 | 1 / 2kW | |
| 16 | | Elanwood | 1070 (42") | 1123 | 1070 | 330 | SL | See page 28-31 | 1 / 2kW | Torro Oak & Marfil Cream finish |
| | | Elanwood | 1210 (48") | 1123 | 1210 | 330 | SL | See page 28-31 | 1 / 2kW | |
| 13 | | Elsham | 1020 (40") | 920 | 1020 | 300 | BV | Chrome | 1 / 2kW | Pearlescent Cashmere or Soft White |
| 8 | | Elyce | 1100 (43") | 602 | N/A | 255 | N/A | N/A | 1 / 2kW | Matt Cashmere & Anthracite |
| | | Elyce Grande | 1390 (55") | 602 | N/A | 255 | N/A | N/A | 1 / 2kW | Matt Cashmere & Anthracite |
| 15 | | Evento 54 | 1270 (54") | 842 | 1370 | 320 | N/A | N/A | 1.5kW | Ash White or Ash White & Nightfall |
| | | Evento 64 | 1520 (64") | 842 | 1620 | 345 | N/A | N/A | 1.5kW | |
| 11 | | Farleigh 38 | 908 (38) | 803 | 966 | 250 | SL | Anthracite | 1 / 2kW | Ash White |
| | | Farleigh 52 | 1240 (52") | 760 | 1320 | 250 | SL | Anthracite | 1 / 2kW | |
| 9 | | Fairview | 1470 (48") | 1150 | 1600 | 260 | N/A | N/A | 1 / 2kW | Ash White |
| 12 | | Hansford | 1170 (46") | 815 | 1170 | 300 | BV | Brushed Steel | 1 / 2kW | Pearlescent Cashmere |
| | | Hansford Grande | 1320 (52") | 760 | 1320 | 300 | BV | Anthracite | 1 / 2kW | |
| 10 | | Huxton 41 | 904 (41") | 588 | 1034 | 277 | N/A | N/A | 1 / 2kW | Ash White or Matt Cashmere & Anthracite |
| | | Huxton 51 | 1154 (51") | 588 | 1284 | 277 | N/A | N/A | 1 / 2kW | |
| 10 | | Juliette 48 | 1211 (48") | 596 | 1211 | 300 | N/A | N/A | 1 / 2kW | Angora & Matt Cashmere |
| | | Juliette 58 | 1461 (51") | 596 | 1461 | 300 | N/A | N/A | 1 / 2kW | |
| 9 | | Linmere | 1120 (44") | 995 | 1120 | 330 | SL | Chrome or Black Nickel | 1 / 2kW | Soft White |
| 9 | | Olora | 1320 (52") | 1131 | 1320 | 400 | SL | N/A | 1.5kW | Light Grey & White Lavanto |
| 12 | | Orwell | 1220 (48") | 1071 | 1220 | 300 | SL | Matt Black | 1 / 2kW | Ash White |
| 8 | | Oxton | 1470 (58") | 2200 / 2500 | 1600 | 260 | N/A | N/A | 1 / 2kW | Ash White |
| 15 | | Salehurst | 966 (38") | 803 | 966 | 250 | SL | N/A | 1 / 2kW | Ash White |
| | | Salehurst Grande | 1320 (52") | 760 | 1320 | 250 | SL | N/A | 1 / 2kW | |
| 13 | | Sennen (Colman) | 1370 (54") | 1150 | 1370 | 360 | SL | Matt Black | 0.9/1.8kW | Ash White, Grey Herringbone & Chalet Oak |
| 13 | | Stanton | 1170 (46") | 1058 | 1170 | 330 | BN | Chrome or Black Nickel | 1 / 2kW | Soft White |
| 13 | | Whitham | 1220 (48") | 1011 | 1220 | 300 | SL | Chrome / Black Nickel | 1 / 2kW | Soft White + Black Nickel or Ice White + Chrome |

## Timber Inglenook

| Page | Brand | Model | Mantel Width (mm) | Height (mm) | Depth (mm) | Overall Depth for Stove (mm) | Hearth | Finish |
|---|---|---|---|---|---|---|---|---|
| 18 | | Barrowden | 1070 (42") | 1045 | 350 | 318 | SL | Natural Oak effect & Anthracite or Natural Oak effect, Stone & Anthracite |
| 18 | | Cheshire | 1220 (48") | 1050 | 360 | 320 | SL | Dark Grey & Grey Slate effect |
| 18 | | Sennen | 1370 (54") | 1150 | 360 | 322 | SL | Ash White, Chalet Oak & Grey Herringbone |

## Micro Marble Inglenook

| Page | Brand | Model | Mantel Width (mm) | Height (mm) | Depth (mm) | Overall Depth for Stove (mm) | Hearth | Finish |
|---|---|---|---|---|---|---|---|---|
| 19 | | Allensford | 1220 | 1095 | 400 | 365 | SL | White with White or Chicargo Concrete Herringbone Back Panel |
| 19 | | Odella Inglenook†• | 1370 | 1235 | 400 | 457 | SL | White |

†Not suitable for solid fuel stoves | • Inglenook rear hearth supplied - 1016x457x20mm - Inglenook Back Panels not supplied

## Micro Marble Electric Fireplaces

| Page | Brand | Model | Mantel Width (mm) | Height (mm) | Hearth Width (mm) | Hearth Depth (mm) | Hearth | Heat Output | Engine | Finish |
|---|---|---|---|---|---|---|---|---|---|---|
| 21 | | Alesso | 1220 (48") | 1000 | 1220 | 400 | SL | 2kW | Pryzm 750P | Rigel or White |
| 20 | | Cabrina | 1320 (52") | 1040 | 1320 | 400 | SL | 2kW | Pryzm 750P | White |
| 21 | | Cassius | 1320 (52") | 967 | 1320 | 400 | SL | 2kW | Elsie 950 | White or White & Grey |
| 20 | | Cotsmore | 1170 (46") | 960 | 1170 | 400 | SL | 2kW | See page 29-31 | Rigel |
| 21 | | Embleton | 1320 (52") | 1159 | 1320 | 400 | SL | 2kW | Elsie 900 | White |
| 21 | | Ezra | 1370 (54") | 1162 | 1370 | 300 | SL | 1.5kW | Arteon 750-3SP | Rigel or White |
| 21 | | Impero 47 | 1200 (47") | 619 / 810 | N/A | 290 | N/A | 2kW | Pryzm 750 | White |
| | | Impero 57 | 1450 (57") | 619 / 810 | N/A | 290 | N/A | 2kW | Pryzm 1000 | White |
| 21 | | Vistus | 1220 (48") | 830 | 1220 | 400 | SL | 2kW | Pryzm 750 | Rigel or White |
| 20 | | Vitalia | 1220 (48") | 1080 | 1220 | 400 | SL | 2kW | Elsie 900 | White |

**Please note:** Oak finishes are vinyl wrap and not timber veneer.

* Supplied with spacer kit

## Micro Marble Gas Fireplaces

| Page | Brand | Model | Mantel Width (mm) | Height (mm) | Depth (mm) | Hearth | Finish | EEC | Efficiency |
|---|---|---|---|---|---|---|---|---|---|
| 22 | | Cassius | 1320 (52") | 967 | 400 | SL | White or White & Grey | D | 75.3% |
| 23 | | Earlston | 1220 (48") | 897 | 400 | SL | White | D | 75.3% |
| | | Greenwood | 1220 (48") | 1080 | 400 | SL | White | D | 83% |

## Micro Marble Surrounds

| Page | Brand | Model | Mantel Width (mm) | Height (mm) | Hearth Width (mm) | Hearth Depth (mm) | Rebate (mm) | Motion Sense Lights | Hearth Option | Finishes |
|---|---|---|---|---|---|---|---|---|---|---|
| 24 | | Amorina | 1270 (50") | 1137 | 1270 | 400 | 45 / 75 | Optional | SL, BN** | White |
| 26 | | Elda | 1220 (48") | 1080 | 1220 | 400 | 45 / 75 | Optional | SL | White & Black Granite |
| 26 | | Eliana | 1220 (48") | 1155 | 1220 | 400 | 45 / 75 | Optional | SL, BN** | White |
| | | Eliana* | 1320 (52") | 1155 | 1320 | 400 | 45 / 75 | Optional | SL, BN** | |
| 25 | | Florano | 1070 (42") | 1050 | 1070 | 400 | 45 / 75 | Optional | SL | White, White & Black Granite or White & Grey Slip |
| | | Florano | 1220 (48") | 1095 | 1220 | 400 | 45 / 75 | Optional | SL, BN** | |
| 27 | | Isabelle | 1150 (45") | 1045 | 1168 | 400 | 45 / 75 | Optional | SL | Rigel |
| 25 | | Madalyn | 1320 (52") | 1115 | 1320 | 400 | 75 | Optional | SL | White |
| 24 | | Millington* | 1370 (54") | 1162 | 1370 | 400 | 45 / 75 | Optional | SL | White or Rigel |
| 24 | | Odella* | 1370 (54") | 1235 | 1370 | 400 | 75 | Optional | SL | White |
| | | Odella Petite* | 1370 (54") | 1160 | 1370 | 400 | 75 | Optional | SL | |
| 25 | | Sophia | 1270 (50") | 1145 | 1270 | 400 | 45 / 75 | Optional | SL, BN** | White |
| 25 | | Tasmin | 1070 (42") | 1015 | 1070 | 400 | 45 / 75 | Optional | SL | White |
| 27 | | Timara | 1070 (42") | 1050 | 1070 | 400 | 45 / 75 | Optional | SL | White, White & Black Granite or White & Grey Slip |
| | | Timara | 1220 (48") | 1095 | 1220 | 400 | 45 / 75 | Optional | SL, BN** | |
| 26 | | Verdena | 1220 (48") | 1110 | 1220 | 400 | 45 / 75 | Optional | SL | Rigel |
| 26 | | Viena | 1220 (48") | 1110 | 1220 | 400 | 45 / 75 | Optional | SL | White or Rigel |
| 27 | | Vitalia | 1220 (48") | 1080 | 1220 | 400 | 45 / 75 | Optional | SL, BN** | White |
| | | Vitalia* | 1320 (52") | 1040 | 1320 | 400 | 45 / 75 | Optional | SL, BN** | |

*Back panel available with 22" cut out for (75mm rebate only) installation with the Calleos 22" gas or Chollerton 22" electric fires. NB: all of our surrounds are available with Motion Sense lights
**Bullnose hearths are available as a special order. Ask your retailer for further information.

## Inset Electric Fires

| Page | Brand | Wall Mounted Fires | Fascia | Width (mm) | Height (mm) | Overall Depth (mm) | Inset Depth (mm) | Heat Output | Finish | App Controlled | Remote Control |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 28 | | Abbey 16 | Coal | 569 | 731 | 167 | 90 | 1 / 2kW | Matt Black | No | No |
| 28 | | Arteon 16 | Ray | 512 | 611 | 174 | 145 / 75* | 2kW | Chrome or Black Nickel | Yes | Yes |
| | | | Cast Stove Front | 562 | 658 | 239 | 145 | 2kW | Matt Black | Yes | Yes |
| 29 | | Arteon 22 | Ray | 612 | 611 | 174 | 145 / 75* | 2kW | Chrome or Black Nickel | Yes | Yes |
| | | | Cast Stove Front | 668 | 672 | 252 | 145 | 2kW | Matt Black | Yes | Yes |
| 31 | | Aspen 16 * | Coal | 532 | 590 | 165 | 0 / 90 | 1 / 2kW | Chrome | No | No |
| 30 | | Banbury 16 | Log | 568 | 623 | 190 | 75 | 1 / 2kW | Matt Black | No | No |
| 31 | | Bayden 16 | Coal | 483 | 593 | 196 | 0 / 53 / 110 | 1 / 2kW | Brass, Chrome | No | No |
| 31 | | Beam 16 - Edge | Log | 509 | 593 | 110 | 75 | 1 / 2kW | Chrome, Black Nickel, Matt Black | No | Yes |
| | | Beam 16 - Timber Stove Front | Log | 564 | 638 | 148 | 75 | 1 / 2kW | Matt Black | No | Yes |
| 31 | | Beam 22 | Log | 661 | 603 | 110 | 75 | 1 / 2kW | Chrome, Black Nickel, Matt Black | No | Yes |
| 30 | | Chollerton 16 | Chollerton | 512 | 611 | 170 | 145 / 75* | 2kW | Anthracite, Chrome or Black Nickel | No | Yes |
| | | | Edge | 511 | 611 | 165 | 145 / 75* | 2kW | Chrome or Black Nickel | No | Yes |
| | | | Devotion | 510 | 605 | 194 | 145 / 75* | 2kW | Anthracite, Brass, Brushed Steel, Black Nickel | No | Yes |
| | | | Cast Stove Front | 562 | 659 | 243 | 145 | 2kW | Matt Black | No | Yes |
| 30 | | Chollerton 22 | Chollerton | 612 | 611 | 165 | 145 / 75* | 2kW | Chrome or Black Nickel | No | Yes |
| | | | Edge | 611 | 611 | 166 | 145 / 75* | 2kW | Chrome or Black Nickel | No | Yes |
| | | | Cast Stove Front | 670 | 672 | 253 | 145 | 2kW | Matt Black | No | Yes |
| 31 | | Comet 16 | Coal | 557 | 650 | 177 | 0 / 40 | 1 / 2kW | Chrome/Black or Black/Brass | No | No |
| 30 | | Ember 16 | Coal | 510 | 612 | 172 | 75 | 1 / 2kW | Chrome, Black Nickel | No | Yes |
| 31 | | Fazer 16 * | Coal | 535 | 590 | 165 | 0 / 90 | 1 / 2kW | Chrome | No | No |
| 28 | | Moulton 16 - Devotion | Log | 510 | 605 | 174 | 145 / 75 | 2kW | Anthracite, Brass, Brushed Steel, Black Nickel | No | Yes |
| | | Moulton 16 - Sola | Log | 510 | 605 | 165 | 145 / 75 | 2kW | Black/Black Nickel, Black/Brass, Black/Black | No | Yes |
| 31 | | Novus 22 | Log | 651 | 610 | 151 | 156 | 1 / 2kW | Chrome, Black Nickel | No | No |
| 29 | | PRYZM 16 | Chollerton | 512 | 611 | 170 | 145 / 75* | 2kW | Anthracite, Chrome or Black Nickel | No | Yes |
| | | | Edge | 511 | 611 | 165 | 145 / 75* | 2kW | Chrome or Black Nickel | No | Yes |
| | | | Devotion | 510 | 605 | 174 | 145 / 75* | 2kW | Anthracite, Brass, Brushed Steel, Black Nickel | No | Yes |
| | | | Cast Stove Front | 562 | 659 | 243 | 145 | 2kW | Matt Black | No | Yes |
| 29 | | PRYZM 22 | Chollerton | 612 | 611 | 165 | 145 / 75* | 2kW | Chrome or Black Nickel | No | Yes |
| | | | Edge | 611 | 611 | 166 | 145 / 75* | 2kW | Chrome or Black Nickel | No | Yes |
| | | | Cast Stove Front | 670 | 672 | 253 | 145 | 2kW | Matt Black | No | Yes |

## Large Format Inset Electric Fires

| Page | Brand | Wall Mounted Fires | Sided | Width (mm) | Height (mm) | Overall Depth (mm) | Inset Depth (mm) | Heat Output | Finish | App Controlled | Remote Control |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 34 | | Adali | 1 Sided | 660 | 488 | 190 | N/A | 1 / 2kW | Matt Black, Black Nickel | No | Yes |
| 35 | | Arteon 750 3SP | 1, 2 or 3 Sided | 731 | 655 | 257 | 255 | 1.5kW | N/A | Yes | Yes |
| 33 | | Arteon 1000 | 1 Sided | 1002 | 515 | 257 | 255 | 1.5kW | N/A | No | Yes |
| | | | 2 Sided | 1015 | 515 | 257 | 246 | 1.5kW | N/A | No | Yes |
| | | | 3 Sided | 1028 | 515 | 257 | 246 | 1.5kW | N/A | No | Yes |
| 33 | | Arteon 1250 | 1 Sided | 1252 | 515 | 282 | 280 | 1.5kW | N/A | No | Yes |
| | | | 2 Sided | 1265 | 515 | 282 | 271 | 1.5kW | N/A | No | Yes |
| | | | 3 Sided | 1278 | 515 | 282 | 271 | 1.5kW | N/A | No | Yes |
| 33 | | Arteon 1500 | 1 Sided | 1502 | 515 | 282 | 280 | 1.5kW | N/A | Yes | Yes |
| | | | 2 Sided | 1515 | 515 | 282 | 271 | 1.5kW | N/A | Yes | Yes |
| | | | 3 Sided | 1528 | 515 | 282 | 271 | 1.5kW | N/A | Yes | Yes |
| 34 | | Avella | 1 Sided | 860 | 491 | - | 165 | 1 / 2kW | Matt Black, Black Nickel | No | Yes |
| | | Avella Grande | 1 Sided | 1150 | 492 | - | 165 | 1 / 2kW | Matt Black, Black Nickel | No | Yes |
| 34 | | Elsie 900 | 1 Sided | 660 | 742 | - | 165 | 2kW | N/A | No | Yes |
| | | Elsie 950 | 1 Sided | 800 | 622 | - | 165 | 2kW | N/A | No | Yes |
| 35 | | Invision-1000-3SL | 1, 2 or 3 Sided | 1016 | 488 | 236 | 235 | 2kW | N/A | No | Yes |
| | | Invision-1250-3SL | 1, 2 or 3 Sided | 1266 | 488 | 236 | 235 | 2kW | N/A | No | Yes |
| 34 | | Rodwell 22" | 1 Sided | 584 | 503 | 133 | N/A | 1 / 2kW | Matt Black | No | Yes |
| | | Rodwell 28" | 1 Sided | 710 | 734 | 154 | 133 | 1 / 2kW | Matt Black | No | Yes |
| | | Rodwell 36" | 1 Sided | 914 | 452 | 133 | 133 | 1 / 2kW | Matt Black | No | Yes |
| 35 | | Volta 32 | 1 Sided | 804 | 432 | 238 | *238mm (min) | 2kW | Black Nickel, Chrome, Matt Black | No | Yes |
| | | Volta 42 | 1 Sided | 1054 | 432 | 238 | *238mm (min) | 2kW | Black Nickel, Chrome, Matt Black | No | Yes |

*depth does not include wall thickness

## Wall Mounted Electric Fires

| Page | Brand | Wall Mounted Fires | Fascia | Width (mm) | Height (mm) | Overall Depth (mm) | Inset Depth (mm) | Heat Output | Finish | App Controlled | Remote Control |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 36 | | Albali | Flat | 971 | 608 | 174 | N/A | 1 / 2kW | Stone, Anthracite | No | Yes |
| 36 | | Amari Wall Mounted | Flat | 960 | 450 | 126 | N/A | 1 / 2kW | Black Glass | No | Yes |
| | | Amari Freestanding | Flat | 960 | 521 | 207 | N/A | 1 / 2kW | Black Glass | No | Yes |
| 36 | | Azonto | Flat | 900 | 580 | 110 | N/A | 1 / 2kW | Black Glass | No | Yes |
| 37 | | Bolen 3 in 1 | Log | 1016 | 400 | 102 | 115 | 2kW | N/A | No | Yes |
| 36 | | Quattro | Curved | 640 | 500 | 150 | N/A | 1 / 2kW | Black Glass | No | Yes |
| 37 | | Salehurst | Flat | 966 | 803 | 250 | N/A | 1 / 2kW | Ash White | No | Yes |
| | | Salehurst Grande | Flat | 1320 | 760 | 250 | N/A | 1 / 2kW | Ash White | No | Yes |
| 37 | | Serena | Flat | 710 | 755 | 180 | N/A | 1 / 2kW | Anthracite | No | Yes |

## Inset Gas Fires: Exclusive & Devotion

| Page | Brand | Model | Width (mm) | Height (mm) | Inset Depth (mm) | Inset Width (mm) | Inset Height (mm) | EEC | Heat Input | Heat Output |
|---|---|---|---|---|---|---|---|---|---|---|
| 40 | | Slimline Radiant | 510 | 605 | 123 | 403 | 553 | F | 6.75 / 3.5kW | 3.5 / 1.7kW |
| | | Deepline Radiant | 510 | 605 | 173 | 403 | 553 | F | 6.75 / 3.5kW | 3.4 / 1.6kW |
| | | Deepline Convector | 510 | 605 | 198 | 403 | 553 | F | 6.75 / 3.5kW | 3.8 / 1.8kW |
| | | Mid-Depth High Efficiency | 510 | 605 | 128 | 403 | 553 | D | 3.7 / 2.5kW | 2.7 / 1.7kW |
| | | Deepline High Efficiency | 510 | 605 | 198 | 403 | 553 | C | 5.3 / 3.2kW | 4.2 / 2.3kW |

## Inset Gas Fires: Cast Stove Front

| Page | Brand | Model | Width (mm) | Height (mm) | Depth (mm) | Inset Depth (mm) | Inset Width (mm) | Inset Height (mm) | EEC | Long Flue |
|---|---|---|---|---|---|---|---|---|---|---|
| 40 | | 16 Mid-Depth High Efficiency | 559 | 658 | 128 | 128 | 403 | 553 | D | ✕ |
| | | 16 Deepline High Efficiency | 559 | 658 | 198 | 198 | 403 | 553 | C | ✕ |

## Complete Inset Gas Fires

| Page | Brand | Model | Fuel Bed | Flue Type | Width (mm) | Height (mm) | Depth (mm) | Inset Depth (mm) | Trim Options | Efficiency | Heat Input (kW) | Heat Output(kW) | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | | | | | | | | | Min | Max |
| 41 | | Abide 16 | Log | Class 1 & 2 | 512 | 610 | 230 | 197 | Black Nickel, Brass, Anthracite | 83.1% | 4.5 | 1.8 | 3.4 |
| | | Abide 600 | Log | Class 1 & 2 | 597 | 664 | 280 | 310 | Anthracite | 84% | 6.7 | 2.1 | 5.1 |
| 41 | | Calleos 22 - Chollerton | Log | Class 1 & 2 | 612 | 611 | 230 | 195 | Chrome, Black Nickel | 87.2% | 5.3 | 2.0 | 4.2 |
| | | Calleos 22 - Cast Stove Front | Log | Class 1 & 2 | 668 | 672 | 265 | 195 | Matt Black | 87.2% | 5.3 | 2.0 | 4.2 |
| 41 | | Elsie 900 | Log | Class 1 & 2 | 660 | 742 | 273 | 255 | Matt Black | 83% | 6.75 | 2.1 | 5.1 |
| | | Elsie 900 | Log | Pre-Cast | 660 | 742 | 273 | 115 | Matt Black | 83% | 6.75 | 2.1 | 5.1 |
| | | Elsie 950CF | Log | Class 1 & 2 | 800 | 622 | 273 | 255 | Matt Black | 75.3% | 6.9 | 1.9 | 4.6 |
| | | Elsie 950CF | Log | Pre-Cast | 800 | 622 | 273 | 155 | Matt Black | 75.3% | 6.9 | 1.9 | 4.6 |
| | | Elsie 960BF | Log | Balanced Flue* | 1198 | 666 | 187 | 174 | Brushed Steel Trim | 86% | 6.0 | 2.1 | 4.6 |

*Includes balance flue fit

## Inset Electric Stoves

| Page | Brand | Inset Electric Fires | Fuel Bed | Width (mm) | Height (mm) | Overall Depth (mm) | Inset Depth (mm) | Heat Input / Output | Trim Options | Remote Control |
|---|---|---|---|---|---|---|---|---|---|---|
| 48 | | Beacon - Small | Log | 486 | 599 | 232 | 45 | 2kW | Matt Black | Yes |
| | | Beacon - Large | Log | 586 | 599 | 232 | 45 | 2kW | Matt Black | Yes |
| 48 | | Desire | Coal | 486 | 587 | 238 | 75 | 2kW | Matt Black | Yes |
| 44 | | Ignite | Coal | 486 | 587 | 236 | 75 | 2kW | Matt Black | Yes |
| 49 | | Ora | Log | 496 | 588 | 253 | 75 | 2kW | Matt Black | Yes |

## Electric Stoves

| Page | | Electric Stoves | Fuel Bed | Width (mm) | Height (mm) | Depth (mm) | Heat Output | Colour Options | Inset Available | Remote Control |
|---|---|---|---|---|---|---|---|---|---|---|
| 48 | | Beacon Small | Log | 486 | 599 | 292 | 1 / 2kW | Matt Black | ☑ | Yes |
| | | Beacon Large | Log | 586 | 599 | 292 | 1 / 2kW | Matt Black | ☑ | Yes |
| 45 | | Burtree | Log | 410 | 834 | 365 | 1 / 2kW | Black Cast effect | | No |
| | | Burtree - Log Stone | Log | 410 | 1049 | 365 | 1 / 2kW | Black Cast effect | | No |
| 50 | | Canterbury | Coal / Log | 591 | 651 | 324 | 1 / 2kW | Matt Black | | Yes |
| 43 | | Colman | Log | 445 | 528 | 272 | 0.9 - 1.8kW | Matt Black, Cream or French Grey | | No |
| 48 | | Desire 5 | Coal | 430 | 587 | 292 | 1 / 2kW | Matt Black | | Yes |
| | | Desire 6 | Coal | 486 | 587 | 292 | 1 / 2kW | Matt Black | ☑ | Yes |
| | | Desire 7 | Coal | 542 | 587 | 292 | 1 / 2kW | Matt Black | | Yes |
| 49 | | Elstow | Log | 577 | 620 | 186 | 1 / 2kW | Matt Black | | Yes |
| 50 | | Espire | Coal | 486 | 586 | 292 | 1 / 2kW | Matt Black | | Yes |
| 50 | | Hereford 5 | Coal | 453 | 607 | 377 | 1 / 2kW | Matt Black | | Yes |
| | | Hereford 7 | Coal | 565 | 607 | 377 | 1 / 2kW | Matt Black | | Yes |
| 44 | | Heslington | Log | 591 | 651 | 324 | 1 / 2kW | Matt Black | | Yes |
| 46 | | Norwood | Log | 477 | 585 | 325 | 0.9 - 1.8kW | Matt Black | | Yes |
| 49 | | Ora 5 | Log | 453 | 607 | 377 | 1 / 2kW | Matt Black | ☑ | Yes |
| | | Ora 7 | Log | 565 | 607 | 377 | 1 / 2kW | Matt Black | | Yes |
| 44 | | Qube | Log | 435 | 560 | 240 | 1 / 2kW | Matt Black | | No |
| 47 | | Serrano | Coal | 430 | 545 | 265 | 1 / 2kW | Matt Black | | Yes |
| 42 | | Southgate | Log | 550 | 585 | 297 | 1 / 2kW | Matt Black or Grey | | Yes |
| 46 | | Trowpoint | Log | 495 | 595 | 346 | 0.9 - 1.8kW | Matt Black | | No |
| 47 | | Trowpoint Grande | Log | 635 | 665 | 383 | 0.9 - 1.8kW | Matt Black | | No |
| 42 | | Tunstall | Log | 410 | 645 | 410 | 1 / 2kW | Matt Black | | No |
| | | Tunstall Logstore | Log | 410 | 850 | 410 | 1 / 2kW | Matt Black | | No |
| 43 | | Winchester | Coal / Log | 640 | 620 | 365 | 2kW | Matt Black | | Yes |
| 49 | | York | Coal | 465 | 580 | 310 | 2kW | Matt Black | | Yes |
| 51 | | Decorative Flue Pipe (plastic) | N/A | 122 | 195 | 195 | N/A | Matt Black, Cream or French Grey | | N/A |

All dimensions are provided in mm unless otherwise stated

Specification correct at time of print

## Gas Stoves

| Page | Brand | Gas Stoves | Fuel Bed | Width (mm) | Height (mm) | Depth (mm) | Heat Output (High / Low ) | EEC | Flue Position | Flue Outlet Size | Remote Control |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 53 | | Desire 5 | Log | 430 | 582 | 371 | 4.5kW (top) 4kW (rear) | D | Top or Rear | 125mm (5") | No |
| | | Desire 7 | Log | 542 | 582 | 345 | 4.7kW (top) | E | Top Only | 125mm (5") | No |
| 52 | | Hereford 5 | Log | 453 | 606 | 381 | 4.5kW (top) 4kW (rear) | C-E | Top or Rear | 125mm (5") | No |
| | | Hereford 7 | Log | 565 | 606 | 376 | 4.7kW | E | Top Only | 125mm (5") | No |
| 53 | | Ignite 5 | Log | 430 | 582 | 371 | 4.3kW (top) 4.15kW (rear) | D | Top or Rear | 125mm (5") | No |
| | | Ignite 7 | Log | 542 | 582 | 345 | 4.7kW (top) | E | Top Only | 125mm (5") | No |

## Multifuel Stoves

| Page | Brand | Multifuel Stoves | Fuel Type | Width (mm) | Height (mm) | Depth (mm) | Heat Output | EEC | Flue Outlet Size | Flue Position | DEAS KIT |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 55 | | Desire 5 Widescreen | Wood & Coal | 542 | 582 | 356 | 5kW | A | 125mm (5") | Top or Rear | Yes |
| | | Desire 5 Widescreen Log Store | Wood & Coal | 542 | 827 | 356 | 5kW | A | 125mm (5") | Top or Rear | Yes |
| 55 | | Hereford 5 Widescreen | Wood & Coal | 565 | 608 | 366 | 5kW | A | 125mm (5") | Top or Rear | Yes |
| 54 | | Ignite 5 Widescreen | Wood & Coal | 542 | 582 | 356 | 5kW | A | 125mm (5") | Top or Rear | Yes |
| | | Ignite 5 Widescreen Log Store | Wood & Coal | 542 | 827 | 356 | 5kW | A | 125mm (5") | Top or Rear | Yes |
| 55 | | Log Basket Curved | - | 450 | 358 | 350 | - | - | - | - | - |
| | | Log Basket Square | - | 447 | 340 | 352 | - | - | - | - | - |

3 YEAR WARRANTY

5 YEAR WARRANTY

All gas fires are supplied with a 3 or 5 year warranty†

*Terms & Conditions apply*

† 12 Month warranty on Elsie 900 model

For over 60 years, Be Modern has manufactured fires and fireplaces to the highest standards. All gas fires are rigorously tested by our Quality Control Department to the latest ISO standards before reaching approved retailers.

Every gas fire comes with a 3 or 5-year† warranty for added peace of mind. Fires are fitted with an Oxygen Depletion Sensor, which automatically shuts off the gas supply if oxygen levels are too low or the chimney/flue is blocked.

Gas fires must only be fitted or serviced by a Gas Safe Engineer.

GAS safe™ REGISTER

## Caring for your fire

Our gas fires are designed to provide efficient heat and reliable, hassle-free operation. For safe use and long-lasting performance:

1. Only use a Gas Safe Engineer for installation or servicing.
2. Never attempt to remove or service the fire yourself.
3. Have your fire serviced and safety checked annually.
4. If you suspect a gas leak or carbon monoxide, act immediately and follow gas emergency advice.
5. If in doubt, contact a Gas Safe Engineer or your local fireplace retailer.

### Under mantel LED lighting

Under-mantel LED lighting highlights the natural detail of the micro marble, creating a soft, elegant glow. Concealed within the surround, it adds an energy-efficient feature available across the Marble range.




### Hearths

SL - Standard Lipped | BN - Bullnose






bemodern®

E&H ELGIN&HALL | FLARE | PRYZM

MADE IN BRITAIN®

## Contact Us

*For more information or to place an order please contact us*

**Tel: 0191 430 9434 | Email: sales@bemodern.com | Visit: bemodern.com**

BeModern® | 19/34 Bedesway | Bede Industrial Estate | Jarrow | Tyne and Wear | NE32 3BE

BeModern® hold design copyright and registration of design for its product ranges. BeModern® are continually striving to improve and develop their range of products. It is important, therefore, to check details before ordering as sizes and specifications may change without prior notice. Whilst every effort is made to ensure accuracy and colour, it is not always possible to obtain perfect reproduction because of the materials and printing processes used and you may find that shades, natural grain markings and marble colouring are not consistent. © BeModern® Nov 2026

RoHS Compliant